

PREFACE

This report presents the final tabulation of statistical data relating to vital events in Missouri during 2006. Data for the year of the report were accepted through April 13, 2007, allowing information reflecting events in 2006 to be as complete as possible.

Missouri Vital Statistics 2006 is published for use in public health and related fields as an aid for studying births, deaths, fetal deaths, marriages, dissolutions, and abortions. This document along with additional vital statistics data are available on the Department of Health and Senior Services website at www.dhss.mo.gov under Data, Surveillance Systems and Statistical Reports.

PDF Files

Table/Graph

BIRTH AND DEATH TRENDS

- | | |
|---|--|
| A | Live Birth and Death Rates per 1,000 Population: Missouri 1911-2006 |
| 1 | Population, Recorded Births and Deaths with Rates per 1,000 Population and Natural Increase: Missouri 1911-1944 |
| 2 | Population, Recorded and Resident Births and Deaths with Rates per 1,000 Population and Natural Increase: Missouri 1945-2006 |
| B | Total Fertility Rates: Missouri 1911-2006 |
| 3 | Fertility Rates per 1,000 Females by Age of Mother: Missouri 1911-2006 |
| C | Crude and Age-Adjusted Death Rates per 1,000 Population: Missouri 1911-2006 |
| 4 | Age-Specific Death Rates per 1,000 Population: Missouri 1911-2006 |

BIRTHS

- | | |
|----|---|
| 5A | Resident Live Births by Selected Characteristics by Race of Mother: Missouri 2006 |
| 5B | Resident Live Births by Selected Obstetric and Pediatric Conditions and Procedures: Missouri 2006 |
| 6 | Resident Live Births by Age of Mother by Live Birth Order by Mother's Marital Status by Race of Mother: Missouri 2006 |
| 7 | Teen-age Resident Live Births by Age of Mother by Live Birth Order by Mother's Marital Status by Race of Mother with Percentages: Missouri 2006 |
| 8 | Percent Low Birth Weight and Resident Live Births by Birth Weight by Age of Mother by Race of Mother: Missouri 2006 |
| 9 | Resident Live Births by Mother's Marital Status by Race with Percentages by County and Cities with 25,000 or More Population: Missouri 2006 |

Table of Contents (continued)

Table/Graph

- 10A Resident Live Births by Selected Characteristics by Race of Mother, Regional Planning Commission: Missouri 2006
- 10B Resident Live Births by Selected Characteristics by County: Missouri 2006
- 10C Resident Live Births by Selected Characteristics by Cities with 25,000 or More Population: Missouri 2006
- 11 Resident Teen-age Pregnancies and Abortions by Selected Ages by County of Residence: Missouri 2006

ABORTIONS

- D Resident Abortion Ratios per 1,000 Live Births: Missouri 1971-2006
- 12A Resident Abortions by Race, Age of Woman and Type of Procedure by Weeks of Gestation: Missouri 2006
- 12B Recorded Abortions by Race, Age of Woman and Type of Procedure by Weeks of Gestation: Missouri 2006
- 13 Resident Abortions by Age, Marital Status, and Education, by Race: Missouri 2006
- 14A Resident Abortions and Ratios per 1,000 Live Births by County of Residence: Missouri 2006
- 14B Resident Abortions and Ratios per 1,000 Live Births by Regional Planning Commission of Residence: Missouri 2006
- 15 Resident Abortions by Age and Marital Status of Woman: Missouri 2006
- 16 Resident Abortions by Number of Living Children and Number of Previous Abortions: Missouri 2006

NATURAL INCREASE

- 17 Resident and Recorded Live Births, Deaths, and Natural Increase with Rates by Counties and Cities with 25,000 or More Population: Missouri 2006
- 18 Resident and Recorded Live Births and Deaths by Cities with 2,500-24,999 Population: Missouri 2006

DEATHS

- 19 Twelve Leading Causes of Death by Race with Percentages and with Rates per 100,000 for all Races, Resident Data: Missouri 2006
- 20 Five Leading Causes of Death for Selected Age Groups with Percentages, Resident Data: Missouri 2006
- 21 Resident Deaths, Age Groups by Race by Sex with Age-Specific Rates per 1,000 by Sex: Missouri 2006
- 22A Resident Deaths, Age Groups by Selected Causes of Death: Missouri 2006
- 22B Male Resident Deaths, Age Groups by Selected Causes of Death: Missouri 2006

Table of Contents (continued)

Table/Graph

22C	Female Resident Deaths, Age Groups by Selected Causes of Death: Missouri 2006
E	Resident Infant Death Rates per 1,000 Live Births: Missouri 1960-2006
23A	Resident Perinatal, Infant, Fetal, Neonatal, Postneonatal and Maternal Deaths by County and Cities with 25,000 or More Population: Missouri 2006
23B	White Resident Perinatal, Infant, Fetal, Neonatal, Postneonatal and Maternal Deaths by County and Cities with 25,000 or More Population: Missouri 2006
23C	Black Resident Perinatal, Infant, Fetal, Neonatal, Postneonatal and Maternal Deaths by County and Cities with 25,000 or More Population: Missouri 2006
23D	Resident Perinatal, Infant, Fetal, Neonatal, Postneonatal and Maternal Deaths by Regional Planning Commission with Rates per 1,000 Live Births: Missouri 2006
23E	White Resident Perinatal, Infant, Fetal, Neonatal, Postneonatal and Maternal Deaths by Regional Planning Commission: Missouri 2006
23F	Black Resident Perinatal, Infant, Fetal, Neonatal, Postneonatal and Maternal Deaths by Regional Planning Commission: Missouri 2006
24	Resident Infant Deaths by Age, Cause, and Race with Rates per 1,000 Live Births by Cause and Race: Missouri 2006
25	Resident Infant Deaths and Rates per 1,000 Live Births by Age of Mother by Birth Order: Missouri 2006
26	Resident Infant Deaths and Rates per 1,000 Live Births by Birth Weight by Race of Mother: Missouri 2006
27A	Resident Deaths by Selected Causes of Death; For State Total by Race with Rates per 100,000 for all Races; and for Regional Planning Commissions: Missouri 2006
27B	Resident Deaths by Selected Causes of Death by County: Missouri 2006
27C	Resident Deaths by Selected Causes of Death by Cities with 25,000 or More Population: Missouri 2006
28	Recorded Deaths by Type of Accident, Age, and Sex: Missouri 2006
29	Abridged Life Table for the Total Population and by Sex: Missouri 2006

MARRIAGES

F	Marriage Rates per 1,000 Population: Missouri 1950-2006
30	Reported Marriages by Age of Groom; by Age of Bride: Missouri 2006
31	Reported Marriages by Age and Previous Marital Status of Bride and Groom: Missouri 2006
32	Reported Marriages by Previous Marital Status of Bride and Groom: Missouri 2006
33	Reported Marriages by Race of Bride by Race of Groom: Missouri 2006
34	Reported Marriages by Month: Missouri 2006

Table of Contents (continued)

Table/Graph

- 35A Reported Marriages by County of Recording with Rates per 1,000 Population:
Missouri 2006
- 35B Reported Marriages with Rates by Regional Planning Commission of Recording:
Missouri 2006

DISSOLUTIONS


- G Dissolution Rates per 1,000 Population: Missouri 1950-2006
- 36 Reported Dissolutions of Marriage by Month by Type of Decree: Missouri 2006
- 37 Reported Dissolutions and Annulments by Number of Previous Marriages, Husband
by Wife: Missouri 2006
- 38 Reported Dissolutions and Annulments by Duration of Marriage: Missouri 2006
- 39 Reported Dissolutions and Annulments by Number of Children Affected:
Missouri 2006
- 40 Reported Dissolutions and Annulments by Petitioner by Disposition of Children and
by Whether Child Support Awarded: Missouri 2006
- 41 Reported Dissolutions and Annulments by Age of Wife by Age of Husband:
Missouri 2006
- 42 Reported Dissolutions and Annulments by Race, Wife by Husband: Missouri 2006
- 43A Reported Dissolutions and Annulments by County of Recording with Rates per
1,000 Population: Missouri 2006
- 43B Reported Dissolutions and Annulments with Rates by Regional Planning Commission
of Recording: Missouri 2006

APPENDIX

Graph A

Live Birth and Death Rates per 1,000 Population

Missouri 1911-2006*



*1911-1944 recorded events
1945-2006 resident events

TABLE 1
POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION
AND NATURAL INCREASE: MISSOURI 1911-1944

Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Natural Increase	Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Natural Increase
		Number	Rate	Number	Rate				Number	Rate	Number	Rate	
1911	3,317	74,130	22.3	43,479	13.1	30,651	1928	3,601	63,401	17.6	45,219	12.6	18,182
1912	3,344	75,452	22.6	42,139	12.6	33,313	1929	3,622	60,980	16.8	44,262	12.2	16,718
1913	3,409	75,231	22.1	42,130	12.4	33,101	1930	3,646	62,011	17.0	42,924	11.8	19,087
1914	3,467	73,925	21.3	41,743	12.0	32,182	1931	3,711	60,201	16.2	43,999	11.9	16,202
1915	3,492	71,543	20.5	40,863	11.7	30,680	1932	3,746	59,755	16.0	43,695	11.7	16,060
1916	3,527	73,486	20.8	44,705	12.7	28,781	1933	3,773	57,717	15.3	43,368	11.5	14,349
1917	3,470	67,041	19.3	45,564	13.1	21,477	1934	3,784	60,317	15.9	46,685	12.3	13,632
1918	3,325	64,001	19.2	51,925	15.6	12,076	1935	3,798	57,299	15.1	43,201	11.4	14,098
1919	3,371	61,193	18.2	39,282	11.7	21,911	1936	3,801	55,916	14.7	48,767	12.8	7,149
1920	3,404	65,416	19.2	42,572	12.5	22,844	1937	3,794	57,270	15.1	45,160	11.9	12,110
1921	3,429	66,970	19.5	36,210	10.6	30,760	1938	3,781	59,365	15.7	42,578	11.3	16,787
1922	3,427	64,388	18.7	38,417	11.2	25,971	1939	3,783	59,688	15.8	42,693	11.3	16,995
1923	3,454	66,691	19.3	41,853	12.1	24,838	1940	3,786	62,545	16.5	43,950	11.6	18,595
1924	3,508	68,961	19.7	40,463	11.5	28,498	1941	3,811	66,268	17.4	43,295	11.4	22,973
1925	3,526	68,293	19.4	41,332	11.7	26,961	1942	3,829	72,575	19.0	42,117	11.0	30,458
1926	3,556	66,611	18.7	42,684	12.0	23,927	1943	3,705	74,820	20.2	44,437	12.0	30,383
1927	3,576	66,401	18.6	40,853	11.4	25,548	1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911-1934 and 1937-1944 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the United States Bureau of the Census. Population estimates 1911 to 1944 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956

TABLE 2
POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000
AND NATURAL INCREASE: MISSOURI 1945-2006

Year	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Natural Increase
		Births	Deaths	Births	Deaths	Births	Deaths	Births	Deaths	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1945	3,516	67,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,964	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	4,015	92,664	23.1	44,318	11.0	89,977	22.4	44,051	10.9	45,926
1952	3,972	92,931	23.4	45,245	11.4	90,118	22.7	45,051	11.3	45,067
1953	4,020	94,419	23.5	45,686	11.4	91,447	22.7	45,148	11.2	46,299
1954	4,066	97,278	23.9	44,404	10.9	93,453	23.0	43,835	10.8	49,618
1955	4,134	97,591	23.6	43,531	10.5	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,163	24.1	45,003	10.8	96,099	23.1	44,458	10.7	51,641
1957	4,189	101,287	24.2	47,784	11.4	97,161	23.2	47,333	11.3	49,828
1958	4,186	100,729	24.1	47,338	11.3	96,721	23.1	46,729	11.2	49,992
1959	4,258	102,461	24.1	47,099	11.1	98,537	23.1	46,465	10.9	52,072
1960	4,326	101,778	23.5	48,955	11.3	97,723	22.6	48,287	11.2	49,436
1961	4,349	101,462	23.3	47,933	11.0	97,321	22.4	47,303	10.9	50,018
1962	4,357	97,658	22.4	49,685	11.4	93,879	21.5	49,016	11.2	44,863
1963	4,392	93,545	21.3	51,159	11.6	90,363	20.6	50,538	11.5	39,825
1964	4,442	90,918	20.5	50,271	11.3	88,335	19.9	49,617	11.2	38,718
1965	4,467	84,162	18.8	51,101	11.4	81,216	18.2	50,249	11.2	30,967
1966	4,523	80,750	17.9	52,476	11.6	77,946	17.2	51,581	11.4	26,365
1967	4,539	77,940	17.2	51,245	11.3	74,823	16.5	50,544	11.1	24,279
1968	4,568	77,028	16.9	52,834	11.6	74,304	16.3	52,019	11.4	22,285
1969	4,640	81,313	17.5	53,172	11.5	78,396	16.9	52,314	11.3	26,082
1970	4,680	83,787	17.9	52,592	11.2	80,707	17.2	51,743	11.1	28,964
1971	4,723	81,409	17.2	51,810	11.0	78,375	16.6	50,811	10.8	27,564
1972	4,753	75,127	15.8	53,249	11.2	72,597	15.3	52,287	11.0	20,310
1973	4,775	70,808	14.8	53,003	11.1	68,605	14.4	51,812	10.9	16,793
1974	4,785	71,875	15.0	51,656	10.8	69,412	14.5	50,504	10.6	18,908
1975	4,795	70,786	14.8	49,986	10.4	68,442	14.3	48,984	10.2	19,458
1976	4,824	71,319	14.8	50,074	10.4	68,781	14.3	49,008	10.2	19,773
1977	4,845	75,689	15.6	49,839	10.3	72,957	15.1	48,761	10.1	24,196
1978	4,871	75,283	15.5	50,439	10.4	72,654	14.9	49,207	10.1	23,447
1979	4,889	78,562	16.1	48,946	10.0	76,056	15.6	47,656	9.7	28,400
1980	4,917	80,770	16.4	50,504	10.3	78,588	16.0	49,334	10.0	29,254
1981	4,932	78,538	15.9	49,780	10.1	76,758	15.6	48,645	9.9	28,113
1982	4,930	78,334	15.9	49,145	10.0	76,648	15.5	48,126	9.8	28,522
1983	4,944	77,061	15.6	50,540	10.2	75,505	15.3	49,381	10.0	26,124
1984	4,976	76,293	15.3	50,232	10.1	74,422	15.0	48,890	9.8	25,532


TABLE 2 (continued)

Year	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Natural Increase
		Births		Deaths		Births		Deaths		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1985	5,002	78,760	15.7	51,635	10.3	76,697	15.3	50,098	10.0	26,599
1986	5,024	77,105	15.3	51,350	10.2	75,116	15.0	49,971	9.9	25,145
1987	5,057	76,909	15.2	52,016	10.3	74,830	14.8	50,362	10.0	24,468
1988	5,083	78,331	15.4	52,265	10.3	76,101	15.0	50,619	10.0	25,482
1989	5,096	79,866	15.7	51,679	10.1	77,755	15.3	50,169	9.8	27,586
1990	5,117	81,416	15.9	51,786	10.1	79,135	15.5	50,212	9.8	28,923
1991	5,171	81,076	15.7	52,362	10.1	78,468	15.2	50,711	9.8	27,757
1992	5,217	78,720	15.1	52,513	10.1	76,005	14.6	50,893	9.8	25,112
1993	5,271	77,986	14.8	55,322	10.5	75,146	14.3	53,655	10.2	21,491
1994	5,324	76,381	14.3	55,398	10.4	73,279	13.8	53,611	10.1	19,668
1995	5,378	75,980	14.1	56,062	10.4	72,804	13.5	54,222	10.1	18,582
1996	5,432	76,504	14.1	55,517	10.2	73,733	13.6	53,766	9.9	19,967
1997	5,481	76,650	14.0	55,887	10.2	73,940	13.5	54,203	9.9	19,737
1998	5,522	77,701	14.1	56,708	10.3	75,242	13.6	54,849	9.9	20,393
1999	5,562	77,371	13.9	57,621	10.4	75,366	13.6	55,732	10.0	19,634
2000	5,595	78,302	14.0	56,395	10.1	76,329	13.6	54,602	9.8	21,727
2001	5,643	76,690	13.6	56,343	10.0	75,290	13.3	54,601	9.7	20,689
2002	5,680	76,366	13.4	57,406	10.1	75,167	13.2	55,636	9.8	19,531
2003	5,712	77,878	13.6	56,903	10.0	76,960	13.5	55,195	9.7	21,765
2004	5,753	78,591	13.7	55,363	9.6	77,709	13.5	53,787	9.3	23,922
2005	5,798	79,525	13.7	56,091	9.7	78,547	13.5	54,324	9.4	24,223
2006	5,843	82,456	14.1	56,279	9.6	81,353	13.9	54,475	9.3	26,878

Graph B

Total Fertility Rates

Missouri 1911 - 2006



Total Fertility Rate		Total Fertility Rate		Total Fertility Rate		Total Fertility Rate		Total Fertility Rate	
1911	2.71	1950	2.92	1990	2.00	1998	1.97	2006	2.06
1915	2.55	1955	3.39	1991	2.00	1999	1.97		
1920	2.33	1960	3.63	1992	1.95	2000	2.00		
1925	2.37	1965	2.79	1993	1.94	2001	1.97		
1930	2.09	1970	2.40	1994	1.90	2002	1.95		
1935	1.99	1975	1.76	1995	1.89	2003	1.99		
1940	2.02	1980	1.90	1996	1.92	2004	1.99		
1945	2.16	1985	1.85	1997	1.92	2005	2.00		


TABLE 3
FERTILITY RATES PER 1,000 FEMALES BY AGE OF MOTHER:
MISSOURI 1911-2006

	<i>General Fertility Rate</i>	<i>Under15</i>	<i>Total</i>	<i>15-19</i>		<i>20-24</i>	<i>25-29</i>	<i>30-34</i>	<i>Age of Mother</i>		
				<i>15-17</i>	<i>18-19</i>				<i>35-39</i>	<i>40-44</i>	<i>45-49</i>
1911	93.3	0.4	48.8	NA	NA	134.2	133.5	109.6	77.7	33.5	3.8
1915	88.8	0.3	50.4			136.4	126.2	97.5	67.7	27.7	3.2
1920	80.6	0.4	49.6			129.3	113.3	85.0	59.6	25.0	3.0
1925	81.1	0.4	56.7			129.5	120.2	83.8	57.7	22.5	2.4
1930	71.1	0.5	54.1	NA	NA	115.5	103.6	79.8	46.7	18.3	2.0
1935	68.0	0.5	52.5			116.0	96.9	69.3	43.6	16.8	1.6
1940	69.1	0.4	54.5			123.6	104.8	69.8	37.1	13.2	1.4
1945	73.2	0.5	50.2			121.7	114.2	81.4	47.5	14.9	1.2
1950	98.6	0.9	82.6	NA	NA	189.5	153.4	95.2	48.1	14.0	1.0
1955	112.3	0.8	95.3			229.0	174.2	106.9	55.7	15.2	1.0
1960	118.1	0.9	99.0			254.4	187.5	110.5	56.5	16.5	1.0
1965	93.0	0.9	75.1			188.7	146.5	87.1	45.0	13.5	0.8
1970	85.6	1.1	71.8	NA	NA	163.3	137.2	67.7	30.1	8.8	0.5
1975	65.9	1.3	60.0	41.1	89.0	110.1	106.6	51.1	18.8	4.6	0.2
1980	70.6	1.2	57.5	35.6	88.0	121.9	116.9	60.5	18.3	3.7	0.2
1985	66.4	1.2	52.4	30.5	83.8	115.9	113.0	63.4	19.7	3.2	0.2
1990	67.9	1.2	62.7	39.2	92.9	118.9	117.3	70.5	25.3	4.1	0.1
1991	66.7	1.1	64.3	38.8	99.9	119.0	115.4	70.0	25.8	4.3	0.1
1992	64.8	1.0	63.0	38.2	100.1	114.2	113.7	69.5	25.2	4.1	0.1
1993	63.8	1.2	59.4	36.4	94.3	113.9	112.2	70.8	26.2	4.4	0.2
1994	61.8	1.2	58.6	35.2	94.8	110.1	109.1	70.2	26.1	4.7	0.2
1995	61.0	1.1	55.1	32.3	91.2	108.3	108.9	72.4	27.6	4.5	0.2
1996	61.5	0.9	53.2	30.8	88.8	111.7	110.6	74.1	28.5	4.9	0.2
1997	61.1	0.8	49.9	29.4	85.6	111.3	112.7	75.0	29.6	5.1	0.2
1998	62.3	0.7	51.1	28.7	85.3	113.9	114.4	76.9	30.5	5.4	0.2
1999	62.5	0.7	49.6	26.9	83.2	114.2	115.8	78.5	30.4	5.5	0.3
2000	63.3	0.7	48.6	26.7	80.4	115.2	115.4	82.9	31.4	5.8	0.4
2001	62.4	0.6	46.7	23.3	82.8	108.3	116.8	83.1	31.8	5.6	0.3
2002	62.4	0.6	44.8	21.9	81.3	106.7	114.7	83.9	33.1	5.9	0.4
2003	64.0	0.6	44.0	21.3	79.7	107.6	119.3	85.9	33.9	6.1	0.3
2004	64.7	0.7	44.2	21.7	79.4	108.8	115.9	86.5	36.1	6.3	0.4
2005	65.5	0.5	43.1	20.8	79.1	111.8	116.1	86.5	36.2	6.3	0.3
2006	67.9	0.6	45.6	22.7	83.0	117.0	117.2	88.4	36.9	6.5	0.4

Graph C

Crude and Age-Adjusted Death Rates* per 1,000 Population

Missouri 1911 - 2006



	Crude	Age-Adj.		Crude	Age-Adj.		Crude	Age-Adj.
1911	13.1	22.1	1985	10.0	10.0	1998	10.1	9.4
1920	12.5	20.1	1990	9.8	9.4	1999	10.2	9.5
1930	11.8	18.2	1991	9.8	9.4	2000	9.8	9.2
1940	11.6	16.7	1992	9.8	9.3	2001	9.7	9.0
1950	11.0	14.3	1993	10.3	9.7	2002	9.8	9.1
1960	11.2	13.2	1994	10.2	9.6	2003	9.7	8.9
1970	11.1	12.6	1995	10.2	9.7	2004	9.3	8.6
1975	10.2	11.2	1996	10.0	9.5	2005	9.4	8.5
1980	10.0	10.5	1997	10.0	9.5	2006	9.3	8.4

* United States 2000 population distribution used as the standard. See Appendix, page 128.

TABLE 4
AGE-SPECIFIC DEATH RATES PER 1,000 POPULATION:
MISSOURI 1911-2006

	Total*	Under 1	1-4	5-14	15-24	25-34	35-44	Age					
								45-54	55-64	65-74	75-84	85+	
1911	22.1	99.6	12.3	2.7	4.8	6.9	8.8	13.5	24.4	52.4	118.8	247.6	
1920	20.1	87.1	10.4	2.8	5.0	7.0	7.9	11.2	21.1	47.0	104.2	249.0	
1930	18.2	63.9	5.1	1.8	3.3	4.4	6.4	11.9	22.2	49.5	110.0	190.0	
1940	16.7	51.6	3.3	1.0	1.9	2.8	4.9	9.8	20.4	44.8	110.0	207.2	
1950	14.3	33.4	1.5	0.6	1.2	1.7	3.4	8.1	18.1	38.9	94.3	210.4	
1960	13.2	25.5	1.0	0.4	1.1	1.5	2.9	7.2	16.6	37.1	86.5	201.1	
1970	12.6	20.8	0.8	0.4	1.4	1.6	3.2	7.2	16.6	35.8	81.8	181.9	
1975	11.2	16.4	0.6	0.3	1.2	1.4	2.6	6.5	14.6	32.4	71.9	170.6	
1980	10.5	12.3	0.7	0.3	1.3	1.3	2.2	5.8	13.4	30.5	67.1	162.4	
1985	10.0	10.2	0.5	0.2	1.0	1.2	1.8	5.1	13.3	28.5	65.8	161.4	
1990	9.4	9.4	0.5	0.3	1.1	1.3	2.0	4.5	12.5	26.8	60.9	154.5	
1991	9.4	10.2	0.5	0.3	1.1	1.4	2.1	4.7	12.2	26.9	59.9	150.2	
1992	9.3	8.5	0.5	0.3	1.1	1.4	2.2	4.5	12.0	26.6	59.8	148.8	
1993	9.7	8.4	0.5	0.2	1.1	1.4	2.1	4.6	12.2	27.4	62.9	159.1	
1994	9.6	8.1	0.4	0.2	1.2	1.4	2.2	4.8	11.9	26.8	60.8	159.3	
1995	9.7	7.4	0.4	0.3	1.1	1.4	2.3	4.8	11.7	27.3	60.9	159.5	
1996	9.5	7.6	0.4	0.3	1.0	1.2	2.3	4.5	11.2	26.5	60.6	158.2	
1997	9.5	7.6	0.4	0.2	1.0	1.2	2.0	4.5	11.5	26.6	59.7	160.8	
1998	9.4	7.6	0.4	0.2	0.9	1.2	2.1	4.4	11.0	26.5	60.6	163.5	
1999	9.5	7.7	0.3	0.2	0.9	1.2	2.2	4.4	10.9	26.7	61.3	165.5	
2000	9.2	7.2	0.3	0.2	1.0	1.1	2.1	4.4	10.6	25.5	59.5	162.2	
2001	9.0	7.4	0.4	0.2	1.0	1.1	2.2	4.4	10.2	24.9	59.2	158.3	
2002	9.1	8.5	0.4	0.2	1.0	1.1	2.2	4.6	10.2	25.2	59.4	158.2	
2003	8.9	7.8	0.4	0.2	0.9	1.1	2.2	4.7	10.1	24.5	58.5	152.4	
2004	8.6	7.5	0.4	0.2	0.9	1.1	2.1	4.5	10.0	23.6	56.5	148.9	
2005	8.5	7.5	0.3	0.2	1.0	1.1	2.2	4.8	9.6	23.2	56.5	142.0	
2006	8.4	7.4	0.3	0.2	1.0	1.2	2.2	4.7	9.7	22.8	55.6	139.7	

*Age-Adjusted Death Rate using United States, 2000 population distribution as the standard.

TABLE 5A RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY RACE OF MOTHER: MISSOURI 2006

	ALL RACES	WHITE	BLACK	OTHER		ALL RACES	WHITE	BLACK	OTHER
TOTAL	81,353	65,987	12,347	2,826	ALCOHOLIC DRINKS PER WEEK				
SEX					NONE	78,293	63,526	11,930	2,672
MALE	41,574	33,722	6,318	1,420	LESS THAN 7	353	282	57	14
FEMALE	39,779	32,265	6,029	1,406	7 OR MORE	15	11	4	0
MOTHER HISPANIC	4,556	3,984	84	404	DRANK UNKNOWN AMOUNT	99	74	23	2
					UNKNOWN DRINKING STATUS	2,593	2,094	333	138
ATTENDANT					CIGARETTES SMOKED PER DAY DURING PREGNANCY				
M.D.	67,960	54,333	11,201	2,270	NONE	66,093	52,799	10,547	2,598
D.O.	10,235	8,882	980	353	LESS THAN 10	6,576	5,316	1,129	121
CERT NURSE MIDWIFE	2,634	2,276	145	197	10-19	5,753	5,348	336	64
OTHER MIDWIFE	175	175	0	0	20 OR MORE	2,096	1,961	110	24
OTHER	349	321	21	6	SMOKED UNKNOWN AMOUNT	521	352	161	7
PLACE OF BIRTH					UNKNOWN SMOKING STATUS	314	211	64	12
HOSPITAL	80,587	65,277	12,305	2,814	YEARS AT PRESENT				
BIRTHING CENTER	42	39	1	1	ADDRESS				
CLINIC	30	30	0	0	LESS THAN 1	16,493	12,536	3,233	677
HOME RESIDENCE	647	601	35	10	1-4	46,487	38,582	6,194	1,606
PLANNED	562	553	3	6	5-9	9,735	8,215	1,243	260
UNPLANNED	78	42	31	4	10 OR MORE	4,904	3,683	1,107	111
OTHER	47	40	6	1	UNKNOWN	3,734	2,971	570	172
MONTH OF BIRTH					MATERNAL TRANSFERS				
JANUARY	6,488	5,159	1,079	235	FROM ANOTHER HOSPITAL	411	270	131	10
FEBRUARY	6,193	5,030	958	195	DOCTORS OFFICE, OTHER	475	312	156	7
MARCH	6,948	5,676	1,053	210	NO TRANSFER	80,412	65,366	12,047	2,806
APRIL	6,313	5,195	897	207	UNKNOWN	55	39	13	3
MAY	6,819	5,593	972	246	INFANT TRANSFER				
JUNE	6,758	5,525	977	248	YES	1,211	938	234	37
JULY	6,860	5,621	993	226	NO	80,106	65,019	12,107	2,789
AUGUST	7,503	6,111	1,113	252	UNKNOWN	36	30	6	0
SEPTEMBER	7,080	5,783	1,032	238	MATERNAL WGHT GAIN DURING FULL-TERM SINGLETON PREG.				
OCTOBER	6,833	5,492	1,083	237	LESS THAN 15 LBS	6,147	5,033	925	177
NOVEMBER	6,715	5,313	1,116	266	15-24 LBS	11,658	9,444	1,704	478
DECEMBER	6,843	5,489	1,074	266	25-34 LBS	19,659	16,374	2,485	756
NUMBER BORN					35-44 LBS	16,122	13,493	2,065	538
SINGLETON	78,577	63,735	11,891	2,762	45 OR MORE LBS	13,041	10,769	1,886	369
TWIN	2,634	2,123	447	60	UNKNOWN	2,921	2,017	747	125
TRIPLET	126	113	9	4	CROWN HEEL LENGTH (CM.)				
QUAD. OR MORE	16	16	0	0	LESS THAN 40	957	626	301	26
PREV. TERMINATIONS					40-46	6,268	4,663	1,410	182
NONE	61,100	49,976	8,816	2,172	47-50	39,471	31,640	6,318	1,410
1	13,123	10,697	1,966	435	51 OR MORE	30,863	26,056	3,726	1,020
2 OR MORE	6,161	4,859	1,119	171	UNKNOWN	3,794	3,002	592	188
UNKNOWN	969	455	446	48					

TABLE 5B RESIDENT LIVE BIRTHS BY SELECTED OBSTETRIC AND PEDIATRIC CONDITIONS AND PROCEDURES: MISSOURI 2006

	NUMBER	PERCENT		NUMBER	PERCENT
TOTAL LIVE BIRTHS	81,353	100.0	METHOD OF DELIVERY		
			VAGINAL	55,429	68.1
MEDICAL RISK FACTORS			VAGINAL AFTER CESAREAN SECTION	783	1.0
TOTAL ONE OR MORE	27,491	33.8	PRIMARY ELEC. CESAREAN SECTION	8,976	11.0
ANEMIA	1,584	1.9	PRIMARY EMERG. CESAREAN SECTION	6,093	7.5
CARDIAC DISEASE	563	.7	REPEAT CESAREAN SECTION	10,058	12.4
ACUTE/CHRONIC LUNG DISEASE	1,361	1.7	OUTLET/LOW FORCEPS	868	1.1
DIABETES (INSULIN DEP.)	785	1.0	MID/HIGH FORCEPS	58	.1
DIABETES (NON-INSULIN DEP.)	2,756	3.4	VACUUM EXTRACTION	3,867	4.8
GENITAL HERPES	988	1.2			
HYDRAMNIOS/OLIGOHYDRAMNIOS	1,630	2.0	ABNORMAL CONDITIONS NEWBORN		
HEMOGLOBINOPATHY	146	.2	TOTAL ONE OR MORE	7,508	9.2
			ANEMIA	99	.1
HYPERTENSION, CHRONIC	1,159	1.4	BIRTH INJURY	402	.5
HYPERTENSION, PREG. INDUCED	4,291	5.3	FETAL ALCOHOL SYNDROME	2	.0
ECLAMPSIA	58	.1	HYALINE MEMBRANE (RDS)	1,031	1.3
INCOMPETENT CERVIX	338	.4	MECONIUM ASPIRATION	84	.1
PREV. INFANT 4000+ GMS.	1,076	1.3	ASSISTED VENT. (LT 30 MINS.)	1,961	2.4
PREV. PRETERM/SGA	1,371	1.7	ASSISTED VENT. (30+ MINS.)	1,416	1.7
RENAL DISEASE	192	.2	SEIZURES	81	.1
RH SENSITIZATION	532	.7	OTHER	4,075	5.0
UTERINE BLEEDING	416	.5			
OTHER	15,566	19.1	CONGENITAL ANOMALIES		
OBSTETRIC PROCEDURES			TOTAL ONE OR MORE	1,180	1.5
TOTAL ONE OR MORE	78,655	96.7	ANENCEPHALUS	15	.0
AMNIOCENTESIS	751	.9	SPINA BIFIDA/MENINGOCELE	15	.0
ELECTRONIC FETAL MONITORING	75,578	92.9	HYDROCEPHALUS	26	.0
INDUCTION OF LABOR	24,230	29.8	MICROCEPHALUS	12	.0
STIMULATION OF LABOR	13,787	16.9	OTHER CNS ANOMALIES	23	.0
TOCOLYSIS	1,827	2.2	HEART MALFORMATION	155	.2
ULTRASOUND	54,820	67.4	OTHER CIRC/RESP. ANOMALIES	77	.1
CHORIONIC VILLUS SAMPLING	55	.1			
OTHER	1,034	1.3	RECTAL ATRESIA/STENOSIS	16	.0
COMPLICATIONS OF LABOR/DEL.			TRACHEO-ESOPHAGEAL FISTULA		
TOTAL ONE OR MORE	31,342	38.5	ESOPHAGEAL ATRESIA	9	.0
FEBRILE	1,864	2.3	OMPHALOCELE/GASTROSCHISIS	37	.0
MECONIUM, MODERATE/HEAVY	3,551	4.4	OTHER GASTROINTESTINAL ANOMALIES	39	.0
PREMATURE RUPT. MEMB. (>12 HRS.)	1,789	2.2	MALFORMED GENITALIA	140	.2
ABRUPTIO PLACENTA	625	.8	RENAL AGENESIS	11	.0
PLACENTA PREVIA	261	.3	OTHER UROGENITAL ANOMALIES	96	.1
OTHER EXCESSIVE BLEEDING	418	.5			
SEIZURES DURING LABOR	18	.0	CLEFT LIP/PALATE	88	.1
PRECIPITOUS LABOR (<3 HRS.)	2,029	2.5	POLYDACTYLY/SYNDACTYLY/ADACTYLY	105	.1
			CLUB FOOT	76	.1
PROLONGED LABOR (>20 HRS.)	862	1.1	DIAPHRAGMATIC HERNIA	19	.0
DYSFUNCTIONAL LABOR	4,599	5.7	OTHER MUSCULOSKELETAL/INTEGUMENTAL	264	.3
BREECH	2,892	3.6	DOWN SYNDROME	61	.1
OTHER MALPRESENTATION	1,615	2.0	OTHER CHROMOSOMAL ANOMALIES	27	.0
CEPHALOPELVIC DISPROPORTION	1,455	1.8	OTHER	26	.0
CORD PROLAPSE	118	.1			
ANESTHETIC COMPLICATIONS	1,287	1.6			
FETAL DISTRESS	5,821	7.2			
OTHER	10,702	13.2			

TABLE 6 RESIDENT LIVE BIRTHS BY AGE OF MOTHER BY LIVE BIRTH ORDER BY MOTHER'S MARITAL STATUS BY RACE OF MOTHER: MISSOURI 2006

RACE OF MOTHER AGE OF MOTHER	ALL LIVE BIRTHS						OUT-OF-WEDLOCK LIVE BIRTHS					
	LIVE BIRTH ORDER TOTAL	1ST	2ND	3RD	4TH	5TH OR MORE	LIVE BIRTH ORDER TOTAL	1ST	2ND	3RD	4TH	5TH OR MORE
ALL RACES												
ALL AGES	81,353	32,834	25,562	14,001	5,533	3,423	31,987	15,636	8,335	4,684	2,004	1,328
UNDER 15	107	104	3	0	0	0	107	104	3	0	0	0
15-17	2,828	2,571	223	29	5	0	2,652	2,428	198	21	5	0
18-19	6,351	4,899	1,214	215	23	0	5,103	4,031	907	148	17	0
20-24	23,529	11,256	7,737	3,381	905	250	13,332	6,525	4,150	1,941	546	170
25-29	24,027	8,430	8,136	4,614	1,922	925	6,711	1,761	2,059	1,592	823	476
30-34	15,875	3,904	5,701	3,617	1,588	1,065	2,684	511	697	667	424	385
35-39	7,128	1,405	2,171	1,820	878	854	1,108	222	261	254	145	226
40-44	1,415	241	360	308	200	306	266	46	53	58	40	69
45 AND OVER	86	20	16	17	10	23	20	5	7	3	3	2
UNKNOWN	7	4	1	0	2	0	4	3	0	0	1	0
WHITE												
ALL AGES	65,987	26,719	21,309	11,365	4,251	2,343	21,563	11,119	5,673	3,024	1,134	613
UNDER 15	44	42	2	0	0	0	44	42	2	0	0	0
15-17	1,876	1,722	135	17	2	0	1,709	1,586	111	10	2	0
18-19	4,667	3,663	849	144	11	0	3,511	2,853	565	87	6	0
20-24	18,578	9,151	6,190	2,489	610	138	9,208	4,773	2,865	1,196	296	78
25-29	20,134	7,387	6,997	3,795	1,401	554	4,458	1,310	1,409	1,084	453	202
30-34	13,380	3,325	4,965	3,074	1,294	722	1,720	349	498	432	253	188
35-39	6,047	1,211	1,858	1,569	751	658	736	174	184	171	97	110
40-44	1,188	201	298	262	173	254	163	29	33	42	25	34
45 AND OVER	69	15	14	15	8	17	13	2	6	2	2	1
UNKNOWN	4	2	1	0	1	0	1	1	0	0	0	0
BLACK												
ALL AGES	12,347	4,817	3,288	2,185	1,109	948	9,574	4,121	2,442	1,543	803	665
UNDER 15	61	60	1	0	0	0	61	60	1	0	0	0
15-17	883	787	81	12	3	0	881	786	81	11	3	0
18-19	1,534	1,122	336	65	11	0	1,479	1,087	322	59	11	0
20-24	4,374	1,799	1,383	814	272	106	3,832	1,605	1,194	706	239	88
25-29	2,959	614	853	700	454	338	2,042	388	581	469	340	264
30-34	1,640	304	406	394	245	291	847	137	171	209	153	177
35-39	713	95	184	166	104	164	331	38	72	74	44	103
40-44	167	31	43	32	17	44	91	15	19	14	11	32
45 AND OVER	13	3	1	2	2	5	7	3	1	1	1	1
UNKNOWN	3	2	0	0	1	0	3	2	0	0	1	0

TABLE 7

TEEN-AGE RESIDENT LIVE BIRTHS BY AGE OF MOTHER BY LIVE BIRTH ORDER BY MOTHER'S MARITAL STATUS BY RACE OF MOTHER
WITH PERCENTAGES: MISSOURI 2006

RACE OF MOTHER AGE OF MOTHER ALL RACES	ALL LIVE BIRTHS LIVE BIRTH ORDER				OUT-OF-WEDLOCK LIVE BIRTHS LIVE BIRTH ORDER				PERCENT OUT-OF-WEDLOCK LIVE BIRTH ORDER			
	TOTAL	1ST	2ND	3RD OR MORE	TOTAL	1ST	2ND	3RD OR MORE	TOTAL	1ST	2ND	3RD OR MORE
10-19	9,286	7,574	1,440	272	7,862	6,563	1,108	191	84.7	86.7	76.9	70.2
10	0	0	0	0	0	0	0	0	---	---	---	---
11	0	0	0	0	0	0	0	0	---	---	---	---
12	3	3	0	0	3	3	0	0	100.0	100.0	---	---
13	19	19	0	0	19	19	0	0	100.0	100.0	---	---
14	85	82	3	0	85	82	3	0	100.0	100.0	100.0	---
15	330	317	13	0	319	307	12	0	96.7	96.8	92.3	---
16	849	798	49	2	805	760	43	2	94.8	95.2	87.8	100.0
17	1,649	1,456	161	32	1,528	1,361	143	24	92.7	93.5	88.8	75.0
18	2,651	2,197	387	67	2,267	1,906	311	50	85.5	86.8	80.4	74.6
19	3,700	2,702	827	171	2,836	2,125	596	115	76.6	78.6	72.1	67.3
WHITE 10-19	6,587	5,427	986	174	5,264	4,481	678	105	79.9	82.6	68.8	60.3
10	0	0	0	0	0	0	0	0	---	---	---	---
11	0	0	0	0	0	0	0	0	---	---	---	---
12	2	2	0	0	2	2	0	0	100.0	100.0	---	---
13	5	5	0	0	5	5	0	0	100.0	100.0	---	---
14	37	35	2	0	37	35	2	0	100.0	100.0	100.0	---
15	186	180	6	0	176	171	5	0	94.6	95.0	83.3	---
16	533	506	27	0	492	471	21	0	92.3	93.1	77.8	---
17	1,157	1,036	102	19	1,041	944	85	12	90.0	91.1	83.3	63.2
18	1,900	1,601	258	41	1,548	1,338	185	25	81.5	83.6	71.7	61.0
19	2,767	2,062	591	114	1,963	1,515	380	68	70.9	73.5	64.3	59.6
BLACK 10-19	2,478	1,969	418	91	2,421	1,933	404	84	97.7	98.2	96.7	92.3
10	0	0	0	0	0	0	0	0	---	---	---	---
11	0	0	0	0	0	0	0	0	---	---	---	---
12	1	1	0	0	1	1	0	0	100.0	100.0	---	---
13	14	14	0	0	14	14	0	0	100.0	100.0	---	---
14	46	45	1	0	46	45	1	0	100.0	100.0	100.0	---
15	139	132	7	0	138	131	7	0	99.3	99.2	100.0	---
16	289	268	19	2	289	268	19	2	100.0	100.0	100.0	100.0
17	455	387	55	13	454	387	55	12	99.8	100.0	100.0	92.3
18	689	544	120	25	672	528	119	25	97.5	97.1	99.2	100.0
19	845	578	216	51	807	559	203	45	95.5	96.7	94.0	88.2

TABLE 8 PERCENT LOW BIRTH WEIGHT AND RESIDENT LIVE BIRTHS BY BIRTH WEIGHT BY AGE OF MOTHER BY RACE OF MOTHER: MISSOURI 2006

BIRTH WEIGHT													
AGE OF MOTHER AND RACE OF MOTHER ALL RACES ALL AGES	PERCENT LOW BIRTH WEIGHT	TOTAL	LESS THAN 500 GRAMS	500- 999 GRAMS	1000- 1499 GRAMS	1500- 1999 GRAMS	2000- 2499 GRAMS	2500- 2999 GRAMS	3000- 3499 GRAMS	3500- 3999 GRAMS	4000 4499 GRAMS	4500 OR MORE GRAMS	UNKNOWN
	8.1	81,353	163	473	554	1,251	4,138	14,669	31,594	22,076	5,547	863	25
UNDER 15	12.1	107	0	1	2	4	6	36	34	24	0	0	0
15-17	11.8	2,828	5	33	33	60	202	640	1,154	584	110	7	0
18-19	9.0	6,351	15	41	46	99	371	1,416	2,652	1,411	260	38	2
20-24	8.0	23,529	61	130	161	326	1,199	4,776	9,580	5,848	1,254	183	11
25-29	7.3	24,027	36	126	147	364	1,074	3,989	9,319	6,905	1,787	274	6
30-34	7.7	15,875	31	83	106	229	776	2,435	5,864	4,786	1,357	205	3
35-39	8.7	7,128	10	45	47	121	395	1,121	2,495	2,129	642	120	3
40 AND OVER	12.9	1,501	5	14	12	48	115	252	495	388	136	36	0
WHITE ALL AGES	7.1	65,987	84	297	386	898	3,011	10,907	25,592	19,108	4,922	770	12
UNDER 15	9.1	44	0	0	1	1	2	12	16	12	0	0	0
15-17	9.9	1,876	2	12	20	36	115	383	771	446	85	6	0
18-19	7.7	4,667	8	22	28	64	237	938	1,983	1,138	214	33	2
20-24	6.8	18,578	29	90	104	217	832	3,467	7,632	4,946	1,095	161	5
25-29	6.4	20,134	20	73	111	276	818	3,117	7,791	6,072	1,610	243	3
30-34	7.0	13,380	17	59	81	169	604	1,900	4,900	4,246	1,215	188	1
35-39	8.0	6,047	5	31	33	95	317	890	2,074	1,912	582	107	1
40 AND OVER	11.7	1,257	3	10	8	40	86	197	425	336	120	32	0
BLACK ALL AGES	13.6	12,347	73	158	156	310	985	3,130	4,787	2,213	454	71	10
UNDER 15	13.1	61	0	1	1	2	4	24	17	12	0	0	0
15-17	15.9	883	3	20	12	22	83	239	355	126	22	1	0
18-19	12.7	1,534	7	15	17	33	123	446	607	244	37	5	0
20-24	13.0	4,374	31	39	55	104	341	1,188	1,714	755	127	17	3
25-29	13.1	2,959	14	49	30	72	223	677	1,159	587	121	24	3
30-34	14.5	1,640	12	20	25	48	133	361	615	316	95	13	2
35-39	14.7	713	4	11	12	22	56	154	267	137	39	9	2
40 AND OVER	21.1	180	2	3	4	7	22	40	52	35	13	2	0

ALL AGES INCLUDE UNKNOWN AGE

TABLE 9 RESIDENT LIVE BIRTHS BY MOTHER'S MARITAL STATUS BY RACE WITH PERCENTAGES BY COUNTY AND CITIES WITH 25,000
OR MORE POPULATION: MISSOURI 2006

COUNTIES	TOTAL LIVE BIRTHS			OUT-OF-WEDLOCK LIVE BIRTHS			PERCENT OUT-OF-WEDLOCK		
	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK
STATE TOTAL	81,353	65,987	12,347	31,987	21,563	9,574	39.3	32.7	77.5
ADAIR	308	296	3	84	81	1	27.3	27.4	33.3
ANDREW	208	205	1	68	66	1	32.7	32.2	100.0
ATCHISON	54	53	0	17	17	0	31.5	32.1	--
AUDRAIN	404	361	36	199	164	32	49.3	45.4	88.9
BARRY	541	522	1	225	218	1	41.6	41.8	100.0
BARTON	184	174	1	63	60	0	34.2	34.5	--
BATES	219	212	4	89	84	4	40.6	39.6	100.0
BENTON	150	148	0	66	66	0	44.0	44.6	--
BOLLINGER	140	138	1	48	47	1	34.3	34.1	100.0
BOONE	2,048	1,667	274	698	458	222	34.1	27.5	81.0
BUCHANAN	1,287	1,201	61	619	561	49	48.1	46.7	80.3
BUTLER	616	562	39	254	210	36	41.2	37.4	92.3
CALDWELL	118	112	1	41	37	1	34.7	33.0	100.0
CALLAWAY	496	464	20	199	181	13	40.1	39.0	65.0
CAMDEN	471	468	0	183	183	0	38.9	39.1	--
CAPE GIRARDEAU	934	822	98	339	249	85	36.3	30.3	86.7
CARROLL	102	100	2	46	45	1	45.1	45.0	50.0
CARTER	96	91	0	39	38	0	40.6	41.8	--
CASS	1,325	1,243	35	391	364	14	29.5	29.3	40.0
CEDAR	168	166	1	61	61	0	36.3	36.7	--
CHARITON	95	94	1	39	38	1	41.1	40.4	100.0
CHRISTIAN	1,020	996	5	261	250	5	25.6	25.1	100.0
CLARK	91	91	0	33	33	0	36.3	36.3	--
CLAY	3,187	2,824	209	953	795	101	29.9	28.2	48.3
CLINTON	270	261	3	93	88	3	34.4	33.7	100.0
COLE	1,021	839	159	365	250	107	35.7	29.8	67.3
COOPER	209	198	10	75	66	9	35.9	33.3	90.0
CRAWFORD	347	341	2	143	141	2	41.2	41.3	100.0
DADE	94	92	0	33	31	0	35.1	33.7	--
DALLAS	239	233	1	71	68	0	29.7	29.2	--
DAVIESS	118	117	0	22	22	0	18.6	18.8	--
DE KALB	111	109	0	40	39	0	36.0	35.8	--
DENT	185	182	0	60	58	0	32.4	31.9	--
DOUGLAS	165	163	0	54	54	0	32.7	33.1	--
DUNKLIN	478	404	68	236	175	58	49.4	43.3	85.3

TABLE 9 (CONT) RESIDENT LIVE BIRTHS BY MOTHER'S MARITAL STATUS BY RACE WITH PERCENTAGES BY COUNTY AND CITIES WITH 25,000
OR MORE POPULATION: MISSOURI 2006

COUNTIES	TOTAL LIVE BIRTHS			OUT-OF-WEDLOCK LIVE BIRTHS			PERCENT OUT-OF-WEDLOCK		
	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK
FRANKLIN	1,343	1,319	9	434	424	6	32.3	32.1	66.7
GASCONADE	185	184	0	70	69	0	37.8	37.5	--
GENTRY	98	97	0	33	32	0	33.7	33.0	--
GREENE	3,414	3,197	111	1,257	1,153	81	36.8	36.1	73.0
GRUNDY	123	119	1	48	46	1	39.0	38.7	100.0
HARRISON	153	149	0	51	48	0	33.3	32.2	--
HENRY	289	287	1	113	111	1	39.1	38.7	100.0
HICKORY	93	90	0	26	26	0	28.0	28.9	--
HOLT	53	52	1	19	19	0	35.8	36.5	--
HOWARD	119	115	4	46	42	4	38.7	36.5	100.0
HOWELL	556	539	3	189	186	2	34.0	34.5	66.7
IRON	127	123	4	49	48	1	38.6	39.0	25.0
JACKSON	10,686	7,160	3,059	5,255	2,699	2,394	49.2	37.7	78.3
JASPER	1,796	1,579	23	770	651	15	42.9	41.2	65.2
JEFFERSON	3,025	2,968	16	945	924	10	31.2	31.1	62.5
JOHNSON	792	721	38	215	188	16	27.1	26.1	42.1
KNOX	45	43	0	11	9	0	24.4	20.9	--
LACLEDE	527	515	1	188	185	0	35.7	35.9	--
LAFAYETTE	423	413	5	157	151	4	37.1	36.6	80.0
LAWRENCE	521	513	0	180	178	0	34.5	34.7	--
LEWIS	117	112	4	26	22	4	22.2	19.6	100.0
LINCOLN	740	713	14	258	246	10	34.9	34.5	71.4
LINN	175	172	1	72	70	1	41.1	40.7	100.0
LIVINGSTON	168	164	3	71	67	3	42.3	40.9	100.0
MC DONALD	401	373	0	180	166	0	44.9	44.5	--
MACON	191	182	8	62	55	6	32.5	30.2	75.0
MADISON	149	149	0	62	62	0	41.6	41.6	--
MARIES	94	92	1	29	28	1	30.9	30.4	100.0
MARION	406	370	25	174	152	19	42.9	41.1	76.0
MERCER	48	47	0	10	10	0	20.8	21.3	--
MILLER	351	343	3	128	125	2	36.5	36.4	66.7
MISSISSIPPI	197	134	62	122	69	53	61.9	51.5	85.5
MONITEAU	220	217	2	69	68	0	31.4	31.3	--
MONROE	95	95	0	30	30	0	31.6	31.6	--
MONTGOMERY	170	166	1	66	65	1	38.8	39.2	100.0

TABLE 9 (CONT) RESIDENT LIVE BIRTHS BY MOTHER'S MARITAL STATUS BY RACE WITH PERCENTAGES BY COUNTY AND CITIES WITH 25,000
OR MORE POPULATION: MISSOURI 2006

COUNTIES	TOTAL LIVE BIRTHS			OUT-OF-WEDLOCK LIVE BIRTHS			PERCENT OUT-OF-WEDLOCK		
	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK
MORGAN	308	303	1	108	108	0	35.1	35.6	--
NEW MADRID	257	198	56	129	79	49	50.2	39.9	87.5
NEWTON	775	693	5	291	248	4	37.5	35.8	80.0
NODAWAY	253	244	2	64	61	2	25.3	25.0	100.0
OREGON	120	116	1	40	38	1	33.3	32.8	100.0
OSAGE	198	195	2	54	51	2	27.3	26.2	100.0
OZARK	100	99	0	28	28	0	28.0	28.3	--
PEMISCOT	326	202	121	215	102	112	66.0	50.5	92.6
PERRY	291	290	1	95	95	0	32.6	32.8	--
PETTIS	651	620	15	260	241	13	39.9	38.9	86.7
PHELPS	566	527	11	197	185	6	34.8	35.1	54.5
PIKE	233	224	5	95	87	5	40.8	38.8	100.0
PLATTE	1,068	923	84	315	257	46	29.5	27.8	54.8
POLK	434	427	0	121	119	0	27.9	27.9	--
PULASKI	725	598	83	204	169	24	28.1	28.3	28.9
PUTNAM	59	58	1	19	19	0	32.2	32.8	--
RALLS	107	104	2	41	40	1	38.3	38.5	50.0
RANDOLPH	328	310	14	153	138	14	46.6	44.5	100.0
RAY	308	296	4	103	98	1	33.4	33.1	25.0
REYNOLDS	80	75	2	30	26	2	37.5	34.7	100.0
RIPLEY	171	168	0	63	63	0	36.8	37.5	--
ST. CHARLES	4,610	4,207	209	1,098	957	116	23.8	22.7	55.5
ST. CLAIR	85	82	0	31	29	0	36.5	35.4	--
ST. FRANCOIS	839	827	7	371	363	4	44.2	43.9	57.1
STE. GENEVIEVE	202	199	1	71	70	0	35.1	35.2	--
ST. LOUIS CITY	5,374	1,921	3,261	3,572	679	2,821	66.5	35.3	86.5
ST. LOUIS COUNTY	12,429	7,863	3,853	4,592	1,694	2,821	36.9	21.5	73.2
SALINE	308	258	23	142	108	19	46.1	41.9	82.6
SCHUYLER	45	45	0	11	11	0	24.4	24.4	--
SCOTLAND	62	61	0	10	10	0	16.1	16.4	--
SCOTT	606	485	113	305	196	106	50.3	40.4	93.8
SHANNON	101	99	0	42	42	0	41.6	42.4	--
SHELBY	90	89	0	24	24	0	26.7	27.0	--
STODDARD	367	358	4	142	138	3	38.7	38.5	75.0
STONE	327	317	0	126	122	0	38.5	38.5	--

TABLE 9 (CONT) RESIDENT LIVE BIRTHS BY MOTHER'S MARITAL STATUS BY RACE WITH PERCENTAGES BY COUNTY AND CITIES WITH 25,000
OR MORE POPULATION: MISSOURI 2006

COUNTIES	TOTAL LIVE BIRTHS			OUT-OF-WEDLOCK LIVE BIRTHS			PERCENT OUT-OF-WEDLOCK		
	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK
SULLIVAN	113	104	1	53	48	1	46.9	46.2	100.0
TANEY	639	586	8	273	245	4	42.7	41.8	50.0
TEXAS	294	286	2	113	112	1	38.4	39.2	50.0
VERNON	300	296	0	111	109	0	37.0	36.8	--
WARREN	458	429	18	175	159	14	38.2	37.1	77.8
WASHINGTON	373	368	0	184	183	0	49.3	49.7	--
WAYNE	125	125	0	52	52	0	41.6	41.6	--
WEBSTER	563	561	0	145	145	0	25.8	25.8	--
WORTH	15	15	0	6	6	0	40.0	40.0	--
WRIGHT	278	272	1	90	86	0	32.4	31.6	--
CITIES OVER 25,000 POPULATION									
BALLWIN	316	288	3	38	36	0	12.0	12.5	--
BLUE SPRINGS	714	660	30	204	182	19	28.6	27.6	63.3
CAPE GIRARDEAU	496	396	92	229	143	83	46.2	36.1	90.2
CHESTERFIELD	373	310	12	22	19	3	5.9	6.1	25.0
COLUMBIA	1,439	1,108	241	506	300	192	35.2	27.1	79.7
FLORISSANT	638	472	154	226	131	94	35.4	27.8	61.0
GLADSTONE	334	285	26	133	106	13	39.8	37.2	50.0
HAZELWOOD	344	215	118	180	88	87	52.3	40.9	73.7
INDEPENDENCE	1,714	1,524	103	821	717	70	47.9	47.0	68.0
JEFFERSON CITY	645	485	140	269	165	97	41.7	34.0	69.3
KIRKWOOD	333	300	24	55	36	18	16.5	12.0	75.0
LEES SUMMIT	1,213	1,079	87	244	195	42	20.1	18.1	48.3
LIBERTY	373	348	12	97	84	9	26.0	24.1	75.0
MARYLAND HEIGHTS	318	207	26	78	57	17	24.5	27.5	65.4
OFALLON	1,102	1,022	30	186	166	17	16.9	16.2	56.7
RAYTOWN	398	275	104	196	116	75	49.2	42.2	72.1
ST. CHARLES	793	674	71	316	263	48	39.8	39.0	67.6
ST. JOSEPH	1,168	1,087	60	585	531	48	50.1	48.9	80.0
ST. LOUIS CITY	5,374	1,921	3,261	3,572	679	2,821	66.5	35.3	86.5
ST. PETERS	591	567	15	130	121	7	22.0	21.3	46.7
SPRINGFIELD	2,200	2,026	97	968	873	75	44.0	43.1	77.3
UNIVERSITY CITY	502	287	189	173	21	152	34.5	7.3	80.4
WILDWOOD	306	280	4	12	12	0	3.9	4.3	--

TABLE 9 (CONT) RESIDENT LIVE BIRTHS BY MOTHER'S MARITAL STATUS BY RACE WITH PERCENTAGES BY COUNTY AND CITIES WITH 25,000
OR MORE POPULATION: MISSOURI 2006

COUNTIES	TOTAL LIVE BIRTHS			OUT-OF-WEDLOCK LIVE BIRTHS			PERCENT OUT-OF-WEDLOCK		
	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK
MULTI-COUNTY CITIES									
JOPLIN	830	756	19	385	350	14	46.4	46.3	73.7
JASPER CO. PART	732	666	17	347	315	12	47.4	47.3	70.6
NEWTON CO. PART	98	90	2	38	35	2	38.8	38.9	100.0
KANSAS CITY	7,866	4,703	2,770	4,066	1,764	2,165	51.7	37.5	78.2
JACKSON CO. PART	5,463	2,659	2,551	3,352	1,198	2,059	61.4	45.1	80.7
CLAY CO. PART	1,866	1,609	158	548	443	73	29.4	27.5	46.2
PLATTE CO. PART	534	432	61	166	123	33	31.1	28.5	54.1
CASS CO. PART	3	3	0	0	0	0	--	--	--

TABLE 10A RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY RACE AND HISPANIC ORIGIN OF MOTHER,
REGIONAL PLANNING COMMISSION: MISSOURI 2006

	TOTAL		WHITE		BLACK		OTHER RACES		HISPANIC ANY RACE		EAST-WEST GATEWAY	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	81,353	100.0	65,987	100.0	12,347	100.0	2,826	100.0	4,556	100.0	26,781	100.0
UNDER 2500 GRAMS	6,579	8.1	4,676	7.1	1,682	13.6	209	7.4	270	5.9	2,406	9.0
OVER 4499 GRAMS	863	1.1	770	1.2	71	0.6	18	0.6	46	1.0	257	1.0
CROWN HEEL LT 47 CM (<18.5 IN)	7,225	9.3	5,289	8.4	1,711	14.6	208	7.9	366	8.4	2,077	8.0
LESS THAN 37 WEEKS GESTATION*	10,701	13.2	7,935	12.0	2,388	19.3	354	12.5	546	12.0	3,909	14.6
APGAR SCORE LESS THAN 8	2,302	2.8	1,626	2.5	602	4.9	66	2.3	95	2.1	805	3.0
CONGENITAL ANOMALIES	1,180	1.5	968	1.5	171	1.4	41	1.5	53	1.2	357	1.3
ABNORMAL CONDITIONS OF NEWBORN	7,508	9.2	6,193	9.4	1,033	8.4	252	8.9	309	6.8	2,273	8.5
INFANT TRANSFERS	1,211	1.5	938	1.4	234	1.9	37	1.3	42	0.9	358	1.3
MATERNAL TRANSFERS	890	1.1	585	0.9	287	2.3	18	0.6	43	0.9	301	1.1
HOME DELIVERIES	647	0.8	601	0.9	35	0.3	10	0.4	14	0.3	110	0.4
CESAREAN DELIVERIES	24,906	30.6	20,387	30.9	3,609	29.2	859	30.4	1,219	26.8	8,891	33.2
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	14,946	18.4	12,977	19.7	1,736	14.1	216	7.6	250	5.5	3,411	12.7
DRANK ALCOHOL DURING PREG	467	0.6	367	0.6	84	0.7	16	0.6	22	0.5	162	0.6
GT 15 PERCENT UNDERWEIGHT	4,123	5.4	3,340	5.3	518	4.6	255	9.7	173	4.6	1,272	4.9
GT 20 PERCENT OVERWEIGHT	29,832	39.0	23,808	38.1	5,369	47.2	599	22.9	1,453	38.6	9,620	35.9
GAINED LT 15 LBS DURING PREG*	6,147	9.2	5,033	9.1	925	10.2	177	7.6	399	11.3	1,583	6.1
GAINED 45+ LBS. DURING PREG*	13,041	19.6	10,769	19.5	1,886	20.8	369	15.9	538	15.2	4,187	15.6
MATERNAL EDUCATION UNDER 12	15,279	18.8	11,625	17.6	3,087	25.0	521	18.4	2,129	46.7	3,943	14.7
OUT-OF-WEDLOCK BIRTHS	31,987	39.3	21,563	32.7	9,574	77.5	787	27.8	2,290	50.3	10,641	39.7
LIVE BIRTH ORDER 4 OR MORE	8,956	11.0	6,594	10.0	2,057	16.7	284	10.0	690	15.1	2,984	11.1
LT 18 MOS SINCE LAST BIRTH	5,497	12.1	4,261	11.5	1,039	15.6	186	12.3	349	13.0	1,617	11.2
PRENATAL CARE												
1ST TRIMESTER	68,919	84.7	57,313	86.9	9,231	74.8	2,251	79.7	3,285	72.1	23,861	89.1
2ND TRIMESTER	8,264	10.2	5,965	9.0	1,898	15.4	372	13.2	778	17.1	2,078	7.8
3RD TRIMESTER	1,296	1.6	924	1.4	300	2.4	67	2.4	126	2.8	287	1.1
NO PRENATAL CARE	520	0.6	272	0.4	220	1.8	26	0.9	36	0.8	226	0.8
INADEQUATE PRENATAL CARE*	8,201	10.6	5,519	8.7	2,272	20.4	382	14.3	787	19.1	2,258	8.7
MOTHER MEDICAID PARTICIPANT	37,965	47.5	28,082	43.3	8,700	71.6	1,101	39.8	2,878	64.3	10,113	38.3
MOTHER WIC PARTICIPANT	34,256	42.8	25,139	38.7	8,010	65.9	1,022	36.9	2,933	65.4	8,535	32.4
MOTHER ON MEDICAID AND WIC	29,252	36.5	21,564	33.2	6,788	55.8	833	30.1	2,310	51.5	7,107	26.9
MOTHER FOOD STAMP RECIPIENT	19,333	24.9	12,816	20.3	6,100	51.3	384	14.5	705	16.1	5,873	22.3
AGE OF MOTHER												
UNDER 15	107	0.1	44	0.1	61	0.5	2	0.1	6	0.1	45	0.2
15-17	2,828	3.5	1,876	2.8	883	7.2	61	2.2	245	5.4	798	3.0
18-19	6,351	7.8	4,667	7.1	1,534	12.4	133	4.7	416	9.1	1,667	6.2
20-24	23,529	28.9	18,578	28.2	4,374	35.4	529	18.7	1,369	30.0	6,214	23.2
25-29	24,027	29.5	20,134	30.5	2,959	24.0	874	30.9	1,281	28.1	7,715	28.8
30-34	15,875	19.5	13,380	20.3	1,640	13.3	822	29.1	828	18.2	6,500	24.3
35-39	7,128	8.8	6,047	9.2	713	5.8	345	12.2	347	7.6	3,178	11.9
40 AND OVER	1,501	1.8	1,257	1.9	180	1.5	60	2.1	64	1.4	663	2.5

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10A (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY RACE AND HISPANIC ORIGIN OF MOTHER,
REGIONAL PLANNING COMMISSION: MISSOURI 2006

	MID AMERICA		SOUTHWEST MISSOURI		MID-MISSOURI		MO KAN		NORTHWEST MISSOURI		GREEN HILLS	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	16,574	100.0	7,792	100.0	4,113	100.0	1,876	100.0	473	100.0	1,272	100.0
UNDER 2500 GRAMS	1,330	8.0	534	6.9	315	7.7	113	6.0	29	6.1	83	6.5
OVER 4499 GRAMS	178	1.1	85	1.1	45	1.1	17	0.9	5	1.1	12	0.9
CROWN HEEL LT 47 CM (<18.5 IN)	1,636	11.3	506	6.6	478	11.7	108	5.8	37	8.1	157	13.0
LESS THAN 37 WEEKS GESTATION*	2,139	12.9	903	11.6	525	12.8	206	11.0	45	9.5	164	12.9
APGAR SCORE LESS THAN 8	435	2.6	164	2.1	159	3.9	25	1.3	5	1.1	42	3.3
CONGENITAL ANOMALIES	218	1.3	85	1.1	77	1.9	25	1.3	10	2.1	19	1.5
ABNORMAL CONDITIONS OF NEWBORN	1,305	7.9	780	10.0	584	14.2	67	3.6	20	4.2	81	6.4
INFANT TRANSFERS	166	1.0	70	0.9	36	0.9	38	2.0	13	2.7	43	3.4
MATERNAL TRANSFERS	144	0.9	31	0.4	39	0.9	26	1.4	9	1.9	33	2.6
HOME DELIVERIES	55	0.3	185	2.4	34	0.8	6	0.3	13	2.7	31	2.4
CESAREAN DELIVERIES	4,546	27.4	2,288	29.4	1,311	31.9	472	25.2	134	28.3	425	33.4
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	2,414	14.6	1,561	20.0	747	18.2	496	26.4	109	23.0	320	25.2
DRANK ALCOHOL DURING PREG	104	0.6	45	0.6	47	1.1	2	0.1	2	0.4	5	0.4
GT 15 PERCENT UNDERWEIGHT	805	5.2	465	6.2	146	4.5	100	5.4	19	4.1	68	5.8
GT 20 PERCENT OVERWEIGHT	5,980	36.1	2,798	35.9	1,243	30.2	745	39.7	182	38.5	483	38.0
GAINED LT 15 LBS DURING PREG*	1,448	9.1	594	7.8	238	6.7	174	9.4	37	7.8	104	8.4
GAINED 45+ LBS. DURING PREG*	2,754	16.6	1,330	17.1	562	13.7	305	16.3	72	15.2	203	16.0
MATERNAL EDUCATION UNDER 12	3,046	18.4	1,653	21.2	618	15.0	324	17.3	59	12.5	271	21.3
OUT-OF-WEDLOCK BIRTHS	7,017	42.3	2,692	34.5	1,452	35.3	820	43.7	139	29.4	472	37.1
LIVE BIRTH ORDER 4 OR MORE	1,859	11.2	870	11.2	371	9.0	174	9.3	46	9.7	175	13.8
LT 18 MOS SINCE LAST BIRTH	1,111	12.1	605	13.7	224	10.1	140	12.7	25	8.9	89	11.5
PRENATAL CARE												
1ST TRIMESTER	13,411	80.9	6,653	85.4	3,236	78.7	1,666	88.8	422	89.2	1,083	85.1
2ND TRIMESTER	1,777	10.7	872	11.2	375	9.1	152	8.1	36	7.6	134	10.5
3RD TRIMESTER	260	1.6	158	2.0	56	1.4	36	1.9	14	3.0	24	1.9
NO PRENATAL CARE	121	0.7	23	0.3	19	0.5	15	0.8	1	0.2	9	0.7
INADEQUATE PRENATAL CARE*	1,658	11.0	849	11.1	351	10.7	158	8.5	40	8.5	158	12.8
MOTHER MEDICAID PARTICIPANT	7,266	44.2	4,160	54.3	1,597	40.0	1,010	54.0	204	43.6	696	57.6
MOTHER WIC PARTICIPANT	6,924	42.0	3,605	47.1	1,433	36.1	801	42.9	204	43.6	663	54.8
MOTHER ON MEDICAID AND WIC	5,659	34.3	3,209	41.9	1,185	29.7	723	38.7	169	36.1	588	48.6
MOTHER FOOD STAMP RECIPIENT	3,496	24.2	1,932	25.2	854	21.5	490	26.5	66	14.2	290	24.0
AGE OF MOTHER												
UNDER 15	23	0.1	9	0.1	3	0.1	4	0.2	0	0.0	1	0.1
15-17	582	3.5	276	3.5	126	3.1	66	3.5	5	1.1	48	3.8
18-19	1,166	7.0	688	8.8	248	6.0	165	8.8	36	7.6	110	8.6
20-24	4,461	26.9	2,558	32.8	1,127	27.4	662	35.3	175	37.0	449	35.3
25-29	5,063	30.5	2,314	29.7	1,295	31.5	549	29.3	147	31.1	356	28.0
30-34	3,509	21.2	1,247	16.0	874	21.2	284	15.1	75	15.9	195	15.3
35-39	1,492	9.0	573	7.4	355	8.6	120	6.4	31	6.6	92	7.2
40 AND OVER	274	1.7	126	1.6	85	2.1	26	1.4	4	0.8	21	1.7

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10A (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY RACE AND HISPANIC ORIGIN OF MOTHER,
REGIONAL PLANNING COMMISSION: MISSOURI 2006

	NORTHEAST MISSOURI		MARK TWIN		BOONSLICK		HARRY S TRUMAN		KAYSINGER BASIN		PIONEER TRAILS	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	668	100.0	1,854	100.0	1,368	100.0	3,156	100.0	1,304	100.0	2,174	100.0
UNDER 2500 GRAMS	59	8.8	148	8.0	97	7.1	236	7.5	80	6.1	152	7.0
OVER 4499 GRAMS	9	1.3	17	0.9	19	1.4	42	1.3	23	1.8	28	1.3
CROWN HEEL LT 47 CM (<18.5 IN)	55	10.6	195	11.2	73	5.4	200	6.6	87	7.3	259	12.1
LESS THAN 37 WEEKS GESTATION*	69	10.3	220	11.9	142	10.4	414	13.1	147	11.3	248	11.4
APGAR SCORE LESS THAN 8	16	2.4	65	3.5	28	2.0	55	1.7	54	4.1	70	3.2
CONGENITAL ANOMALIES	15	2.2	19	1.0	38	2.8	113	3.6	16	1.2	44	2.0
ABNORMAL CONDITIONS OF NEWBORN	57	8.5	198	10.7	380	27.8	597	18.9	119	9.1	203	9.3
INFANT TRANSFERS	22	3.3	35	1.9	22	1.6	7	0.2	32	2.5	49	2.3
MATERNAL TRANSFERS	15	2.2	36	1.9	14	1.0	11	0.3	20	1.5	27	1.2
HOME DELIVERIES	35	5.2	43	2.3	9	0.7	13	0.4	28	2.1	17	0.8
CESAREAN DELIVERIES	219	32.8	570	30.7	412	30.1	773	24.5	470	36.0	639	29.4
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	132	19.8	539	29.1	326	23.8	743	23.5	373	28.6	474	21.8
DRANK ALCOHOL DURING PREG	1	0.1	17	0.9	6	0.4	17	0.5	5	0.4	8	0.4
GT 15 PERCENT UNDERWEIGHT	21	4.2	97	6.0	62	4.9	180	5.9	59	4.7	122	5.8
GT 20 PERCENT OVERWEIGHT	226	33.8	669	36.1	536	39.2	1,213	38.4	558	42.8	801	36.8
GAINED LT 15 LBS DURING PREG*	57	8.6	176	10.0	130	10.0	295	9.4	138	10.9	159	7.5
GAINED 45+ LBS. DURING PREG*	102	15.3	293	15.8	191	14.0	482	15.3	206	15.8	364	16.7
MATERNAL EDUCATION UNDER 12	135	20.2	454	24.5	254	18.6	934	29.6	273	20.9	443	20.4
OUT-OF-WEDLOCK BIRTHS	175	26.2	778	42.0	499	36.5	1,304	41.3	497	38.1	774	35.6
LIVE BIRTH ORDER 4 OR MORE	103	15.4	228	12.3	157	11.5	389	12.3	150	11.5	233	10.7
LT 18 MOS SINCE LAST BIRTH	49	11.5	139	12.2	96	12.2	260	13.7	99	13.0	149	12.2
PRENATAL CARE												
1ST TRIMESTER	571	85.5	1,514	81.7	1,149	84.0	2,437	77.2	1,076	82.5	1,779	81.8
2ND TRIMESTER	62	9.3	212	11.4	175	12.8	583	18.5	166	12.7	285	13.1
3RD TRIMESTER	22	3.3	48	2.6	23	1.7	90	2.9	32	2.5	42	1.9
NO PRENATAL CARE	4	0.6	6	0.3	9	0.7	33	1.0	4	0.3	8	0.4
INADEQUATE PRENATAL CARE*	95	14.6	243	14.4	137	10.3	485	15.5	155	12.2	254	12.2
MOTHER MEDICAID PARTICIPANT	267	51.3	961	55.2	514	37.8	1,946	63.3	795	61.2	1,114	51.4
MOTHER WIC PARTICIPANT	247	47.5	876	50.4	490	36.0	1,648	53.6	736	56.7	1,116	51.5
MOTHER ON MEDICAID AND WIC	208	40.0	769	44.1	385	28.3	1,528	49.7	656	50.5	912	42.0
MOTHER FOOD STAMP RECIPIENT	115	22.1	470	27.1	250	18.4	838	27.5	392	32.6	504	23.6
AGE OF MOTHER												
UNDER 15	0	0.0	2	0.1	2	0.1	2	0.1	0	0.0	5	0.2
15-17	10	1.5	67	3.6	41	3.0	140	4.4	47	3.6	64	2.9
18-19	45	6.7	140	7.6	103	7.5	346	11.0	137	10.5	203	9.3
20-24	192	28.7	654	35.3	391	28.6	1,104	35.0	469	36.0	786	36.2
25-29	237	35.5	548	29.6	470	34.4	907	28.7	377	28.9	670	30.8
30-34	125	18.7	291	15.7	236	17.3	438	13.9	183	14.0	304	14.0
35-39	41	6.1	130	7.0	99	7.2	177	5.6	77	5.9	117	5.4
40 AND OVER	18	2.7	22	1.2	25	1.8	42	1.3	14	1.1	25	1.1

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10A (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY RACE AND HISPANIC ORIGIN OF MOTHER,
REGIONAL PLANNING COMMISSION: MISSOURI 2006

	SOUTH CENTRAL OZARK		MERAMEC		LAKE OF THE OZARKS		SOUTHEAST MISSOURI		BOOTHEEL		OZARK FOOTHILLS	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	1,614	100.0	1,948	100.0	2,382	100.0	2,682	100.0	2,231	100.0	1,088	100.0
UNDER 2500 GRAMS	117	7.2	169	8.7	167	7.0	213	7.9	219	9.8	111	10.2
OVER 4499 GRAMS	10	0.6	27	1.4	42	1.8	26	1.0	19	0.9	2	0.2
CROWN HEEL LT 47 CM (<18.5 IN)	120	7.8	189	9.8	197	8.3	305	11.5	347	16.0	199	18.6
LESS THAN 37 WEEKS GESTATION*	196	12.1	248	12.7	246	10.3	339	12.6	346	15.5	195	17.9
APGAR SCORE LESS THAN 8	39	2.4	62	3.2	96	4.0	75	2.8	69	3.1	38	3.5
CONGENITAL ANOMALIES	20	1.2	22	1.1	39	1.6	28	1.0	18	0.8	17	1.6
ABNORMAL CONDITIONS OF NEWBORN	123	7.6	131	6.7	237	9.9	128	4.8	148	6.6	76	7.0
INFANT TRANSFERS	32	2.0	57	2.9	90	3.8	43	1.6	60	2.7	38	3.5
MATERNAL TRANSFERS	14	0.9	26	1.3	64	2.7	34	1.3	31	1.4	15	1.4
HOME DELIVERIES	27	1.7	12	0.6	14	0.6	10	0.4	3	0.1	2	0.2
CESAREAN DELIVERIES	403	25.0	581	29.8	701	29.4	943	35.2	856	38.4	271	24.9
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	466	28.9	479	24.6	622	26.1	711	26.5	672	30.1	350	32.2
DRANK ALCOHOL DURING PREG	6	0.4	4	0.2	12	0.5	9	0.3	11	0.5	4	0.4
GT 15 PERCENT UNDERWEIGHT	111	7.3	114	6.0	140	6.1	139	5.3	136	6.7	67	6.9
GT 20 PERCENT OVERWEIGHT	616	38.2	852	43.7	884	37.1	1,149	42.8	899	40.3	377	34.7
GAINED LT 15 LBS DURING PREG*	133	8.4	208	10.9	167	7.2	245	9.2	187	9.0	74	7.3
GAINED 45+ LBS. DURING PREG*	291	18.0	293	15.0	443	18.6	426	15.9	367	16.5	170	15.6
MATERNAL EDUCATION UNDER 12	372	23.0	450	23.1	493	20.7	535	19.9	735	32.9	287	26.4
OUT-OF-WEDLOCK BIRTHS	556	34.4	737	37.8	811	34.0	1,035	38.6	1,149	51.5	438	40.3
LIVE BIRTH ORDER 4 OR MORE	178	11.0	218	11.2	256	10.7	210	7.8	226	10.1	128	11.8
LT 18 MOS SINCE LAST BIRTH	143	14.6	135	12.0	144	10.5	175	11.3	215	17.6	81	14.5
PRENATAL CARE												
1ST TRIMESTER	1,426	88.4	1,696	87.1	1,884	79.1	2,366	88.2	1,808	81.0	879	80.8
2ND TRIMESTER	133	8.2	187	9.6	371	15.6	256	9.5	296	13.3	113	10.4
3RD TRIMESTER	22	1.4	22	1.1	40	1.7	40	1.5	64	2.9	16	1.5
NO PRENATAL CARE	4	0.2	10	0.5	10	0.4	8	0.3	8	0.4	2	0.2
INADEQUATE PRENATAL CARE*	135	8.6	186	9.8	303	13.4	242	9.1	348	16.1	144	14.2
MOTHER MEDICAID PARTICIPANT	1,110	71.2	1,135	58.5	1,263	53.3	1,415	53.0	1,616	73.8	782	71.9
MOTHER WIC PARTICIPANT	1,026	65.9	1,058	54.5	1,219	51.5	1,430	53.6	1,529	69.8	715	65.8
MOTHER ON MEDICAID AND WIC	954	61.2	932	48.0	984	41.5	1,217	45.6	1,409	64.3	657	60.4
MOTHER FOOD STAMP RECIPIENT	589	37.9	552	28.5	590	25.0	693	25.9	909	41.6	430	39.6
AGE OF MOTHER												
UNDER 15	2	0.1	1	0.1	0	0.0	2	0.1	4	0.2	2	0.2
15-17	76	4.7	93	4.8	83	3.5	98	3.7	149	6.7	59	5.4
18-19	176	10.9	197	10.1	246	10.3	238	8.9	307	13.8	133	12.2
20-24	610	37.8	662	34.0	850	35.7	904	33.7	863	38.7	398	36.6
25-29	452	28.0	590	30.3	672	28.2	843	31.4	530	23.8	290	26.7
30-34	186	11.5	269	13.8	336	14.1	425	15.8	256	11.5	141	13.0
35-39	94	5.8	111	5.7	155	6.5	138	5.1	94	4.2	54	5.0
40 AND OVER	18	1.1	25	1.3	40	1.7	34	1.3	28	1.3	11	1.0

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B

RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2006

	ADAIR		ANDREW		ATCHISON		AUDRAIN		BARRY		BARTON	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	308	100.0	208	100.0	54	100.0	404	100.0	541	100.0	184	100.0
UNDER 2500 GRAMS	37	12.0	6	2.9	3	5.6	26	6.4	47	8.7	14	7.6
OVER 4499 GRAMS	3	1.0	5	2.4	1	1.9	3	0.7	5	0.9	3	1.6
CROWN HEEL LT 47 CM (<18.5 IN)	39	12.7	3	1.5	6	13.0	32	8.1	31	6.0	10	6.0
LESS THAN 37 WEEKS GESTATION*	42	13.6	15	7.2	6	11.1	44	10.9	70	12.9	23	12.5
APGAR SCORE LESS THAN 8	9	2.9	3	1.4	0	0.0	9	2.2	16	3.0	4	2.2
CONGENITAL ANOMALIES	9	2.9	1	0.5	1	1.9	4	1.0	4	0.7	6	3.3
ABNORMAL CONDITIONS OF NEWBORN	34	11.0	6	2.9	0	0.0	42	10.4	39	7.2	24	13.0
INFANT TRANSFERS	13	4.2	2	1.0	0	0.0	6	1.5	15	2.8	0	0.0
MATERNAL TRANSFERS	10	3.2	1	0.5	0	0.0	2	0.5	3	0.6	2	1.1
HOME DELIVERIES	6	1.9	2	1.0	0	0.0	22	5.4	2	0.4	3	1.6
CESAREAN DELIVERIES	106	34.4	35	16.8	18	33.3	132	32.7	180	33.3	48	26.1
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	62	20.1	35	16.8	17	31.5	141	34.9	135	25.0	42	22.8
DRANK ALCOHOL DURING PREG	0	0.0	1	0.5	0	0.0	11	2.7	1	0.2	0	0.0
GT 15 PERCENT UNDERWEIGHT	14	4.7	10	4.9	5	9.8	19	5.2	28	5.7	5	2.7
GT 20 PERCENT OVERWEIGHT	127	42.6	81	39.5	16	31.4	141	38.8	190	38.5	78	42.6
GAINED LT 15 LBS DURING PREG*	25	9.7	21	11.3	6	12.5	37	11.5	42	9.5	21	13.2
GAINED 45+ LBS. DURING PREG*	35	13.5	26	14.0	6	12.5	70	21.8	106	24.0	24	15.1
MATERNAL EDUCATION UNDER 12	44	14.3	20	9.6	9	16.7	133	32.9	203	37.5	41	22.3
OUT-OF-WEDLOCK BIRTHS	84	27.3	68	32.7	17	31.5	199	49.3	225	41.6	63	34.2
LIVE BIRTH ORDER 4 OR MORE	43	14.0	13	6.3	5	9.3	68	16.8	65	12.0	22	12.0
LT 18 MOS SINCE LAST BIRTH	21	10.8	12	10.3	4	11.4	34	12.8	51	16.8	17	15.9
PRENATAL CARE												
1ST TRIMESTER	272	88.3	194	93.3	50	92.6	303	75.0	440	81.3	151	82.1
2ND TRIMESTER	23	7.5	9	4.3	4	7.4	66	16.3	73	13.5	28	15.2
3RD TRIMESTER	6	1.9	3	1.4	0	0.0	14	3.5	8	1.5	4	2.2
NO PRENATAL CARE	1	0.3	1	0.5	0	0.0	3	0.7	3	0.6	0	0.0
INADEQUATE PRENATAL CARE*	26	8.8	11	5.3	3	5.6	63	18.1	74	14.3	18	10.1
MOTHER MEDICAID PARTICIPANT	176	57.5	73	35.3	28	54.9	189	47.1	361	70.4	108	58.7
MOTHER WIC PARTICIPANT	160	52.3	73	35.3	27	52.9	145	36.3	319	62.1	92	50.3
MOTHER ON MEDICAID AND WIC	136	44.4	60	29.0	24	47.1	123	30.7	283	55.1	89	48.4
MOTHER FOOD STAMP RECIPIENT	79	25.8	31	15.0	8	16.0	99	24.9	135	26.3	48	28.4
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
15-17	6	1.9	4	1.9	1	1.9	13	3.2	27	5.0	6	3.3
18-19	20	6.5	17	8.2	8	14.8	36	8.9	68	12.6	18	9.8
20-24	88	28.6	72	34.6	17	31.5	141	34.9	202	37.3	69	37.5
25-29	106	34.4	69	33.2	17	31.5	115	28.5	124	22.9	56	30.4
30-34	62	20.1	30	14.4	8	14.8	61	15.1	79	14.6	26	14.1
35-39	20	6.5	12	5.8	3	5.6	32	7.9	30	5.5	7	3.8
40 AND OVER	6	1.9	4	1.9	0	0.0	6	1.5	9	1.7	2	1.1

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2006

	BATES		BENTON		BOLLINGER		BOONE		BUCHANAN		BUTLER	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	219	100.0	150	100.0	140	100.0	2,048	100.0	1,287	100.0	616	100.0
UNDER 2500 GRAMS	11	5.0	13	8.7	14	10.0	142	6.9	76	5.9	71	11.5
OVER 4499 GRAMS	4	1.8	3	2.0	3	2.1	21	1.0	10	0.8	1	0.2
CROWN HEEL LT 47 CM (<18.5 IN)	16	9.4	8	5.4	24	17.1	168	8.3	70	5.5	127	21.0
LESS THAN 37 WEEKS GESTATION*	18	8.2	17	11.3	33	23.6	216	10.5	140	10.9	115	18.7
APGAR SCORE LESS THAN 8	6	2.7	6	4.0	5	3.6	79	3.9	18	1.4	18	2.9
CONGENITAL ANOMALIES	4	1.8	0	0.0	2	1.4	48	2.3	21	1.6	10	1.6
ABNORMAL CONDITIONS OF NEWBORN	18	8.2	14	9.3	9	6.4	324	15.8	46	3.6	49	8.0
INFANT TRANSFERS	4	1.8	5	3.3	1	0.7	4	0.2	31	2.4	28	4.5
MATERNAL TRANSFERS	2	0.9	3	2.0	3	2.1	13	0.6	18	1.4	9	1.5
HOME DELIVERIES	3	1.4	4	2.7	1	0.7	21	1.0	2	0.2	0	0.0
CESAREAN DELIVERIES	73	33.3	54	36.0	48	34.3	663	32.4	325	25.3	166	26.9
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	67	30.6	42	28.0	40	28.6	316	15.4	359	27.9	196	31.8
DRANK ALCOHOL DURING PREG	0	0.0	2	1.3	0	0.0	33	1.6	1	0.1	1	0.2
GT 15 PERCENT UNDERWEIGHT	11	5.2	5	3.6	10	7.2	72	4.9	77	6.1	35	6.3
GT 20 PERCENT OVERWEIGHT	96	45.3	57	40.7	66	47.8	492	33.2	518	41.2	205	36.8
GAINED LT 15 LBS DURING PREG*	28	14.7	14	11.3	9	8.6	118	8.2	122	11.0	44	9.6
GAINED 45+ LBS. DURING PREG*	40	21.1	26	21.0	14	13.3	241	16.7	211	19.0	92	20.1
MATERNAL EDUCATION UNDER 12	44	20.1	33	22.0	32	22.9	232	11.3	248	19.3	162	26.3
OUT-OF-WEDLOCK BIRTHS	89	40.6	66	44.0	48	34.3	698	34.1	619	48.1	254	41.2
LIVE BIRTH ORDER 4 OR MORE	20	9.1	15	10.0	7	5.0	164	8.0	121	9.4	78	12.7
LT 18 MOS SINCE LAST BIRTH	17	13.1	10	13.3	14	16.3	107	9.8	107	14.1	47	14.7
PRENATAL CARE												
1ST TRIMESTER	177	80.8	120	80.0	127	90.7	1,627	79.4	1,128	87.6	511	83.0
2ND TRIMESTER	29	13.2	16	10.7	9	6.4	170	8.3	114	8.9	54	8.8
3RD TRIMESTER	7	3.2	8	5.3	2	1.4	29	1.4	30	2.3	7	1.1
NO PRENATAL CARE	0	0.0	1	0.7	1	0.7	9	0.4	11	0.9	1	0.2
INADEQUATE PRENATAL CARE*	35	16.7	18	12.4	9	6.5	163	10.5	125	9.8	72	12.5
MOTHER MEDICAID PARTICIPANT	129	58.9	107	71.3	76	54.3	753	38.3	765	59.6	428	69.5
MOTHER WIC PARTICIPANT	120	54.8	97	64.7	87	62.1	604	31.0	592	46.2	380	61.7
MOTHER ON MEDICAID AND WIC	105	47.9	92	61.3	69	49.3	525	26.7	545	42.4	353	57.3
MOTHER FOOD STAMP RECIPIENT	44	25.9	56	37.6	31	22.1	413	21.2	400	31.5	250	40.6
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	2	0.1	4	0.3	0	0.0
15-17	7	3.2	6	4.0	4	2.9	55	2.7	54	4.2	33	5.4
18-19	22	10.0	19	12.7	13	9.3	117	5.7	114	8.9	77	12.5
20-24	81	37.0	60	40.0	53	37.9	517	25.2	466	36.2	218	35.4
25-29	74	33.8	35	23.3	42	30.0	649	31.7	365	28.4	168	27.3
30-34	31	14.2	24	16.0	25	17.9	466	22.8	189	14.7	86	14.0
35-39	3	1.4	6	4.0	3	2.1	197	9.6	81	6.3	30	4.9
40 AND OVER	1	0.5	0	0.0	0	0.0	45	2.2	14	1.1	4	0.6

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2006

	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU		CARROLL		CARTER	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	118	100.0	496	100.0	471	100.0	934	100.0	102	100.0	96	100.0
UNDER 2500 GRAMS	11	9.3	44	8.9	35	7.4	72	7.7	5	4.9	8	8.3
OVER 4499 GRAMS	2	1.7	5	1.0	6	1.3	5	0.5	3	2.9	0	0.0
CROWN HEEL LT 47 CM (<18.5 IN)	13	11.1	70	14.3	34	7.2	115	12.4	17	16.7	14	14.9
LESS THAN 37 WEEKS GESTATION*	12	10.2	88	17.7	42	8.9	133	14.2	10	9.8	20	20.8
APGAR SCORE LESS THAN 8	4	3.4	16	3.2	24	5.1	33	3.5	3	2.9	4	4.2
CONGENITAL ANOMALIES	2	1.7	12	2.4	8	1.7	10	1.1	0	0.0	0	0.0
ABNORMAL CONDITIONS OF NEWBORN	8	6.8	74	14.9	65	13.8	43	4.6	10	9.8	6	6.3
INFANT TRANSFERS	5	4.2	9	1.8	19	4.0	3	0.3	4	3.9	2	2.1
MATERNAL TRANSFERS	1	0.8	9	1.8	24	5.1	5	0.5	2	2.0	0	0.0
HOME DELIVERIES	1	0.8	0	0.0	1	0.2	2	0.2	1	1.0	1	1.0
CESAREAN DELIVERIES	43	36.4	161	32.5	148	31.4	287	30.7	34	33.3	16	16.7
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	29	24.6	145	29.2	138	29.3	207	22.2	29	28.4	26	27.1
DRANK ALCOHOL DURING PREG	0	0.0	7	1.4	3	0.6	4	0.4	0	0.0	0	0.0
GT 15 PERCENT UNDERWEIGHT	8	6.8	21	4.9	35	7.6	60	6.5	6	6.1	10	11.4
GT 20 PERCENT OVERWEIGHT	46	39.3	181	42.2	155	33.7	354	38.6	46	46.9	29	33.0
GAINED LT 15 LBS DURING PREG*	7	6.9	24	6.5	28	6.8	75	9.6	13	14.1	6	8.2
GAINED 45+ LBS. DURING PREG*	18	17.8	80	21.8	102	24.6	170	21.9	19	20.7	12	16.4
MATERNAL EDUCATION UNDER 12	22	18.6	116	23.4	93	19.7	161	17.2	23	22.5	27	28.1
OUT-OF-WEDLOCK BIRTHS	41	34.7	199	40.1	183	38.9	339	36.3	46	45.1	39	40.6
LIVE BIRTH ORDER 4 OR MORE	18	15.3	36	7.3	31	6.6	75	8.0	6	5.9	10	10.4
LT 18 MOS SINCE LAST BIRTH	9	11.8	45	16.5	24	9.1	55	10.5	3	5.2	3	7.0
PRENATAL CARE												
1ST TRIMESTER	106	89.8	402	81.0	339	72.0	849	90.9	91	89.2	74	77.1
2ND TRIMESTER	8	6.8	49	9.9	107	22.7	65	7.0	7	6.9	13	13.5
3RD TRIMESTER	2	1.7	7	1.4	13	2.8	11	1.2	3	2.9	2	2.1
NO PRENATAL CARE	1	0.8	2	0.4	2	0.4	4	0.4	0	0.0	0	0.0
INADEQUATE PRENATAL CARE*	10	8.5	55	13.3	70	15.3	65	7.1	7	7.1	14	15.7
MOTHER MEDICAID PARTICIPANT	54	45.8	228	47.3	305	65.0	438	47.1	51	50.0	70	72.9
MOTHER WIC PARTICIPANT	51	43.2	208	43.3	265	56.5	396	42.6	54	52.9	70	72.9
MOTHER ON MEDICAID AND WIC	43	36.4	171	35.5	249	53.1	346	37.2	45	44.1	65	67.7
MOTHER FOOD STAMP RECIPIENT	22	18.6	119	24.8	136	29.0	207	22.3	26	25.5	43	44.8
AGE OF MOTHER												
UNDER 15	0	0.0	1	0.2	0	0.0	0	0.0	0	0.0	0	0.0
15-17	5	4.2	23	4.6	18	3.8	30	3.2	3	2.9	5	5.2
18-19	6	5.1	37	7.5	47	10.0	76	8.1	16	15.7	15	15.6
20-24	34	28.8	164	33.1	179	38.0	283	30.3	29	28.4	33	34.4
25-29	40	33.9	150	30.2	111	23.6	290	31.0	24	23.5	26	27.1
30-34	20	16.9	85	17.1	68	14.4	176	18.8	19	18.6	12	12.5
35-39	10	8.5	30	6.0	40	8.5	68	7.3	8	7.8	4	4.2
40 AND OVER	3	2.5	6	1.2	8	1.7	11	1.2	3	2.9	1	1.0

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2006

	CASS		CEDAR		CHARITON		CHRISTIAN		CLARK		CLAY	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	1,325	100.0	168	100.0	95	100.0	1,020	100.0	91	100.0	3,187	100.0
UNDER 2500 GRAMS	83	6.3	10	6.0	3	3.2	64	6.3	5	5.5	238	7.5
OVER 4499 GRAMS	21	1.6	2	1.2	0	0.0	7	0.7	1	1.1	28	0.9
CROWN HEEL LT 47 CM (<18.5 IN)	103	11.6	12	7.4	12	13.2	45	4.5	2	6.3	276	9.2
LESS THAN 37 WEEKS GESTATION*	142	10.7	24	14.3	12	12.6	99	9.7	9	9.9	404	12.7
APGAR SCORE LESS THAN 8	29	2.2	6	3.6	5	5.3	9	0.9	2	2.2	64	2.0
CONGENITAL ANOMALIES	9	0.7	1	0.6	4	4.2	10	1.0	2	2.2	39	1.2
ABNORMAL CONDITIONS OF NEWBORN	109	8.2	14	8.3	6	6.3	112	11.0	6	6.6	195	6.1
INFANT TRANSFERS	9	0.7	2	1.2	1	1.1	5	0.5	3	3.3	43	1.3
MATERNAL TRANSFERS	16	1.2	1	0.6	2	2.1	0	0.0	2	2.2	27	0.8
HOME DELIVERIES	2	0.2	8	4.8	1	1.1	9	0.9	1	1.1	6	0.2
CESAREAN DELIVERIES	379	28.6	58	34.5	22	23.2	310	30.4	30	33.0	923	29.0
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	232	17.5	44	26.2	26	27.4	153	15.0	22	24.2	427	13.4
DRANK ALCOHOL DURING PREG	10	0.8	1	0.6	0	0.0	4	0.4	0	0.0	14	0.4
GT 15 PERCENT UNDERWEIGHT	77	5.9	10	6.1	5	6.3	48	4.9	2	6.3	138	4.5
GT 20 PERCENT OVERWEIGHT	504	38.9	70	42.4	22	27.8	348	35.2	15	46.9	1,144	37.3
GAINED LT 15 LBS DURING PREG*	178	15.5	18	13.3	5	6.7	82	9.4	9	11.4	212	8.1
GAINED 45+ LBS. DURING PREG*	220	19.2	32	23.7	17	22.7	156	17.8	20	25.3	525	20.0
MATERNAL EDUCATION UNDER 12	168	12.7	36	21.4	16	16.8	118	11.6	14	15.4	341	10.7
OUT-OF-WEDLOCK BIRTHS	391	29.5	61	36.3	39	41.1	261	25.6	33	36.3	953	29.9
LIVE BIRTH ORDER 4 OR MORE	138	10.4	17	10.1	12	12.6	83	8.1	10	11.0	283	8.9
LT 18 MOS SINCE LAST BIRTH	84	11.1	13	12.6	7	13.2	73	12.6	7	12.1	197	11.1+
PRENATAL CARE												
1ST TRIMESTER	1,145	86.4	147	87.5	74	77.9	941	92.3	83	91.2	2,751	86.3
2ND TRIMESTER	124	9.4	15	8.9	12	12.6	69	6.8	5	5.5	263	8.3
3RD TRIMESTER	22	1.7	3	1.8	0	0.0	6	0.6	2	2.2	43	1.3
NO PRENATAL CARE	2	0.2	0	0.0	1	1.1	0	0.0	0	0.0	19	0.6
INADEQUATE PRENATAL CARE*	99	7.8	18	11.0	9	11.7	53	5.2	8	8.9	236	7.9
MOTHER MEDICAID PARTICIPANT	445	33.8	108	64.7	56	62.2	436	43.0	19	59.4	1,020	32.3
MOTHER WIC PARTICIPANT	412	31.2	100	59.9	43	47.8	374	36.8	18	56.3	926	29.3
MOTHER ON MEDICAID AND WIC	322	24.4	92	55.1	40	44.4	332	32.7	15	46.9	736	23.2
MOTHER FOOD STAMP RECIPIENT	175	19.7	67	41.1	19	21.3	173	17.0	9	28.1	431	14.4
AGE OF MOTHER												
UNDER 15	1	0.1	0	0.0	0	0.0	1	0.1	0	0.0	2	0.1
15-17	34	2.6	2	1.2	4	4.2	20	2.0	2	2.2	71	2.2
18-19	79	6.0	19	11.3	11	11.6	57	5.6	9	9.9	143	4.5
20-24	354	26.7	66	39.3	36	37.9	323	31.7	26	28.6	747	23.4
25-29	442	33.4	43	25.6	26	27.4	320	31.4	38	41.8	1,042	32.7
30-34	275	20.8	20	11.9	10	10.5	200	19.6	12	13.2	800	25.1
35-39	122	9.2	15	8.9	6	6.3	79	7.7	3	3.3	340	10.7
40 AND OVER	18	1.4	3	1.8	2	2.1	20	2.0	1	1.1	42	1.3

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2006

	CLINTON		COLE		COOPER		CRAWFORD		DADE		DALLAS	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	270	100.0	1,021	100.0	209	100.0	347	100.0	94	100.0	239	100.0
UNDER 2500 GRAMS	21	7.8	91	8.9	20	9.6	25	7.2	3	3.2	13	5.4
OVER 4499 GRAMS	1	0.4	14	1.4	2	1.0	0	0.0	4	4.3	1	0.4
CROWN HEEL LT 47 CM (<18.5 IN)	24	9.1	179	17.6	23	11.2	23	6.7	1	1.1	9	3.8
LESS THAN 37 WEEKS GESTATION*	37	13.7	148	14.5	33	15.8	47	13.5	13	13.8	25	10.5
APGAR SCORE LESS THAN 8	3	1.1	38	3.7	11	5.3	12	3.5	3	3.2	9	3.8
CONGENITAL ANOMALIES	3	1.1	10	1.0	3	1.4	2	0.6	1	1.1	3	1.3
ABNORMAL CONDITIONS OF NEWBORN	10	3.7	105	10.3	39	18.7	17	4.9	12	12.8	28	11.7
INFANT TRANSFERS	2	0.7	17	1.7	2	1.0	9	2.6	2	2.1	2	0.8
MATERNAL TRANSFERS	4	1.5	12	1.2	3	1.4	4	1.2	0	0.0	1	0.4
HOME DELIVERIES	1	0.4	3	0.3	5	2.4	1	0.3	3	3.2	14	5.9
CESAREAN DELIVERIES	77	28.5	322	31.5	69	33.0	103	29.7	27	28.7	62	25.9
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	67	24.8	162	15.9	51	24.4	101	29.1	28	29.8	53	22.2
DRANK ALCOHOL DURING PREG	0	0.0	2	0.2	2	1.0	1	0.3	0	0.0	1	0.4
GT 15 PERCENT UNDERWEIGHT	7	2.6	42	4.5	3	1.9	19	5.6	2	2.2	14	5.9
GT 20 PERCENT OVERWEIGHT	107	40.2	380	41.1	70	45.5	135	39.8	37	41.6	91	38.4
GAINED LT 15 LBS DURING PREG*	20	8.9	61	7.8	9	6.8	36	12.4	11	13.8	18	8.5
GAINED 45+ LBS. DURING PREG*	48	21.4	162	20.7	27	20.3	56	19.3	17	21.3	36	17.1
MATERNAL EDUCATION UNDER 12	35	13.0	133	13.0	42	20.1	85	24.5	19	20.2	79	33.1
OUT-OF-WEDLOCK BIRTHS	93	34.4	365	35.7	75	35.9	143	41.2	33	35.1	71	29.7
LIVE BIRTH ORDER 4 OR MORE	26	9.6	100	9.8	18	8.6	41	11.8	5	5.3	45	18.8
LT 18 MOS SINCE LAST BIRTH	14	9.2	47	8.8	8	6.9	22	10.8	5	10.2	14	9.6
PRENATAL CARE												
1ST TRIMESTER	241	89.3	795	77.9	149	71.3	308	88.8	83	88.3	180	75.3
2ND TRIMESTER	22	8.1	91	8.9	21	10.0	32	9.2	8	8.5	51	21.3
3RD TRIMESTER	3	1.1	12	1.2	4	1.9	2	0.6	3	3.2	4	1.7
NO PRENATAL CARE	2	0.7	5	0.5	3	1.4	3	0.9	0	0.0	1	0.4
INADEQUATE PRENATAL CARE*	15	5.7	76	8.7	26	16.1	29	8.4	7	7.5	39	16.6
MOTHER MEDICAID PARTICIPANT	117	43.7	369	36.7	93	45.4	219	63.3	63	67.0	141	59.0
MOTHER WIC PARTICIPANT	95	35.4	388	38.6	89	43.8	191	55.2	52	55.3	101	42.3
MOTHER ON MEDICAID AND WIC	81	30.2	298	29.6	72	35.1	171	49.4	49	52.1	93	38.9
MOTHER FOOD STAMP RECIPIENT	33	12.5	201	20.0	45	22.2	108	31.2	29	30.9	67	28.0
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	0	0.0	1	1.1	0	0.0
15-17	6	2.2	28	2.7	6	2.9	14	4.0	3	3.2	12	5.0
18-19	23	8.5	64	6.3	19	9.1	40	11.5	12	12.8	25	10.5
20-24	79	29.3	258	25.3	63	30.1	124	35.7	35	37.2	82	34.3
25-29	92	34.1	348	34.1	65	31.1	103	29.7	25	26.6	61	25.5
30-34	45	16.7	213	20.9	43	20.6	45	13.0	8	8.5	34	14.2
35-39	21	7.8	88	8.6	12	5.7	20	5.8	9	9.6	18	7.5
40 AND OVER	4	1.5	22	2.2	1	0.5	1	0.3	1	1.1	7	2.9

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2006

	DAVIESS		DE KALB		DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	118	100.0	111	100.0	185	100.0	165	100.0	478	100.0	1,343	100.0
UNDER 2500 GRAMS	8	6.8	10	9.0	14	7.6	18	10.9	53	11.1	94	7.0
OVER 4499 GRAMS	0	0.0	1	0.9	2	1.1	2	1.2	2	0.4	22	1.6
CROWN HEEL LT 47 CM (<18.5 IN)	13	11.1	11	9.9	12	6.6	16	10.1	77	17.1	89	6.7
LESS THAN 37 WEEKS GESTATION*	12	10.2	14	12.6	15	8.1	24	14.5	88	18.4	163	12.1
APGAR SCORE LESS THAN 8	2	1.7	1	0.9	7	3.8	5	3.0	17	3.6	28	2.1
CONGENITAL ANOMALIES	1	0.8	0	0.0	2	1.1	3	1.8	2	0.4	20	1.5
ABNORMAL CONDITIONS OF NEWBORN	4	3.4	5	4.5	6	3.2	21	12.7	28	5.9	89	6.6
INFANT TRANSFERS	2	1.7	3	2.7	4	2.2	1	0.6	17	3.6	20	1.5
MATERNAL TRANSFERS	1	0.8	3	2.7	1	0.5	1	0.6	5	1.0	6	0.4
HOME DELIVERIES	8	6.8	1	0.9	6	3.2	5	3.0	1	0.2	7	0.5
CESAREAN DELIVERIES	29	24.6	35	31.5	33	17.8	37	22.4	178	37.2	473	35.2
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	29	24.6	35	31.5	60	32.4	51	30.9	148	31.0	304	22.6
DRANK ALCOHOL DURING PREG	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	6	0.4
GT 15 PERCENT UNDERWEIGHT	7	6.3	6	5.4	17	9.3	14	8.9	32	7.4	76	6.0
GT 20 PERCENT OVERWEIGHT	40	35.7	39	35.1	85	46.7	61	38.6	195	44.8	516	40.4
GAINED LT 15 LBS DURING PREG*	6	5.9	11	11.3	23	13.9	13	9.9	52	14.1	99	8.9
GAINED 45+ LBS. DURING PREG*	12	11.9	20	20.6	38	22.9	28	21.4	77	20.9	199	17.8
MATERNAL EDUCATION UNDER 12	38	32.2	21	18.9	52	28.1	30	18.2	206	43.1	251	18.7
OUT-OF-WEDLOCK BIRTHS	22	18.6	40	36.0	60	32.4	54	32.7	236	49.4	434	32.3
LIVE BIRTH ORDER 4 OR MORE	21	17.8	14	12.6	30	16.2	21	12.7	61	12.8	155	11.5
LT 18 MOS SINCE LAST BIRTH	4	5.8	7	9.6	11	9.5	15	16.9	55	21.7	100	13.0
PRENATAL CARE												
1ST TRIMESTER	92	78.0	103	92.8	165	89.2	150	90.9	370	77.4	1,273	94.8
2ND TRIMESTER	23	19.5	7	6.3	14	7.6	8	4.8	58	12.1	54	4.0
3RD TRIMESTER	1	0.8	0	0.0	1	0.5	3	1.8	20	4.2	8	0.6
NO PRENATAL CARE	2	1.7	1	0.9	1	0.5	0	0.0	2	0.4	5	0.4
INADEQUATE PRENATAL CARE*	28	23.7	7	6.3	10	5.6	12	7.5	78	17.4	61	4.6
MOTHER MEDICAID PARTICIPANT	56	47.5	55	49.5	129	70.1	115	70.6	387	84.3	552	41.4
MOTHER WIC PARTICIPANT	53	44.9	41	36.9	115	62.5	121	74.2	343	74.7	449	33.7
MOTHER ON MEDICAID AND WIC	49	41.5	37	33.3	108	58.7	106	65.0	323	70.4	385	28.9
MOTHER FOOD STAMP RECIPIENT	19	16.1	26	23.4	58	31.5	55	34.0	206	44.9	246	18.5
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
15-17	3	2.5	2	1.8	8	4.3	10	6.1	47	9.8	25	1.9
18-19	7	5.9	11	9.9	16	8.6	14	8.5	68	14.2	91	6.8
20-24	43	36.4	45	40.5	77	41.6	65	39.4	181	37.9	422	31.4
25-29	40	33.9	23	20.7	52	28.1	41	24.8	110	23.0	417	31.0
30-34	13	11.0	20	18.0	22	11.9	23	13.9	57	11.9	261	19.4
35-39	11	9.3	6	5.4	7	3.8	10	6.1	12	2.5	107	8.0
40 AND OVER	1	0.8	4	3.6	3	1.6	2	1.2	3	0.6	19	1.4

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2006

	GASCONADE		GENTRY		GREENE		GRUNDY		HARRISON		HENRY	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	185	100.0	98	100.0	3,414	100.0	123	100.0	153	100.0	289	100.0
UNDER 2500 GRAMS	23	12.4	5	5.1	234	6.9	7	5.7	10	6.5	16	5.5
OVER 4499 GRAMS	1	0.5	0	0.0	39	1.1	2	1.6	0	0.0	7	2.4
CROWN HEEL LT 47 CM (<18.5 IN)	21	11.5	6	6.2	163	4.9	21	17.5	19	12.8	21	7.6
LESS THAN 37 WEEKS GESTATION*	25	13.5	8	8.2	400	11.7	21	17.1	20	13.1	36	12.5
APGAR SCORE LESS THAN 8	6	3.2	2	2.0	68	2.0	2	1.6	7	4.6	9	3.1
CONGENITAL ANOMALIES	1	0.5	2	2.0	45	1.3	3	2.4	0	0.0	4	1.4
ABNORMAL CONDITIONS OF NEWBORN	19	10.3	2	2.0	388	11.4	14	11.4	4	2.6	18	6.2
INFANT TRANSFERS	7	3.8	1	1.0	14	0.4	7	5.7	2	1.3	11	3.8
MATERNAL TRANSFERS	1	0.5	3	3.1	7	0.2	1	0.8	7	4.6	4	1.4
HOME DELIVERIES	1	0.5	12	12.2	30	0.9	6	4.9	1	0.7	1	0.3
CESAREAN DELIVERIES	63	34.1	21	21.4	1,008	29.5	37	30.1	52	34.0	97	33.6
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	39	21.1	23	23.5	661	19.4	31	25.2	40	26.1	88	30.4
DRANK ALCOHOL DURING PREG	0	0.0	0	0.0	27	0.8	2	1.6	0	0.0	1	0.3
GT 15 PERCENT UNDERWEIGHT	14	8.3	3	3.1	230	6.9	9	7.8	7	4.7	15	5.5
GT 20 PERCENT OVERWEIGHT	75	44.6	43	43.9	1,188	35.8	50	43.1	69	46.3	136	50.0
GAINED LT 15 LBS DURING PREG*	10	6.8	10	11.4	215	7.4	10	10.2	14	10.7	28	12.1
GAINED 45+ LBS. DURING PREG*	28	19.2	13	14.8	651	22.5	18	18.4	26	19.8	42	18.2
MATERNAL EDUCATION UNDER 12	40	21.6	22	22.4	576	16.9	31	25.2	27	17.6	44	15.2
OUT-OF-WEDLOCK BIRTHS	70	37.8	33	33.7	1,257	36.8	48	39.0	51	33.3	113	39.1
LIVE BIRTH ORDER 4 OR MORE	21	11.4	12	12.2	301	8.8	21	17.1	23	15.0	24	8.3
LT 18 MOS SINCE LAST BIRTH	9	8.3	8	13.6	235	12.8	14	17.1	7	7.0	21	13.0
PRENATAL CARE												
1ST TRIMESTER	164	88.6	76	77.6	3,044	89.2	107	87.0	129	84.3	241	83.4
2ND TRIMESTER	13	7.0	11	11.2	300	8.8	10	8.1	17	11.1	38	13.1
3RD TRIMESTER	1	0.5	11	11.2	44	1.3	3	2.4	2	1.3	6	2.1
NO PRENATAL CARE	1	0.5	0	0.0	13	0.4	1	0.8	3	2.0	1	0.3
INADEQUATE PRENATAL CARE*	15	8.4	16	16.3	254	7.5	20	16.4	17	11.2	25	8.7
MOTHER MEDICAID PARTICIPANT	86	46.7	47	48.0	1,787	52.5	80	66.7	95	63.3	153	53.3
MOTHER WIC PARTICIPANT	98	53.3	46	46.9	1,537	45.2	76	63.3	94	62.7	147	51.2
MOTHER ON MEDICAID AND WIC	76	41.3	38	38.8	1,359	39.9	72	60.0	82	54.7	126	43.9
MOTHER FOOD STAMP RECIPIENT	42	22.8	11	11.2	911	26.8	36	30.0	37	24.8	76	27.8
AGE OF MOTHER												
UNDER 15	1	0.5	0	0.0	4	0.1	0	0.0	0	0.0	0	0.0
15-17	12	6.5	0	0.0	110	3.2	5	4.1	6	3.9	8	2.8
18-19	15	8.1	8	8.2	303	8.9	10	8.1	10	6.5	28	9.7
20-24	65	35.1	40	40.8	1,089	31.9	51	41.5	58	37.9	100	34.6
25-29	51	27.6	28	28.6	1,050	30.8	26	21.1	52	34.0	89	30.8
30-34	31	16.8	11	11.2	560	16.4	20	16.3	18	11.8	48	16.6
35-39	10	5.4	9	9.2	251	7.4	8	6.5	8	5.2	15	5.2
40 AND OVER	0	0.0	2	2.0	46	1.3	3	2.4	1	0.7	1	0.3

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2006

	HICKORY		HOLT		HOWARD		HOWELL		IRON		JACKSON	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	93	100.0	53	100.0	119	100.0	556	100.0	127	100.0	10,686	100.0
UNDER 2500 GRAMS	5	5.4	1	1.9	6	5.0	37	6.7	12	9.4	904	8.5
OVER 4499 GRAMS	2	2.2	0	0.0	1	0.8	1	0.2	2	1.6	112	1.0
CROWN HEEL LT 47 CM (<18.5 IN)	4	4.4	2	3.8	10	8.5	35	6.5	14	11.1	1,158	12.4
LESS THAN 37 WEEKS GESTATION*	10	10.8	1	1.9	12	10.1	65	11.7	18	14.2	1,416	13.3
APGAR SCORE LESS THAN 8	3	3.2	0	0.0	8	6.7	21	3.8	6	4.7	324	3.0
CONGENITAL ANOMALIES	3	3.2	2	3.8	1	0.8	8	1.4	1	0.8	152	1.4
ABNORMAL CONDITIONS OF NEWBORN	5	5.4	4	7.5	16	13.4	40	7.2	8	6.3	933	8.7
INFANT TRANSFERS	1	1.1	2	3.8	0	0.0	16	2.9	7	5.5	92	0.9
MATERNAL TRANSFERS	3	3.2	1	1.9	0	0.0	3	0.5	4	3.1	86	0.8
HOME DELIVERIES	1	1.1	0	0.0	1	0.8	1	0.2	0	0.0	40	0.4
CESAREAN DELIVERIES	29	31.2	15	28.3	32	26.9	138	24.8	50	39.4	2,845	26.6
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	26	28.0	16	30.2	30	25.2	160	28.8	45	35.4	1,559	14.6
DRANK ALCOHOL DURING PREG	0	0.0	0	0.0	3	2.5	1	0.2	0	0.0	71	0.7
GT 15 PERCENT UNDERWEIGHT	4	4.4	1	1.9	0	0.0	48	8.9	4	3.2	518	5.3
GT 20 PERCENT OVERWEIGHT	33	36.7	16	30.2	43	48.9	211	39.2	72	57.1	3,889	39.6
GAINED LT 15 LBS DURING PREG*	8	9.8	4	8.0	12	13.6	43	9.0	15	13.8	952	11.1
GAINED 45+ LBS. DURING PREG*	19	23.2	10	20.0	23	26.1	96	20.0	18	16.5	1,776	20.7
MATERNAL EDUCATION UNDER 12	25	26.9	8	15.1	18	15.1	116	20.9	20	15.7	2,375	22.2
OUT-OF-WEDLOCK BIRTHS	26	28.0	19	35.8	46	38.7	189	34.0	49	38.6	5,255	49.2
LIVE BIRTH ORDER 4 OR MORE	10	10.8	2	3.8	17	14.3	55	9.9	7	5.5	1,308	12.2
LT 18 MOS SINCE LAST BIRTH	8	13.6	1	3.3	9	13.0	46	13.3	19	25.0	765	12.9
PRENATAL CARE												
1ST TRIMESTER	78	83.9	49	92.5	99	83.2	510	91.7	103	81.1	8,347	78.1
2ND TRIMESTER	13	14.0	3	5.7	7	5.9	40	7.2	17	13.4	1,252	11.7
3RD TRIMESTER	0	0.0	1	1.9	0	0.0	4	0.7	5	3.9	176	1.6
NO PRENATAL CARE	1	1.1	0	0.0	0	0.0	0	0.0	1	0.8	88	0.8
INADEQUATE PRENATAL CARE*	12	13.0	4	7.5	6	6.5	35	6.3	18	14.4	1,215	12.7
MOTHER MEDICAID PARTICIPANT	65	70.7	29	54.7	59	50.9	382	70.6	82	64.6	5,341	50.5
MOTHER WIC PARTICIPANT	57	62.0	26	49.1	52	46.0	342	63.3	84	66.1	5,177	48.8
MOTHER ON MEDICAID AND WIC	51	55.4	24	45.3	46	39.7	327	60.4	74	58.3	4,254	40.0
MOTHER FOOD STAMP RECIPIENT	31	33.7	11	21.2	34	30.1	228	42.2	43	33.9	2,711	29.1
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	18	0.2
15-17	6	6.5	1	1.9	3	2.5	25	4.5	3	2.4	455	4.3
18-19	14	15.1	5	9.4	4	3.4	59	10.6	19	15.0	865	8.1
20-24	33	35.5	23	43.4	48	40.3	209	37.6	43	33.9	3,026	28.3
25-29	21	22.6	13	24.5	35	29.4	155	27.9	41	32.3	3,147	29.4
30-34	11	11.8	9	17.0	18	15.1	67	12.1	13	10.2	2,095	19.6
35-39	8	8.6	2	3.8	9	7.6	33	5.9	5	3.9	892	8.3
40 AND OVER	0	0.0	0	0.0	2	1.7	7	1.3	3	2.4	184	1.7

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2006

	JASPER		JEFFERSON		JOHNSON		KNOX		LACLEDE		LAFAYETTE	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	1,796	100.0	3,025	100.0	792	100.0	45	100.0	527	100.0	423	100.0
UNDER 2500 GRAMS	122	6.8	221	7.3	44	5.6	2	4.4	33	6.3	24	5.7
OVER 4499 GRAMS	28	1.6	26	0.9	8	1.0	3	6.7	8	1.5	7	1.7
CROWN HEEL LT 47 CM (<18.5 IN)	109	6.1	175	5.9	73	9.5	1	2.6	25	4.8	46	11.0
LESS THAN 37 WEEKS GESTATION*	231	12.9	386	12.8	90	11.4	3	6.7	66	12.5	42	9.9
APGAR SCORE LESS THAN 8	32	1.8	57	1.9	12	1.5	1	2.2	13	2.5	14	3.3
CONGENITAL ANOMALIES	57	3.2	31	1.0	15	1.9	0	0.0	8	1.5	12	2.8
ABNORMAL CONDITIONS OF NEWBORN	330	18.4	186	6.1	64	8.1	1	2.2	47	8.9	32	7.6
INFANT TRANSFERS	4	0.2	44	1.5	18	2.3	0	0.0	19	3.6	5	1.2
MATERNAL TRANSFERS	6	0.3	4	0.1	6	0.8	1	2.2	6	1.1	4	0.9
HOME DELIVERIES	5	0.3	7	0.2	8	1.0	6	13.3	1	0.2	2	0.5
CESAREAN DELIVERIES	429	23.9	1,047	34.6	204	25.8	17	37.8	171	32.4	109	25.8
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	420	23.4	612	20.2	134	16.9	9	20.0	142	26.9	102	24.1
DRANK ALCOHOL DURING PREG	12	0.7	10	0.3	3	0.4	0	0.0	2	0.4	0	0.0
GT 15 PERCENT UNDERWEIGHT	108	6.1	149	5.0	39	5.0	1	2.7	28	5.5	25	6.1
GT 20 PERCENT OVERWEIGHT	697	39.4	1,178	39.8	281	35.9	20	54.1	208	41.1	155	37.5
GAINED LT 15 LBS DURING PREG*	164	10.6	211	8.2	40	5.8	1	2.6	38	8.7	36	9.7
GAINED 45+ LBS. DURING PREG*	283	18.2	567	22.0	122	17.8	7	18.4	91	20.7	77	20.7
MATERNAL EDUCATION UNDER 12	526	29.3	448	14.8	101	12.8	17	37.8	115	21.8	76	18.0
OUT-OF-WEDLOCK BIRTHS	770	42.9	945	31.2	215	27.1	11	24.4	188	35.7	157	37.1
LIVE BIRTH ORDER 4 OR MORE	212	11.8	256	8.5	78	9.8	12	26.7	73	13.9	47	11.1
LT 18 MOS SINCE LAST BIRTH	143	13.4	176	10.5	57	12.6	1	3.6	39	13.0	24	9.4
PRENATAL CARE												
1ST TRIMESTER	1,379	76.8	2,761	91.3	647	81.7	34	75.6	477	90.5	347	82.0
2ND TRIMESTER	340	18.9	198	6.5	107	13.5	7	15.6	45	8.5	61	14.4
3RD TRIMESTER	51	2.8	20	0.7	18	2.3	3	6.7	3	0.6	4	0.9
NO PRENATAL CARE	21	1.2	6	0.2	1	0.1	0	0.0	1	0.2	2	0.5
INADEQUATE PRENATAL CARE*	280	15.6	155	5.2	94	12.2	11	25.6	39	7.5	52	12.7
MOTHER MEDICAID PARTICIPANT	1,094	61.3	1,069	35.6	307	39.0	21	53.8	343	65.3	202	47.9
MOTHER WIC PARTICIPANT	901	50.5	908	30.3	366	46.3	22	56.4	277	52.8	168	39.8
MOTHER ON MEDICAID AND WIC	840	47.0	764	25.5	247	31.3	19	48.7	254	48.4	149	35.3
MOTHER FOOD STAMP RECIPIENT	505	28.5	520	17.3	136	17.7	7	17.9	166	31.9	103	24.7
AGE OF MOTHER												
UNDER 15	2	0.1	2	0.1	1	0.1	0	0.0	0	0.0	0	0.0
15-17	75	4.2	77	2.5	13	1.6	1	2.2	28	5.3	11	2.6
18-19	180	10.0	178	5.9	52	6.6	4	8.9	59	11.2	42	9.9
20-24	634	35.3	770	25.5	290	36.6	11	24.4	196	37.2	143	33.8
25-29	525	29.2	1,030	34.0	266	33.6	15	33.3	148	28.1	131	31.0
30-34	256	14.3	652	21.6	112	14.1	8	17.8	63	12.0	68	16.1
35-39	101	5.6	270	8.9	51	6.4	4	8.9	25	4.7	22	5.2
40 AND OVER	23	1.3	46	1.5	7	0.9	2	4.4	8	1.5	6	1.4

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2006

	LAWRENCE		LEWIS		LINCOLN		LINN		LIVINGSTON		MC DONALD	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	521	100.0	117	100.0	740	100.0	175	100.0	168	100.0	401	100.0
UNDER 2500 GRAMS	33	6.3	10	8.5	57	7.7	12	6.9	10	6.0	44	11.0
OVER 4499 GRAMS	2	0.4	1	0.9	13	1.8	1	0.6	3	1.8	5	1.2
CROWN HEEL LT 47 CM (<18.5 IN)	28	5.4	8	19.5	36	4.9	22	12.6	20	12.0	32	9.5
LESS THAN 37 WEEKS GESTATION*	73	14.0	8	6.8	78	10.5	20	11.4	23	13.7	58	14.5
APGAR SCORE LESS THAN 8	11	2.1	2	1.7	14	1.9	4	2.3	5	3.0	5	1.2
CONGENITAL ANOMALIES	7	1.3	3	2.6	23	3.1	4	2.3	2	1.2	12	3.0
ABNORMAL CONDITIONS OF NEWBORN	53	10.2	8	6.8	223	30.1	15	8.6	10	6.0	84	20.9
INFANT TRANSFERS	11	2.1	2	1.7	14	1.9	9	5.1	7	4.2	1	0.2
MATERNAL TRANSFERS	4	0.8	1	0.9	13	1.8	7	4.0	2	1.2	1	0.2
HOME DELIVERIES	13	2.5	8	6.8	2	0.3	3	1.7	2	1.2	2	0.5
CESAREAN DELIVERIES	150	28.8	30	25.6	235	31.8	61	34.9	67	39.9	104	25.9
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	115	22.1	23	19.7	172	23.2	43	24.6	40	23.8	103	25.7
DRANK ALCOHOL DURING PREG	0	0.0	1	0.9	1	0.1	1	0.6	1	0.6	0	0.0
GT 15 PERCENT UNDERWEIGHT	35	6.9	0	0.0	34	4.9	9	5.4	11	6.6	25	7.6
GT 20 PERCENT OVERWEIGHT	211	41.6	17	40.5	304	43.7	83	49.4	71	42.8	129	39.4
GAINED LT 15 LBS DURING PREG*	63	14.4	11	10.1	74	12.1	22	14.5	12	8.7	30	8.9
GAINED 45+ LBS. DURING PREG*	79	18.1	18	16.5	107	17.5	38	25.0	23	16.7	66	19.6
MATERNAL EDUCATION UNDER 12	140	26.9	25	21.4	130	17.6	32	18.3	25	14.9	176	43.9
OUT-OF-WEDLOCK BIRTHS	180	34.5	26	22.2	258	34.9	72	41.1	71	42.3	180	44.9
LIVE BIRTH ORDER 4 OR MORE	83	15.9	11	9.4	94	12.7	20	11.4	22	13.1	64	16.0
LT 18 MOS SINCE LAST BIRTH	41	12.5	10	13.9	48	11.6	9	8.7	11	10.9	31	12.3
PRENATAL CARE												
1ST TRIMESTER	439	84.3	95	81.2	630	85.1	156	89.1	157	93.5	291	72.6
2ND TRIMESTER	59	11.3	15	12.8	88	11.9	15	8.6	5	3.0	74	18.5
3RD TRIMESTER	16	3.1	6	5.1	12	1.6	1	0.6	4	2.4	25	6.2
NO PRENATAL CARE	1	0.2	1	0.9	7	0.9	1	0.6	0	0.0	6	1.5
INADEQUATE PRENATAL CARE*	61	12.0	19	16.2	80	11.0	19	11.4	12	7.2	83	20.9
MOTHER MEDICAID PARTICIPANT	293	56.3	6	14.3	265	36.0	104	60.1	101	60.1	270	79.4
MOTHER WIC PARTICIPANT	262	50.4	6	14.3	231	31.4	93	53.8	98	58.3	240	70.6
MOTHER ON MEDICAID AND WIC	223	42.9	3	7.1	181	24.6	86	49.7	87	51.8	228	67.1
MOTHER FOOD STAMP RECIPIENT	128	24.6	3	7.1	126	17.1	43	24.9	43	25.6	102	30.3
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	2	0.3	0	0.0	0	0.0	0	0.0
15-17	18	3.5	1	0.9	22	3.0	8	4.6	1	0.6	25	6.2
18-19	53	10.2	6	5.1	50	6.8	17	9.7	20	11.9	58	14.5
20-24	184	35.3	33	28.2	194	26.2	50	28.6	65	38.7	126	31.4
25-29	161	30.9	36	30.8	266	35.9	45	25.7	39	23.2	112	27.9
30-34	75	14.4	29	24.8	132	17.8	33	18.9	30	17.9	53	13.2
35-39	22	4.2	8	6.8	56	7.6	18	10.3	10	6.0	20	5.0
40 AND OVER	8	1.5	4	3.4	18	2.4	4	2.3	3	1.8	7	1.7

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2006

	MACON		MADISON		MARIES		MARION		MERCER		MILLER	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	191	100.0	149	100.0	94	100.0	406	100.0	48	100.0	351	100.0
UNDER 2500 GRAMS	15	7.9	18	12.1	3	3.2	38	9.4	5	10.4	29	8.3
OVER 4499 GRAMS	1	0.5	4	2.7	2	2.1	5	1.2	1	2.1	8	2.3
CROWN HEEL LT 47 CM (<18.5 IN)	10	5.4	20	13.5	9	9.8	56	16.1	5	16.1	49	14.0
LESS THAN 37 WEEKS GESTATION*	21	11.0	13	8.7	11	11.7	51	12.6	8	16.7	36	10.3
APGAR SCORE LESS THAN 8	14	7.3	2	1.3	0	0.0	6	1.5	2	4.2	13	3.7
CONGENITAL ANOMALIES	2	1.0	1	0.7	0	0.0	0	0.0	0	0.0	5	1.4
ABNORMAL CONDITIONS OF NEWBORN	22	11.5	7	4.7	3	3.2	19	4.7	1	2.1	45	12.8
INFANT TRANSFERS	3	1.6	2	1.3	1	1.1	8	2.0	2	4.2	13	3.7
MATERNAL TRANSFERS	11	5.8	2	1.3	0	0.0	7	1.7	2	4.2	12	3.4
HOME DELIVERIES	10	5.2	1	0.7	2	2.1	0	0.0	3	6.3	3	0.9
CESAREAN DELIVERIES	62	32.5	67	45.0	25	26.6	132	32.5	21	43.8	120	34.2
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	54	28.3	49	32.9	22	23.4	115	28.3	13	27.1	106	30.2
DRANK ALCOHOL DURING PREG	1	0.5	1	0.7	0	0.0	0	0.0	1	2.1	3	0.9
GT 15 PERCENT UNDERWEIGHT	5	3.2	9	6.1	5	5.6	21	6.2	1	3.6	14	4.2
GT 20 PERCENT OVERWEIGHT	60	39.0	70	47.3	44	49.4	139	40.9	10	35.7	152	45.5
GAINED LT 15 LBS DURING PREG*	22	15.6	17	12.9	10	12.5	42	12.1	6	16.7	36	12.1
GAINED 45+ LBS. DURING PREG*	22	15.6	21	15.9	8	10.0	62	17.8	7	19.4	60	20.1
MATERNAL EDUCATION UNDER 12	53	27.7	44	29.5	23	24.5	84	20.7	12	25.0	84	23.9
OUT-OF-WEDLOCK BIRTHS	62	32.5	62	41.6	29	30.9	174	42.9	10	20.8	128	36.5
LIVE BIRTH ORDER 4 OR MORE	24	12.6	14	9.4	4	4.3	38	9.4	8	16.7	44	12.5
LT 18 MOS SINCE LAST BIRTH	12	10.7	12	11.7	5	9.8	28	11.8	6	18.2	23	11.3
PRENATAL CARE												
1ST TRIMESTER	158	82.7	128	85.9	76	80.9	362	89.2	39	81.3	247	70.4
2ND TRIMESTER	15	7.9	19	12.8	15	16.0	37	9.1	5	10.4	79	22.5
3RD TRIMESTER	7	3.7	1	0.7	2	2.1	2	0.5	4	8.3	8	2.3
NO PRENATAL CARE	1	0.5	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6
INADEQUATE PRENATAL CARE*	33	20.2	16	10.8	11	12.2	31	7.8	9	18.8	50	15.2
MOTHER MEDICAID PARTICIPANT	102	54.0	93	62.8	47	51.1	217	62.9	10	32.3	188	53.9
MOTHER WIC PARTICIPANT	94	49.7	101	68.2	45	48.9	204	59.1	13	41.9	173	49.6
MOTHER ON MEDICAID AND WIC	85	45.0	86	58.1	37	40.2	187	54.2	10	32.3	147	42.1
MOTHER FOOD STAMP RECIPIENT	39	20.6	45	30.4	21	22.8	105	30.4	6	20.0	95	27.2
AGE OF MOTHER												
UNDER 15	0	0.0	1	0.7	0	0.0	0	0.0	0	0.0	0	0.0
15-17	10	5.2	6	4.0	5	5.3	15	3.7	1	2.1	12	3.4
18-19	14	7.3	12	8.1	15	16.0	30	7.4	3	6.3	52	14.8
20-24	67	35.1	56	37.6	19	20.2	144	35.5	13	27.1	126	35.9
25-29	55	28.8	56	37.6	39	41.5	109	26.8	17	35.4	79	22.5
30-34	28	14.7	12	8.1	6	6.4	68	16.7	9	18.8	58	16.5
35-39	14	7.3	5	3.4	7	7.4	37	9.1	4	8.3	16	4.6
40 AND OVER	3	1.6	1	0.7	3	3.2	3	0.7	1	2.1	8	2.3

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2006

	MISSISSIPPI		MONITEAU		MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	197	100.0	220	100.0	95	100.0	170	100.0	308	100.0	257	100.0
UNDER 2500 GRAMS	20	10.2	12	5.5	10	10.5	15	8.8	21	6.8	32	12.5
OVER 4499 GRAMS	4	2.0	2	0.9	1	1.1	2	1.2	6	1.9	3	1.2
CROWN HEEL LT 47 CM (<18.5 IN)	40	20.3	28	12.8	14	15.7	16	9.5	40	13.2	36	14.1
LESS THAN 37 WEEKS GESTATION*	33	16.8	28	12.7	14	14.7	21	12.4	35	11.4	39	15.2
APGAR SCORE LESS THAN 8	4	2.0	7	3.2	4	4.2	6	3.5	12	3.9	7	2.7
CONGENITAL ANOMALIES	1	0.5	3	1.4	0	0.0	7	4.1	7	2.3	2	0.8
ABNORMAL CONDITIONS OF NEWBORN	20	10.2	26	11.8	15	15.8	39	22.9	32	10.4	25	9.7
INFANT TRANSFERS	8	4.1	4	1.8	2	2.1	3	1.8	8	2.6	8	3.1
MATERNAL TRANSFERS	1	0.5	2	0.9	1	1.1	1	0.6	9	2.9	2	0.8
HOME DELIVERIES	0	0.0	4	1.8	5	5.3	4	2.4	7	2.3	0	0.0
CESAREAN DELIVERIES	89	45.2	64	29.1	21	22.1	49	28.8	79	25.6	99	38.5
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	61	31.0	43	19.5	18	18.9	45	26.5	89	28.9	89	34.6
DRANK ALCOHOL DURING PREG	2	1.0	0	0.0	0	0.0	2	1.2	2	0.6	2	0.8
GT 15 PERCENT UNDERWEIGHT	15	9.1	8	4.1	5	6.1	6	4.2	16	5.8	16	6.7
GT 20 PERCENT OVERWEIGHT	93	56.4	77	39.3	32	39.0	60	41.7	110	39.7	109	45.4
GAINED LT 15 LBS DURING PREG*	13	9.8	14	8.1	10	13.3	11	8.4	18	7.1	26	13.3
GAINED 45+ LBS. DURING PREG*	25	18.9	29	16.9	13	17.3	23	17.6	43	17.0	41	21.0
MATERNAL EDUCATION UNDER 12	72	36.5	77	35.0	11	11.6	38	22.4	109	35.4	72	28.0
OUT-OF-WEDLOCK BIRTHS	122	61.9	69	31.4	30	31.6	66	38.8	108	35.1	129	50.2
LIVE BIRTH ORDER 4 OR MORE	27	13.7	36	16.4	10	10.5	20	11.8	50	16.2	16	6.2
LT 18 MOS SINCE LAST BIRTH	19	15.4	8	6.0	5	8.5	15	15.3	23	12.0	25	18.2
PRENATAL CARE												
1ST TRIMESTER	169	85.8	164	74.5	77	81.1	129	75.9	198	64.3	213	82.9
2ND TRIMESTER	22	11.2	37	16.8	10	10.5	30	17.6	74	24.0	31	12.1
3RD TRIMESTER	4	2.0	4	1.8	2	2.1	1	0.6	7	2.3	10	3.9
NO PRENATAL CARE	1	0.5	0	0.0	1	1.1	2	1.2	2	0.6	0	0.0
INADEQUATE PRENATAL CARE*	36	18.5	25	13.0	14	15.9	16	10.7	59	21.5	47	18.7
MOTHER MEDICAID PARTICIPANT	161	82.6	95	43.6	39	45.3	79	47.3	170	55.9	172	67.2
MOTHER WIC PARTICIPANT	163	83.6	92	42.2	43	50.6	78	46.7	155	51.0	177	69.1
MOTHER ON MEDICAID AND WIC	155	79.5	73	33.5	32	37.2	63	37.7	139	45.7	156	60.9
MOTHER FOOD STAMP RECIPIENT	109	55.9	42	19.3	17	20.0	38	22.8	75	24.8	101	39.5
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4
15-17	15	7.6	11	5.0	1	1.1	7	4.1	10	3.2	14	5.4
18-19	29	14.7	7	3.2	9	9.5	14	8.2	32	10.4	32	12.5
20-24	72	36.5	77	35.0	24	25.3	56	32.9	100	32.5	100	38.9
25-29	52	26.4	48	21.8	39	41.1	54	31.8	79	25.6	69	26.8
30-34	19	9.6	49	22.3	17	17.9	23	13.5	49	15.9	28	10.9
35-39	7	3.6	19	8.6	3	3.2	12	7.1	29	9.4	10	3.9
40 AND OVER	3	1.5	9	4.1	2	2.1	3	1.8	9	2.9	3	1.2

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2006

	NEWTON		NODAWAY		OREGON		OSAGE		OZARK		PEMISCOT	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	775	100.0	253	100.0	120	100.0	198	100.0	100	100.0	326	100.0
UNDER 2500 GRAMS	56	7.2	17	6.7	12	10.0	13	6.6	5	5.0	44	13.5
OVER 4499 GRAMS	6	0.8	3	1.2	1	0.8	6	3.0	0	0.0	1	0.3
CROWN HEEL LT 47 CM (<18.5 IN)	49	6.4	21	8.4	11	10.5	27	13.7	7	9.1	62	20.5
LESS THAN 37 WEEKS GESTATION*	102	13.2	26	10.3	13	10.8	27	13.6	13	13.0	63	19.3
APGAR SCORE LESS THAN 8	14	1.8	3	1.2	2	1.7	4	2.0	4	4.0	14	4.3
CONGENITAL ANOMALIES	38	4.9	5	2.0	0	0.0	3	1.5	0	0.0	2	0.6
ABNORMAL CONDITIONS OF NEWBORN	159	20.5	12	4.7	3	2.5	22	11.1	7	7.0	19	5.8
INFANT TRANSFERS	2	0.3	9	3.6	1	0.8	4	2.0	0	0.0	13	4.0
MATERNAL TRANSFERS	2	0.3	4	1.6	1	0.8	4	2.0	0	0.0	13	4.0
HOME DELIVERIES	3	0.4	1	0.4	2	1.7	0	0.0	0	0.0	0	0.0
CESAREAN DELIVERIES	192	24.8	75	29.6	32	26.7	65	32.8	30	30.0	138	42.3
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	178	23.0	47	18.6	36	30.0	27	13.6	41	41.0	91	27.9
DRANK ALCOHOL DURING PREG	5	0.6	2	0.8	0	0.0	2	1.0	2	2.0	2	0.6
GT 15 PERCENT UNDERWEIGHT	42	5.5	10	4.0	6	5.6	7	3.8	4	5.4	18	5.9
GT 20 PERCENT OVERWEIGHT	309	40.8	103	40.9	39	36.4	85	46.4	34	45.9	131	43.0
GAINED LT 15 LBS DURING PREG*	80	12.1	17	7.6	12	11.4	18	11.6	10	12.2	31	12.7
GAINED 45+ LBS. DURING PREG*	109	16.4	43	19.3	23	21.9	21	13.5	19	23.2	67	27.3
MATERNAL EDUCATION UNDER 12	191	24.6	19	7.5	21	17.5	22	11.1	17	17.0	138	42.3
OUT-OF-WEDLOCK BIRTHS	291	37.5	64	25.3	40	33.3	54	27.3	28	28.0	215	66.0
LIVE BIRTH ORDER 4 OR MORE	91	11.7	24	9.5	18	15.0	21	10.6	8	8.0	53	16.3
LT 18 MOS SINCE LAST BIRTH	69	14.5	11	7.6	15	18.1	14	12.7	11	17.2	48	23.6
PRENATAL CARE												
1ST TRIMESTER	616	79.5	234	92.5	108	90.0	168	84.8	83	83.0	217	66.6
2ND TRIMESTER	141	18.2	16	6.3	10	8.3	12	6.1	13	13.0	88	27.0
3RD TRIMESTER	10	1.3	2	0.8	1	0.8	2	1.0	3	3.0	15	4.6
NO PRENATAL CARE	6	0.8	1	0.4	0	0.0	1	0.5	0	0.0	2	0.6
INADEQUATE PRENATAL CARE*	104	13.5	17	6.7	10	8.4	12	6.9	11	11.2	93	29.3
MOTHER MEDICAID PARTICIPANT	474	62.0	90	35.7	78	72.9	55	28.1	65	85.5	265	85.8
MOTHER WIC PARTICIPANT	415	54.2	95	37.7	83	77.6	52	26.5	57	75.0	248	80.3
MOTHER ON MEDICAID AND WIC	371	48.5	73	29.0	73	68.2	43	21.9	54	71.1	232	75.1
MOTHER FOOD STAMP RECIPIENT	183	24.0	33	13.1	50	46.7	27	13.8	31	40.8	167	54.0
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	1	0.8	0	0.0	0	0.0	1	0.3
15-17	34	4.4	3	1.2	6	5.0	3	1.5	1	1.0	27	8.3
18-19	90	11.6	14	5.5	14	11.7	15	7.6	8	8.0	53	16.3
20-24	275	35.5	87	34.4	41	34.2	46	23.2	41	41.0	138	42.3
25-29	214	27.6	85	33.6	37	30.8	71	35.9	29	29.0	69	21.2
30-34	103	13.3	46	18.2	10	8.3	36	18.2	14	14.0	26	8.0
35-39	49	6.3	16	6.3	10	8.3	23	11.6	6	6.0	9	2.8
40 AND OVER	10	1.3	2	0.8	1	0.8	4	2.0	1	1.0	3	0.9

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2006

	PERRY		PETTIS		PHELPS		PIKE		PLATTE		POLK	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	291	100.0	651	100.0	566	100.0	233	100.0	1,068	100.0	434	100.0
UNDER 2500 GRAMS	27	9.3	56	8.6	47	8.3	12	5.2	76	7.1	28	6.5
OVER 4499 GRAMS	4	1.4	8	1.2	12	2.1	3	1.3	15	1.4	4	0.9
CROWN HEEL LT 47 CM (<18.5 IN)	30	10.5	72	11.2	49	8.7	22	9.7	68	7.1	22	5.1
LESS THAN 37 WEEKS GESTATION*	33	11.3	77	11.8	76	13.4	23	9.9	128	12.0	46	10.6
APGAR SCORE LESS THAN 8	11	3.8	29	4.5	24	4.2	4	1.7	15	1.4	12	2.8
CONGENITAL ANOMALIES	5	1.7	10	1.5	11	1.9	4	1.7	15	1.4	3	0.7
ABNORMAL CONDITIONS OF NEWBORN	15	5.2	76	11.7	37	6.5	44	18.9	50	4.7	25	5.8
INFANT TRANSFERS	6	2.1	17	2.6	20	3.5	8	3.4	15	1.4	4	0.9
MATERNAL TRANSFERS	4	1.4	9	1.4	3	0.5	0	0.0	11	1.0	4	0.9
HOME DELIVERIES	1	0.3	7	1.1	1	0.2	4	1.7	3	0.3	2	0.5
CESAREAN DELIVERIES	92	31.6	211	32.4	131	23.1	63	27.0	318	29.8	135	31.1
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	62	21.3	148	22.7	117	20.7	70	30.0	122	11.4	78	18.0
DRANK ALCOHOL DURING PREG	1	0.3	4	0.6	0	0.0	2	0.9	6	0.6	1	0.2
GT 15 PERCENT UNDERWEIGHT	12	4.2	37	6.0	34	6.0	13	6.0	58	5.7	22	5.1
GT 20 PERCENT OVERWEIGHT	116	40.4	234	38.2	239	42.5	105	48.2	321	31.6	161	37.6
GAINED LT 15 LBS DURING PREG*	24	9.7	47	8.6	61	12.7	23	11.4	80	9.0	35	9.3
GAINED 45+ LBS. DURING PREG*	37	14.9	119	21.8	87	18.0	37	18.3	174	19.6	67	17.8
MATERNAL EDUCATION UNDER 12	46	15.8	187	28.7	112	19.8	66	28.3	103	9.6	79	18.2
OUT-OF-WEDLOCK BIRTHS	95	32.6	260	39.9	197	34.8	95	40.8	315	29.5	121	27.9
LIVE BIRTH ORDER 4 OR MORE	29	10.0	76	11.7	54	9.5	29	12.4	90	8.4	48	11.1
LT 18 MOS SINCE LAST BIRTH	21	11.9	47	13.1	49	15.4	16	10.9	54	9.3	41	15.4
PRENATAL CARE												
1ST TRIMESTER	268	92.1	524	80.5	509	89.9	194	83.3	913	85.5	383	88.2
2ND TRIMESTER	18	6.2	86	13.2	47	8.3	29	12.4	97	9.1	43	9.9
3RD TRIMESTER	2	0.7	15	2.3	6	1.1	7	3.0	14	1.3	5	1.2
NO PRENATAL CARE	1	0.3	4	0.6	2	0.4	0	0.0	10	0.9	1	0.2
INADEQUATE PRENATAL CARE*	14	4.9	86	13.9	52	9.2	30	13.1	81	8.2	38	8.9
MOTHER MEDICAID PARTICIPANT	129	44.6	411	63.2	339	60.0	132	57.9	329	30.9	263	60.7
MOTHER WIC PARTICIPANT	139	48.3	387	59.6	293	51.9	117	51.3	284	26.6	224	51.7
MOTHER ON MEDICAID AND WIC	111	38.4	347	53.4	264	46.7	102	44.7	245	23.0	205	47.3
MOTHER FOOD STAMP RECIPIENT	52	18.0	176	27.2	146	25.8	57	25.0	121	12.6	131	30.3
AGE OF MOTHER												
UNDER 15	0	0.0	2	0.3	0	0.0	0	0.0	1	0.1	0	0.0
15-17	13	4.5	30	4.6	31	5.5	7	3.0	9	0.8	18	4.1
18-19	16	5.5	72	11.1	55	9.7	18	7.7	54	5.1	38	8.8
20-24	98	33.7	246	37.8	183	32.3	85	36.5	239	22.4	154	35.5
25-29	102	35.1	186	28.6	172	30.4	67	28.8	336	31.5	134	30.9
30-34	40	13.7	73	11.2	83	14.7	38	16.3	286	26.8	55	12.7
35-39	16	5.5	34	5.2	32	5.7	15	6.4	123	11.5	26	6.0
40 AND OVER	6	2.1	8	1.2	10	1.8	3	1.3	20	1.9	9	2.1

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2006

	PULASKI		PUTNAM		RALLS		RANDOLPH		RAY		REYNOLDS	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	725	100.0	59	100.0	107	100.0	328	100.0	308	100.0	80	100.0
UNDER 2500 GRAMS	49	6.8	4	6.8	14	13.1	27	8.2	29	9.4	5	6.3
OVER 4499 GRAMS	14	1.9	0	0.0	2	1.9	1	0.3	2	0.6	0	0.0
CROWN HEEL LT 47 CM (<18.5 IN)	49	6.8	3	11.5	16	17.4	36	11.1	31	10.4	9	11.4
LESS THAN 37 WEEKS GESTATION*	67	9.2	8	13.6	18	16.8	39	11.9	49	15.9	16	20.0
APGAR SCORE LESS THAN 8	34	4.7	1	1.7	5	4.7	20	6.1	3	1.0	0	0.0
CONGENITAL ANOMALIES	11	1.5	1	1.7	2	1.9	6	1.8	3	1.0	0	0.0
ABNORMAL CONDITIONS OF NEWBORN	48	6.6	2	3.4	9	8.4	38	11.6	18	5.8	3	3.8
INFANT TRANSFERS	31	4.3	1	1.7	3	2.8	4	1.2	7	2.3	2	2.5
MATERNAL TRANSFERS	13	1.8	2	3.4	2	1.9	12	3.7	4	1.3	1	1.3
HOME DELIVERIES	2	0.3	5	8.5	0	0.0	2	0.6	4	1.3	1	1.3
CESAREAN DELIVERIES	183	25.2	19	32.2	36	33.6	96	29.3	81	26.3	24	30.0
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	147	20.3	16	27.1	28	26.2	90	27.4	74	24.0	32	40.0
DRANK ALCOHOL DURING PREG	2	0.3	0	0.0	1	0.9	2	0.6	3	1.0	0	0.0
GT 15 PERCENT UNDERWEIGHT	47	6.7	4	16.7	8	8.5	22	7.6	14	4.6	3	4.2
GT 20 PERCENT OVERWEIGHT	259	36.8	6	25.0	38	40.4	119	41.3	122	40.3	35	48.6
GAINED LT 15 LBS DURING PREG*	47	7.5	3	6.5	4	4.5	28	10.6	26	10.6	12	20.0
GAINED 45+ LBS. DURING PREG*	147	23.6	9	19.6	25	28.4	51	19.3	59	24.0	9	15.0
MATERNAL EDUCATION UNDER 12	92	12.7	19	32.2	20	18.7	73	22.3	59	19.2	17	21.3
OUT-OF-WEDLOCK BIRTHS	204	28.1	19	32.2	41	38.3	153	46.6	103	33.4	30	37.5
LIVE BIRTH ORDER 4 OR MORE	58	8.0	7	11.9	8	7.5	33	10.1	40	13.0	10	12.5
LT 18 MOS SINCE LAST BIRTH	35	8.6	7	20.6	10	16.9	28	13.7	11	6.4	8	17.4
PRENATAL CARE												
1ST TRIMESTER	623	85.9	39	66.1	97	90.7	249	75.9	255	82.8	63	78.8
2ND TRIMESTER	66	9.1	16	27.1	8	7.5	41	12.5	41	13.3	11	13.8
3RD TRIMESTER	9	1.2	3	5.1	1	0.9	12	3.7	5	1.6	3	3.8
NO PRENATAL CARE	3	0.4	0	0.0	0	0.0	1	0.3	2	0.6	0	0.0
INADEQUATE PRENATAL CARE*	85	12.4	13	23.2	4	3.8	58	21.6	27	9.0	11	14.3
MOTHER MEDICAID PARTICIPANT	257	35.6	15	57.7	44	47.3	194	61.0	131	42.5	61	76.3
MOTHER WIC PARTICIPANT	349	48.3	15	57.7	41	44.1	185	58.4	125	40.6	54	67.5
MOTHER ON MEDICAID AND WIC	195	27.0	15	57.7	36	38.7	167	52.5	102	33.1	52	65.0
MOTHER FOOD STAMP RECIPIENT	118	16.4	8	30.8	16	17.2	119	37.5	58	19.5	30	37.5
AGE OF MOTHER												
UNDER 15	0	0.0	1	1.7	0	0.0	2	0.6	1	0.3	0	0.0
15-17	15	2.1	4	6.8	4	3.7	15	4.6	13	4.2	1	1.3
18-19	56	7.7	3	5.1	8	7.5	21	6.4	25	8.1	7	8.8
20-24	249	34.3	24	40.7	34	31.8	126	38.4	95	30.8	35	43.8
25-29	255	35.2	21	35.6	37	34.6	96	29.3	96	31.2	19	23.8
30-34	98	13.5	5	8.5	14	13.1	50	15.2	53	17.2	12	15.0
35-39	45	6.2	1	1.7	9	8.4	16	4.9	15	4.9	4	5.0
40 AND OVER	7	1.0	0	0.0	1	0.9	2	0.6	10	3.2	2	2.5

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2006

	RIPLEY		ST. CHARLES		ST. CLAIR		ST. FRANCOIS		STE. GENEVIEVE		ST. LOUIS CITY	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	171	100.0	4,610	100.0	85	100.0	839	100.0	202	100.0	5,374	100.0
UNDER 2500 GRAMS	18	10.5	336	7.3	6	7.1	53	6.3	17	8.4	656	12.2
OVER 4499 GRAMS	1	0.6	51	1.1	0	0.0	7	0.8	1	0.5	38	0.7
CROWN HEEL LT 47 CM (<18.5 IN)	31	18.6	320	7.1	6	7.1	78	9.4	24	11.9	557	10.7
LESS THAN 37 WEEKS GESTATION*	26	15.2	529	11.5	9	10.6	82	9.8	27	13.4	1,005	18.7
APGAR SCORE LESS THAN 8	9	5.3	112	2.4	3	3.5	13	1.5	5	2.5	209	3.9
CONGENITAL ANOMALIES	3	1.8	96	2.1	0	0.0	9	1.1	0	0.0	38	0.7
ABNORMAL CONDITIONS OF NEWBORN	13	7.6	806	17.5	6	7.1	36	4.3	10	5.0	215	4.0
INFANT TRANSFERS	2	1.2	49	1.1	2	2.4	20	2.4	4	2.0	82	1.5
MATERNAL TRANSFERS	2	1.2	17	0.4	2	2.4	14	1.7	2	1.0	83	1.5
HOME DELIVERIES	0	0.0	12	0.3	2	2.4	4	0.5	1	0.5	39	0.7
CESAREAN DELIVERIES	40	23.4	1,603	34.8	27	31.8	339	40.4	60	29.7	1,500	27.9
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	55	32.2	522	11.3	26	30.6	251	29.9	57	28.2	822	15.3
DRANK ALCOHOL DURING PREG	3	1.8	25	0.5	1	1.2	2	0.2	1	0.5	31	0.6
GT 15 PERCENT UNDERWEIGHT	12	8.6	193	4.3	2	2.4	33	4.0	11	5.5	278	5.5
GT 20 PERCENT OVERWEIGHT	56	40.0	1,637	36.5	31	37.3	383	46.1	88	44.0	2,036	40.4
GAINED LT 15 LBS DURING PREG*	6	4.8	331	8.4	7	9.5	79	10.6	26	15.3	305	7.5
GAINED 45+ LBS. DURING PREG*	31	24.8	717	18.3	9	12.2	144	19.3	22	12.9	828	20.4
MATERNAL EDUCATION UNDER 12	49	28.7	342	7.4	19	22.4	198	23.6	34	16.8	1,469	27.3
OUT-OF-WEDLOCK BIRTHS	63	36.8	1,098	23.8	31	36.5	371	44.2	71	35.1	3,572	66.5
LIVE BIRTH ORDER 4 OR MORE	18	10.5	408	8.9	12	14.1	61	7.3	17	8.4	860	16.0
LT 18 MOS SINCE LAST BIRTH	14	16.1	245	9.5	5	10.2	44	9.7	10	8.0	393	14.5
PRENATAL CARE												
1ST TRIMESTER	131	76.6	4,314	93.6	70	82.4	707	84.3	184	91.1	4,332	80.6
2ND TRIMESTER	22	12.9	211	4.6	10	11.8	111	13.2	17	8.4	696	13.0
3RD TRIMESTER	1	0.6	43	0.9	3	3.5	19	2.3	0	0.0	101	1.9
NO PRENATAL CARE	0	0.0	20	0.4	1	1.2	1	0.1	0	0.0	129	2.4
INADEQUATE PRENATAL CARE*	27	17.5	199	4.4	12	14.3	111	13.3	9	4.5	904	18.0
MOTHER MEDICAID PARTICIPANT	127	74.7	907	19.9	53	62.4	501	60.0	96	47.5	3,391	64.2
MOTHER WIC PARTICIPANT	111	65.3	698	15.3	49	57.6	528	63.2	95	47.0	2,911	55.2
MOTHER ON MEDICAID AND WIC	100	58.8	543	11.9	44	51.8	455	54.5	76	37.6	2,556	48.4
MOTHER FOOD STAMP RECIPIENT	58	34.1	382	8.4	26	30.6	275	32.9	40	19.8	2,329	44.1
AGE OF MOTHER												
UNDER 15	1	0.6	1	0.0	0	0.0	1	0.1	0	0.0	25	0.5
15-17	15	8.8	58	1.3	3	3.5	36	4.3	6	3.0	328	6.1
18-19	14	8.2	164	3.6	7	8.2	90	10.7	12	5.9	550	10.2
20-24	66	38.6	812	17.6	32	37.6	310	36.9	61	30.2	1,641	30.5
25-29	48	28.1	1,486	32.2	22	25.9	241	28.7	71	35.1	1,391	25.9
30-34	17	9.9	1,355	29.4	13	15.3	118	14.1	41	20.3	913	17.0
35-39	9	5.3	616	13.4	6	7.1	33	3.9	8	4.0	428	8.0
40 AND OVER	1	0.6	118	2.6	2	2.4	10	1.2	3	1.5	98	1.8

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2006

	ST. LOUIS CO		SALINE		SCHUYLER		SCOTLAND		SCOTT		SHANNON	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	12,429	100.0	308	100.0	45	100.0	62	100.0	606	100.0	101	100.0
UNDER 2500 GRAMS	1,099	8.8	28	9.1	3	6.7	2	3.2	42	6.9	2	2.0
OVER 4499 GRAMS	120	1.0	5	1.6	1	2.2	0	0.0	7	1.2	0	0.0
CROWN HEEL LT 47 CM (<18.5 IN)	936	7.8	68	22.2	4	9.8	1	1.7	74	12.2	6	6.0
LESS THAN 37 WEEKS GESTATION*	1,826	14.7	39	12.7	5	11.1	2	3.2	66	10.9	12	11.9
APGAR SCORE LESS THAN 8	399	3.2	15	4.9	0	0.0	2	3.2	17	2.8	1	1.0
CONGENITAL ANOMALIES	172	1.4	7	2.3	0	0.0	1	1.6	6	1.0	1	1.0
ABNORMAL CONDITIONS OF NEWBORN	977	7.9	31	10.1	4	8.9	4	6.5	38	6.3	5	5.0
INFANT TRANSFERS	163	1.3	9	2.9	3	6.7	1	1.6	10	1.7	0	0.0
MATERNAL TRANSFERS	191	1.5	8	2.6	1	2.2	0	0.0	5	0.8	1	1.0
HOME DELIVERIES	45	0.4	0	0.0	4	8.9	10	16.1	1	0.2	3	3.0
CESAREAN DELIVERIES	4,268	34.3	115	37.3	17	37.8	19	30.6	233	38.4	22	21.8
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	1,151	9.3	90	29.2	9	20.0	7	11.3	163	26.9	27	26.7
DRANK ALCOHOL DURING PREG	90	0.7	1	0.3	0	0.0	0	0.0	3	0.5	0	0.0
GT 15 PERCENT UNDERWEIGHT	576	4.8	21	7.6	1	2.6	3	5.3	31	5.7	9	9.3
GT 20 PERCENT OVERWEIGHT	4,253	35.5	131	47.1	23	59.0	24	42.1	234	42.9	42	43.3
GAINED LT 15 LBS DURING PREG*	637	6.3	36	14.6	5	13.2	6	10.3	41	8.5	6	7.2
GAINED 45+ LBS. DURING PREG*	1,876	18.6	46	18.7	7	18.4	15	25.9	99	20.6	21	25.3
MATERNAL EDUCATION UNDER 12	1,433	11.5	79	25.6	8	17.8	27	43.5	162	26.7	32	31.7
OUT-OF-WEDLOCK BIRTHS	4,592	36.9	142	46.1	11	24.4	10	16.1	305	50.3	42	41.6
LIVE BIRTH ORDER 4 OR MORE	1,305	10.5	32	10.4	10	22.2	17	27.4	44	7.3	13	12.9
LT 18 MOS SINCE LAST BIRTH	703	10.6	21	13.0	8	25.8	2	4.9	44	13.4	9	15.5
PRENATAL CARE												
1ST TRIMESTER	11,181	90.0	261	84.7	35	77.8	52	83.9	522	86.1	91	90.1
2ND TRIMESTER	919	7.4	31	10.1	5	11.1	7	11.3	66	10.9	7	6.9
3RD TRIMESTER	115	0.9	5	1.6	2	4.4	3	4.8	10	1.7	1	1.0
NO PRENATAL CARE	66	0.5	1	0.3	2	4.4	0	0.0	3	0.5	0	0.0
INADEQUATE PRENATAL CARE*	939	7.8	22	7.6	10	23.8	21	33.9	63	10.6	8	8.1
MOTHER MEDICAID PARTICIPANT	4,194	34.3	194	63.2	21	50.0	24	40.7	384	63.5	82	81.2
MOTHER WIC PARTICIPANT	3,569	29.2	195	63.5	17	40.5	24	40.7	368	60.9	76	75.2
MOTHER ON MEDICAID AND WIC	2,859	23.4	169	55.0	16	38.1	19	32.2	333	55.0	75	74.3
MOTHER FOOD STAMP RECIPIENT	2,396	19.6	89	29.0	10	23.8	7	11.9	213	35.3	37	36.6
AGE OF MOTHER												
UNDER 15	16	0.1	2	0.6	0	0.0	0	0.0	2	0.3	0	0.0
15-17	310	2.5	10	3.2	0	0.0	0	0.0	32	5.3	5	5.0
18-19	684	5.5	37	12.0	3	6.7	3	4.8	81	13.4	18	17.8
20-24	2,569	20.7	107	34.7	16	35.6	18	29.0	227	37.5	36	35.6
25-29	3,391	27.3	87	28.2	18	40.0	24	38.7	133	21.9	25	24.8
30-34	3,319	26.7	51	16.6	5	11.1	9	14.5	83	13.7	10	9.9
35-39	1,757	14.1	10	3.2	2	4.4	4	6.5	37	6.1	7	6.9
40 AND OVER	382	3.1	4	1.3	1	2.2	4	6.5	11	1.8	0	0.0

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2006

	SHELBY		STODDARD		STONE		SULLIVAN		TANEY		TEXAS	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	90	100.0	367	100.0	327	100.0	113	100.0	639	100.0	294	100.0
UNDER 2500 GRAMS	6	6.7	28	7.6	21	6.4	8	7.1	45	7.0	17	5.8
OVER 4499 GRAMS	1	1.1	2	0.5	5	1.5	0	0.0	4	0.6	4	1.4
CROWN HEEL LT 47 CM (<18.5 IN)	9	10.7	58	15.9	38	12.1	12	10.6	127	20.1	19	6.6
LESS THAN 37 WEEKS GESTATION*	10	11.1	57	15.5	32	9.8	18	15.9	75	11.7	34	11.6
APGAR SCORE LESS THAN 8	3	3.3	10	2.7	8	2.4	7	6.2	19	3.0	3	1.0
CONGENITAL ANOMALIES	1	1.1	5	1.4	4	1.2	2	1.8	4	0.6	6	2.0
ABNORMAL CONDITIONS OF NEWBORN	9	10.0	18	4.9	27	8.3	7	6.2	33	5.2	23	7.8
INFANT TRANSFERS	1	1.1	4	1.1	2	0.6	3	2.7	11	1.7	8	2.7
MATERNAL TRANSFERS	1	1.1	5	1.4	1	0.3	6	5.3	5	0.8	6	2.0
HOME DELIVERIES	0	0.0	1	0.3	2	0.6	0	0.0	4	0.6	6	2.0
CESAREAN DELIVERIES	28	31.1	119	32.4	102	31.2	40	35.4	176	27.5	69	23.5
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	23	25.6	120	32.7	77	23.5	24	21.2	162	25.4	75	25.5
DRANK ALCOHOL DURING PREG	0	0.0	1	0.3	1	0.3	0	0.0	6	0.9	2	0.7
GT 15 PERCENT UNDERWEIGHT	4	5.3	24	7.0	17	5.8	1	0.9	41	7.1	20	6.9
GT 20 PERCENT OVERWEIGHT	35	46.7	137	39.9	120	41.0	40	36.7	212	36.9	130	45.0
GAINED LT 15 LBS DURING PREG*	10	14.1	24	8.3	30	11.0	6	6.6	53	10.3	25	10.0
GAINED 45+ LBS. DURING PREG*	13	18.3	58	20.1	55	20.1	16	17.6	94	18.3	51	20.5
MATERNAL EDUCATION UNDER 12	14	15.6	85	23.2	73	22.3	26	23.0	157	24.6	67	22.8
OUT-OF-WEDLOCK BIRTHS	24	26.7	142	38.7	126	38.5	53	46.9	273	42.7	113	38.4
LIVE BIRTH ORDER 4 OR MORE	18	20.0	25	6.8	37	11.3	17	15.0	80	12.5	27	9.2
LT 18 MOS SINCE LAST BIRTH	6	11.1	24	13.5	28	15.2	12	19.0	48	12.8	21	13.0
PRENATAL CARE												
1ST TRIMESTER	74	82.2	317	86.4	264	80.7	93	82.3	448	70.1	254	86.4
2ND TRIMESTER	6	6.7	31	8.4	42	12.8	16	14.2	133	20.8	22	7.5
3RD TRIMESTER	3	3.3	5	1.4	11	3.4	1	0.9	30	4.7	6	2.0
NO PRENATAL CARE	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	3	1.0
INADEQUATE PRENATAL CARE*	10	12.7	31	8.9	44	14.1	14	12.8	126	21.2	31	11.1
MOTHER MEDICAID PARTICIPANT	44	53.7	247	67.7	193	62.1	74	65.5	382	67.3	198	67.3
MOTHER WIC PARTICIPANT	47	57.3	230	62.8	161	51.8	73	64.6	343	60.6	184	62.6
MOTHER ON MEDICAID AND WIC	37	45.1	210	57.4	147	47.3	59	52.2	314	55.3	166	56.5
MOTHER FOOD STAMP RECIPIENT	18	22.0	113	31.0	93	29.9	31	27.4	153	27.0	98	33.3
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
15-17	2	2.2	14	3.8	13	4.0	8	7.1	34	5.3	12	4.1
18-19	4	4.4	44	12.0	31	9.5	7	6.2	56	8.8	26	8.8
20-24	33	36.7	145	39.5	103	31.5	46	40.7	197	30.8	117	39.8
25-29	30	33.3	97	26.4	83	25.4	26	23.0	195	30.5	86	29.3
30-34	15	16.7	43	11.7	57	17.4	18	15.9	99	15.5	37	12.6
35-39	4	4.4	19	5.2	37	11.3	8	7.1	49	7.7	13	4.4
40 AND OVER	2	2.2	5	1.4	3	0.9	0	0.0	8	1.3	3	1.0

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2006

	VERNON		WARREN		WASHINGTON		WAYNE		WEBSTER		WORTH	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	300	100.0	458	100.0	373	100.0	125	100.0	563	100.0	15	100.0
UNDER 2500 GRAMS	19	6.3	25	5.5	44	11.8	9	7.2	46	8.2	3	20.0
OVER 4499 GRAMS	5	1.7	4	0.9	4	1.1	0	0.0	14	2.5	1	6.7
CROWN HEEL LT 47 CM (<18.5 IN)	20	7.5	21	4.6	48	12.9	18	14.5	42	7.6	2	14.3
LESS THAN 37 WEEKS GESTATION*	33	11.0	43	9.4	47	12.6	18	14.4	70	12.4	4	26.7
APGAR SCORE LESS THAN 8	21	7.0	8	1.7	9	2.4	7	5.6	9	1.6	0	0.0
CONGENITAL ANOMALIES	4	1.3	8	1.7	3	0.8	4	3.2	4	0.7	0	0.0
ABNORMAL CONDITIONS OF NEWBORN	44	14.7	118	25.8	27	7.2	5	4.0	63	11.2	2	13.3
INFANT TRANSFERS	7	2.3	5	1.1	12	3.2	4	3.2	4	0.7	1	6.7
MATERNAL TRANSFERS	5	1.7	0	0.0	13	3.5	3	2.4	6	1.1	1	6.7
HOME DELIVERIES	9	3.0	3	0.7	1	0.3	0	0.0	106	18.8	0	0.0
CESAREAN DELIVERIES	132	44.0	128	27.9	161	43.2	25	20.0	138	24.5	5	33.3
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	80	26.7	109	23.8	113	30.3	41	32.8	99	17.6	6	40.0
DRANK ALCOHOL DURING PREG	0	0.0	3	0.7	1	0.3	0	0.0	4	0.7	0	0.0
GT 15 PERCENT UNDERWEIGHT	12	4.2	22	5.1	18	4.9	7	5.9	28	5.1	0	0.0
GT 20 PERCENT OVERWEIGHT	135	46.7	172	39.7	189	50.9	52	44.1	240	44.0	4	28.6
GAINED LT 15 LBS DURING PREG*	35	13.7	45	11.5	50	15.6	6	6.0	45	9.5	0	0.0
GAINED 45+ LBS. DURING PREG*	38	14.9	61	15.6	55	17.2	26	26.0	69	14.5	0	0.0
MATERNAL EDUCATION UNDER 12	72	24.0	86	18.8	116	31.1	32	25.6	209	37.1	1	6.7
OUT-OF-WEDLOCK BIRTHS	111	37.0	175	38.2	184	49.3	52	41.6	145	25.8	6	40.0
LIVE BIRTH ORDER 4 OR MORE	52	17.3	43	9.4	47	12.6	12	9.6	123	21.8	3	20.0
LT 18 MOS SINCE LAST BIRTH	25	13.4	33	12.1	25	11.5	9	14.3	69	19.4	1	8.3
PRENATAL CARE												
1ST TRIMESTER	243	81.0	390	85.2	306	82.0	100	80.0	431	76.6	13	86.7
2ND TRIMESTER	45	15.0	57	12.4	54	14.5	13	10.4	94	16.7	2	13.3
3RD TRIMESTER	5	1.7	10	2.2	8	2.1	3	2.4	31	5.5	0	0.0
NO PRENATAL CARE	0	0.0	0	0.0	2	0.5	1	0.8	3	0.5	0	0.0
INADEQUATE PRENATAL CARE*	35	12.1	41	9.0	57	15.5	20	17.1	153	27.5	0	0.0
MOTHER MEDICAID PARTICIPANT	180	60.0	170	37.2	260	69.7	96	76.8	241	42.9	10	71.4
MOTHER WIC PARTICIPANT	166	55.7	181	39.6	264	70.8	100	80.0	232	41.3	10	71.4
MOTHER ON MEDICAID AND WIC	146	48.7	141	30.9	233	62.5	87	69.6	204	36.3	10	71.4
MOTHER FOOD STAMP RECIPIENT	92	34.2	86	18.8	150	40.2	49	39.2	112	19.9	3	21.4
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0	0	0.0
15-17	15	5.0	12	2.6	20	5.4	5	4.0	21	3.7	0	0.0
18-19	28	9.3	39	8.5	41	11.0	20	16.0	45	8.0	1	6.7
20-24	97	32.3	141	30.8	148	39.7	46	36.8	189	33.6	8	53.3
25-29	93	31.0	150	32.8	102	27.3	29	23.2	161	28.6	4	26.7
30-34	36	12.0	81	17.7	46	12.3	14	11.2	80	14.2	1	6.7
35-39	24	8.0	31	6.8	12	3.2	7	5.6	52	9.2	1	6.7
40 AND OVER	7	2.3	4	0.9	4	1.1	3	2.4	15	2.7	0	0.0

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 2006

	WRIGHT	
	NUMBER	PERCENT
TOTAL LIVE BIRTHS	278	100.0
UNDER 2500 GRAMS	26	9.4
OVER 4499 GRAMS	2	0.7
CROWN HEEL LT 47 CM (<18.5 IN)	26	9.6
LESS THAN 37 WEEKS GESTATION*	35	12.6
APGAR SCORE LESS THAN 8	3	1.1
CONGENITAL ANOMALIES	2	0.7
ABNORMAL CONDITIONS OF NEWBORN	24	8.6
INFANT TRANSFERS	6	2.2
MATERNAL TRANSFERS	2	0.7
HOME DELIVERIES	10	3.6
CESAREAN DELIVERIES	75	27.0
MATERNAL RISK FACTORS		
SMOKED DURING PREGNANCY	76	27.3
DRANK ALCOHOL DURING PREG	1	0.4
GT 15 PERCENT UNDERWEIGHT	10	3.8
GT 20 PERCENT OVERWEIGHT	99	37.9
GAINED LT 15 LBS DURING PREG*	24	10.6
GAINED 45+ LBS. DURING PREG*	53	23.3
MATERNAL EDUCATION UNDER 12	89	32.0
OUT-OF-WEDLOCK BIRTHS	90	32.4
LIVE BIRTH ORDER 4 OR MORE	36	12.9
LT 18 MOS SINCE LAST BIRTH	26	14.5
PRENATAL CARE		
1ST TRIMESTER	230	82.7
2ND TRIMESTER	33	11.9
3RD TRIMESTER	4	1.4
NO PRENATAL CARE	1	0.4
INADEQUATE PRENATAL CARE*	28	10.5
MOTHER MEDICAID PARTICIPANT	190	68.8
MOTHER WIC PARTICIPANT	163	59.1
MOTHER ON MEDICAID AND WIC	153	55.4
MOTHER FOOD STAMP RECIPIENT	90	32.6
AGE OF MOTHER		
UNDER 15	0	0.0
15-17	17	6.1
18-19	37	13.3
20-24	101	36.3
25-29	79	28.4
30-34	25	9.0
35-39	15	5.4
40 AND OVER	4	1.4

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10C RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2006

	BALLWIN		BLUE SPRINGS		CAPE GIRARDEAU		CHESTERFIELD		COLUMBIA		FLORISSANT	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	316	100.0	714	100.0	496	100.0	373	100.0	1,439	100.0	638	100.0
UNDER 2500 GRAMS	24	7.6	63	8.8	50	10.1	34	9.1	111	7.7	50	7.8
OVER 4499 GRAMS	2	0.6	7	1.0	2	0.4	4	1.1	20	1.4	6	0.9
CROWN HEEL LT 47 CM (<18.5 IN)	18	5.8	76	11.6	84	17.0	25	6.8	122	8.5	44	7.1
LESS THAN 37 WEEKS GESTATION*	35	11.1	92	12.9	79	15.9	46	12.3	165	11.5	106	16.6
APGAR SCORE LESS THAN 8	6	1.9	20	2.8	21	4.2	8	2.1	64	4.4	16	2.5
CONGENITAL ANOMALIES	5	1.6	13	1.8	5	1.0	11	2.9	34	2.4	10	1.6
ABNORMAL CONDITIONS OF NEWBORN	40	12.7	73	10.2	27	5.4	65	17.4	220	15.3	52	8.2
INFANT TRANSFERS	1	0.3	7	1.0	1	0.2	2	0.5	4	0.3	11	1.7
MATERNAL TRANSFERS	1	0.3	13	1.8	4	0.8	1	0.3	12	0.8	10	1.6
HOME DELIVERIES	2	0.6	2	0.3	2	0.4	2	0.5	15	1.0	3	0.5
CESAREAN DELIVERIES	111	35.1	209	29.3	166	33.5	136	36.5	462	32.1	245	38.4
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	12	3.8	111	15.5	126	25.4	10	2.7	205	14.2	99	15.5
DRANK ALCOHOL DURING PREG	4	1.3	6	0.8	3	0.6	2	0.5	25	1.7	7	1.1
GT 15 PERCENT UNDERWEIGHT	11	3.6	31	4.5	32	6.6	22	6.1	55	5.3	23	3.7
GT 20 PERCENT OVERWEIGHT	98	31.7	267	38.8	186	38.2	67	18.5	325	31.0	267	43.3
GAINED LT 15 LBS DURING PREG*	10	3.7	68	11.6	41	10.2	15	4.8	81	8.0	55	11.0
GAINED 45+ LBS. DURING PREG*	37	13.8	115	19.6	94	23.4	46	14.6	177	17.5	102	20.3
MATERNAL EDUCATION UNDER 12	7	2.2	86	12.0	110	22.2	5	1.3	167	11.6	69	10.8
OUT-OF-WEDLOCK BIRTHS	38	12.0	204	28.6	229	46.2	22	5.9	506	35.2	226	35.4
LIVE BIRTH ORDER 4 OR MORE	30	9.5	84	11.8	52	10.5	27	7.2	115	8.0	63	9.9
LT 18 MOS SINCE LAST BIRTH	18	10.8	35	8.6	29	10.8	17	7.7	67	9.0	39	11.7
PRENATAL CARE												
1ST TRIMESTER	305	96.5	606	84.9	442	89.1	355	95.2	1,160	80.6	583	91.4
2ND TRIMESTER	10	3.2	82	11.5	37	7.5	12	3.2	124	8.6	44	6.9
3RD TRIMESTER	0	0.0	6	0.8	10	2.0	0	0.0	23	1.6	4	0.6
NO PRENATAL CARE	0	0.0	2	0.3	3	0.6	1	0.3	8	0.6	2	0.3
INADEQUATE PRENATAL CARE*	10	3.2	42	6.2	44	9.1	13	3.6	122	11.0	51	8.1
MOTHER MEDICAID PARTICIPANT	34	11.1	212	29.9	285	57.6	27	7.4	523	37.8	194	30.8
MOTHER WIC PARTICIPANT	18	5.9	194	27.4	254	51.3	24	6.6	431	31.4	172	27.3
MOTHER ON MEDICAID AND WIC	15	4.9	151	21.3	222	44.8	18	4.9	373	26.9	121	19.2
MOTHER FOOD STAMP RECIPIENT	13	4.2	94	14.4	154	31.1	13	3.6	294	21.4	97	15.4
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	1	0.2
15-17	2	0.6	20	2.8	22	4.4	1	0.3	35	2.4	14	2.2
18-19	5	1.6	32	4.5	44	8.9	1	0.3	78	5.4	37	5.8
20-24	23	7.3	180	25.2	170	34.3	26	7.0	342	23.8	162	25.4
25-29	85	26.9	230	32.2	140	28.2	71	19.0	461	32.0	207	32.4
30-34	123	38.9	170	23.8	75	15.1	144	38.6	339	23.6	147	23.0
35-39	70	22.2	70	9.8	38	7.7	114	30.6	146	10.1	59	9.2
40 AND OVER	8	2.5	12	1.7	7	1.4	16	4.3	36	2.5	11	1.7

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10C (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2006

	GLADSTONE		HAZELWOOD		INDEPENDENCE		JEFFERSON CITY		JOPLIN		KANSAS CITY TOTAL	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	334	100.0	344	100.0	1,714	100.0	645	100.0	830	100.0	7,866	100.0
UNDER 2500 GRAMS	32	9.6	28	8.1	138	8.1	55	8.5	66	8.0	686	8.7
OVER 4499 GRAMS	3	0.9	4	1.2	27	1.6	7	1.1	13	1.6	71	0.9
CROWN HEEL LT 47 CM (<18.5 IN)	35	10.9	33	9.8	194	11.9	113	17.6	64	7.7	801	11.5
LESS THAN 37 WEEKS GESTATION*	42	12.6	41	11.9	233	13.6	101	15.7	108	13.0	1,060	13.5
APGAR SCORE LESS THAN 8	9	2.7	11	3.2	44	2.6	21	3.3	14	1.7	232	2.9
CONGENITAL ANOMALIES	4	1.2	4	1.2	21	1.2	5	0.8	27	3.3	107	1.4
ABNORMAL CONDITIONS OF NEWBORN	29	8.7	21	6.1	151	8.8	66	10.2	172	20.7	597	7.6
INFANT TRANSFERS	6	1.8	4	1.2	20	1.2	7	1.1	6	0.7	62	0.8
MATERNAL TRANSFERS	3	0.9	7	2.0	12	0.7	8	1.2	3	0.4	45	0.6
HOME DELIVERIES	1	0.3	0	0.0	9	0.5	2	0.3	2	0.2	21	0.3
CESAREAN DELIVERIES	94	28.1	108	31.4	476	27.8	202	31.3	202	24.3	2,043	26.0
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	46	13.8	49	14.2	406	23.7	104	16.1	259	31.2	985	12.5
DRANK ALCOHOL DURING PREG	2	0.6	1	0.3	13	0.8	0	0.0	4	0.5	42	0.5
GT 15 PERCENT UNDERWEIGHT	12	3.8	12	3.6	106	6.5	28	4.8	57	6.9	355	5.0
GT 20 PERCENT OVERWEIGHT	145	45.6	138	40.9	723	44.1	234	40.5	313	38.1	2,682	37.9
GAINED LT 15 LBS DURING PREG*	24	8.7	15	5.1	132	9.3	33	6.9	67	9.3	672	10.9
GAINED 45+ LBS. DURING PREG*	61	22.2	58	19.6	347	24.4	106	22.3	150	20.9	1,257	20.3
MATERNAL EDUCATION UNDER 12	54	16.2	57	16.6	400	23.3	95	14.7	212	25.5	1,779	22.6
OUT-OF-WEDLOCK BIRTHS	133	39.8	180	52.3	821	47.9	269	41.7	385	46.4	4,066	51.7
LIVE BIRTH ORDER 4 OR MORE	35	10.5	30	8.7	192	11.2	71	11.0	69	8.3	958	12.2
LT 18 MOS SINCE LAST BIRTH	24	11.9	18	10.9	122	13.2	36	11.2	70	14.9	580	13.7
PRENATAL CARE												
1ST TRIMESTER	267	79.9	306	89.0	1,387	80.9	485	75.2	647	78.0	6,053	77.0
2ND TRIMESTER	44	13.2	31	9.0	229	13.4	64	9.9	145	17.5	861	10.9
3RD TRIMESTER	3	0.9	3	0.9	23	1.3	7	1.1	25	3.0	133	1.7
NO PRENATAL CARE	4	1.2	2	0.6	18	1.1	5	0.8	13	1.6	75	1.0
INADEQUATE PRENATAL CARE*	38	12.3	25	7.4	198	12.1	58	10.8	128	15.4	912	13.4
MOTHER MEDICAID PARTICIPANT	135	40.8	157	45.9	924	54.3	280	44.0	522	63.1	3,998	51.4
MOTHER WIC PARTICIPANT	124	37.3	132	38.6	859	50.4	282	44.5	414	50.1	3,948	50.6
MOTHER ON MEDICAID AND WIC	91	27.4	106	31.0	738	43.2	226	35.5	383	46.3	3,208	41.0
MOTHER FOOD STAMP RECIPIENT	56	17.6	74	21.6	446	27.4	165	26.0	288	34.9	2,040	29.4
AGE OF MOTHER												
UNDER 15	0	0.0	1	0.3	2	0.1	0	0.0	0	0.0	14	0.2
15-17	14	4.2	8	2.3	68	4.0	23	3.6	27	3.3	343	4.4
18-19	15	4.5	28	8.1	156	9.1	46	7.1	89	10.7	632	8.0
20-24	92	27.5	102	29.7	554	32.3	174	27.0	334	40.2	2,189	27.8
25-29	99	29.6	115	33.4	533	31.1	198	30.7	232	28.0	2,300	29.2
30-34	80	24.0	62	18.0	259	15.1	131	20.3	98	11.8	1,589	20.2
35-39	30	9.0	24	7.0	113	6.6	62	9.6	40	4.8	654	8.3
40 AND OVER	4	1.2	4	1.2	29	1.7	11	1.7	10	1.2	141	1.8

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10C (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2006

	KANSAS CITY CASS COUNTY		KANSAS CITY CLAY COUNTY		KANSAS CITY JACKSON COUNTY		KANSAS CITY PLATTE COUNTY		KIRKWOOD		LEES SUMMIT	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	3	100.0	1,866	100.0	5,463	100.0	534	100.0	333	100.0	1,213	100.0
UNDER 2500 GRAMS	0	0.0	138	7.4	511	9.4	37	6.9	27	8.1	68	5.6
OVER 4499 GRAMS	0	0.0	14	0.8	49	0.9	8	1.5	1	0.3	14	1.2
CROWN HEEL LT 47 CM (<18.5 IN)	0	0.0	148	8.5	620	13.1	33	6.7	23	7.1	83	9.0
LESS THAN 37 WEEKS GESTATION*	0	0.0	241	12.9	754	13.8	65	12.2	40	12.0	132	10.9
APGAR SCORE LESS THAN 8	0	0.0	39	2.1	189	3.5	4	0.7	14	4.2	26	2.1
CONGENITAL ANOMALIES	0	0.0	23	1.2	75	1.4	9	1.7	1	0.3	18	1.5
ABNORMAL CONDITIONS OF NEWBORN	0	0.0	101	5.4	471	8.6	25	4.7	26	7.8	75	6.2
INFANT TRANSFERS	0	0.0	22	1.2	33	0.6	7	1.3	3	0.9	9	0.7
MATERNAL TRANSFERS	0	0.0	13	0.7	26	0.5	6	1.1	3	0.9	16	1.3
HOME DELIVERIES	0	0.0	4	0.2	16	0.3	1	0.2	3	0.9	5	0.4
CESAREAN DELIVERIES	0	0.0	572	30.7	1,299	23.8	172	32.2	132	39.6	402	33.1
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	0	0.0	228	12.2	701	12.8	56	10.5	17	5.1	93	7.7
DRANK ALCOHOL DURING PREG	0	0.0	7	0.4	32	0.6	3	0.6	2	0.6	12	1.0
GT 15 PERCENT UNDERWEIGHT	0	0.0	82	4.6	249	5.2	24	4.7	12	3.7	52	4.4
GT 20 PERCENT OVERWEIGHT	1	33.3	650	36.4	1,862	39.0	169	33.1	81	24.9	382	32.2
GAINED LT 15 LBS DURING PREG*	0	0.0	134	8.8	499	11.9	39	8.8	10	3.6	116	11.1
GAINED 45+ LBS. DURING PREG*	2	66.7	307	20.1	856	20.3	92	20.9	39	14.2	187	17.9
MATERNAL EDUCATION UNDER 12	0	0.0	183	9.8	1,548	28.3	48	9.0	20	6.0	78	6.4
OUT-OF-WEDLOCK BIRTHS	0	0.0	548	29.4	3,352	61.4	166	31.1	55	16.5	244	20.1
LIVE BIRTH ORDER 4 OR MORE	0	0.0	156	8.4	762	13.9	40	7.5	36	10.8	99	8.2
LT 18 MOS SINCE LAST BIRTH	0	0.0	110	11.0	443	15.0	27	9.5	14	7.9	54	7.6
PRENATAL CARE												
1ST TRIMESTER	3	100.0	1,627	87.2	3,965	72.6	458	85.8	316	94.9	1,095	90.3
2ND TRIMESTER	0	0.0	131	7.0	681	12.5	49	9.2	10	3.0	74	6.1
3RD TRIMESTER	0	0.0	23	1.2	104	1.9	6	1.1	2	0.6	10	0.8
NO PRENATAL CARE	0	0.0	13	0.7	57	1.0	5	0.9	2	0.6	1	0.1
INADEQUATE PRENATAL CARE*	0	0.0	122	7.0	749	16.3	41	8.2	11	3.3	61	5.2
MOTHER MEDICAID PARTICIPANT	1	33.3	549	29.7	3,282	60.8	166	31.1	38	11.6	253	21.0
MOTHER WIC PARTICIPANT	2	66.7	505	27.3	3,294	60.8	147	27.5	35	10.7	205	17.0
MOTHER ON MEDICAID AND WIC	1	33.3	396	21.4	2,684	49.4	127	23.8	25	7.6	173	14.3
MOTHER FOOD STAMP RECIPIENT	0	0.0	226	13.1	1,750	37.0	64	12.9	27	8.3	110	11.9
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	14	0.3	0	0.0	0	0.0	0	0.0
15-17	0	0.0	35	1.9	305	5.6	3	0.6	1	0.3	10	0.8
18-19	0	0.0	63	3.4	539	9.9	30	5.6	8	2.4	37	3.1
20-24	2	66.7	416	22.3	1,651	30.2	120	22.5	32	9.6	202	16.7
25-29	1	33.3	638	34.2	1,486	27.2	175	32.8	80	24.0	361	29.8
30-34	0	0.0	497	26.6	948	17.4	144	27.0	125	37.5	403	33.2
35-39	0	0.0	190	10.2	413	7.6	51	9.6	73	21.9	174	14.3
40 AND OVER	0	0.0	27	1.4	103	1.9	11	2.1	14	4.2	26	2.1

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10C (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2006

	LIBERTY		MARYLAND HGTS		OFALLON		RAYTOWN		ST. CHARLES		ST. JOSEPH	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	373	100.0	318	100.0	1,102	100.0	398	100.0	793	100.0	1,168	100.0
UNDER 2500 GRAMS	21	5.6	31	9.7	91	8.3	39	9.8	57	7.2	71	6.1
OVER 4499 GRAMS	2	0.5	2	0.6	12	1.1	5	1.3	5	0.6	9	0.8
CROWN HEEL LT 47 CM (<18.5 IN)	32	9.0	24	7.9	86	8.0	47	13.8	53	6.8	67	5.8
LESS THAN 37 WEEKS GESTATION*	37	9.9	47	14.8	145	13.2	65	16.3	80	10.1	129	11.0
APGAR SCORE LESS THAN 8	3	0.8	7	2.2	25	2.3	12	3.0	20	2.5	17	1.5
CONGENITAL ANOMALIES	5	1.3	6	1.9	20	1.8	4	1.0	17	2.1	20	1.7
ABNORMAL CONDITIONS OF NEWBORN	17	4.6	24	7.5	190	17.2	38	9.5	135	17.0	44	3.8
INFANT TRANSFERS	6	1.6	0	0.0	11	1.0	6	1.5	10	1.3	30	2.6
MATERNAL TRANSFERS	0	0.0	3	0.9	1	0.1	8	2.0	6	0.8	17	1.5
HOME DELIVERIES	0	0.0	0	0.0	5	0.5	1	0.3	1	0.1	1	0.1
CESAREAN DELIVERIES	94	25.2	129	40.6	379	34.4	114	28.6	300	37.8	284	24.3
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	50	13.4	16	5.0	76	6.9	59	14.8	143	18.0	329	28.2
DRANK ALCOHOL DURING PREG	2	0.5	2	0.6	2	0.2	1	0.3	5	0.6	1	0.1
GT 15 PERCENT UNDERWEIGHT	15	4.1	13	4.3	45	4.2	17	4.4	36	4.7	70	6.1
GT 20 PERCENT OVERWEIGHT	126	34.5	94	30.9	341	32.0	183	47.7	285	37.0	470	41.2
GAINED LT 15 LBS DURING PREG*	19	6.0	8	3.2	71	7.8	32	10.0	59	8.6	110	10.9
GAINED 45+ LBS. DURING PREG*	52	16.3	36	14.3	171	18.7	56	17.5	131	19.1	194	19.2
MATERNAL EDUCATION UNDER 12	33	8.8	30	9.4	66	6.0	71	17.8	98	12.4	230	19.7
OUT-OF-WEDLOCK BIRTHS	97	26.0	78	24.5	186	16.9	196	49.2	316	39.8	585	50.1
LIVE BIRTH ORDER 4 OR MORE	32	8.6	16	5.0	91	8.3	40	10.1	61	7.7	107	9.2
LT 18 MOS SINCE LAST BIRTH	15	6.8	16	12.5	63	9.8	40	18.2	42	10.2	98	14.3
PRENATAL CARE												
1ST TRIMESTER	327	87.7	289	90.9	1,044	94.7	311	78.1	721	90.9	1,021	87.4
2ND TRIMESTER	34	9.1	22	6.9	35	3.2	61	15.3	57	7.2	106	9.1
3RD TRIMESTER	7	1.9	3	0.9	10	0.9	10	2.5	8	1.0	27	2.3
NO PRENATAL CARE	1	0.3	1	0.3	5	0.5	4	1.0	5	0.6	11	0.9
INADEQUATE PRENATAL CARE*	29	7.9	16	5.2	39	3.6	57	15.1	50	6.4	114	9.8
MOTHER MEDICAID PARTICIPANT	103	27.7	70	23.0	141	13.0	182	46.3	273	34.7	716	61.5
MOTHER WIC PARTICIPANT	88	23.7	42	13.8	114	10.5	172	43.4	232	29.5	556	47.8
MOTHER ON MEDICAID AND WIC	73	19.6	37	12.1	84	7.7	130	32.8	182	23.2	515	44.2
MOTHER FOOD STAMP RECIPIENT	43	12.0	26	8.5	50	4.6	87	25.6	132	16.8	382	33.0
AGE OF MOTHER												
UNDER 15	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3
15-17	8	2.1	8	2.5	8	0.7	16	4.0	11	1.4	51	4.4
18-19	23	6.2	12	3.8	31	2.8	31	7.8	44	5.5	106	9.1
20-24	74	19.8	49	15.4	155	14.1	114	28.6	212	26.7	440	37.7
25-29	112	30.0	123	38.7	376	34.1	132	33.2	252	31.8	326	27.9
30-34	104	27.9	82	25.8	361	32.8	67	16.8	183	23.1	167	14.3
35-39	47	12.6	34	10.7	151	13.7	35	8.8	71	9.0	61	5.2
40 AND OVER	4	1.1	10	3.1	20	1.8	3	0.8	20	2.5	14	1.2

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 10C (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2006

	ST. LOUIS CITY		ST. PETERS		SPRINGFIELD		UNIVERSITY CITY		WILDWOOD	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	5,374	100.0	591	100.0	2,200	100.0	502	100.0	306	100.0
UNDER 2500 GRAMS	656	12.2	42	7.1	154	7.0	56	11.2	18	5.9
OVER 4499 GRAMS	38	0.7	4	0.7	29	1.3	2	0.4	2	0.7
CROWN HEEL LT 47 CM (<18.5 IN)	557	10.7	40	6.8	104	4.8	43	8.8	15	5.0
LESS THAN 37 WEEKS GESTATION*	1,005	18.7	60	10.2	258	11.7	76	15.1	33	10.8
APGAR SCORE LESS THAN 8	209	3.9	19	3.2	44	2.0	28	5.6	1	0.3
CONGENITAL ANOMALIES	38	0.7	15	2.5	25	1.1	9	1.8	5	1.6
ABNORMAL CONDITIONS OF NEWBORN	215	4.0	90	15.2	260	11.8	32	6.4	39	12.7
INFANT TRANSFERS	82	1.5	6	1.0	8	0.4	7	1.4	4	1.3
MATERNAL TRANSFERS	83	1.5	2	0.3	5	0.2	10	2.0	0	0.0
HOME DELIVERIES	39	0.7	2	0.3	17	0.8	0	0.0	2	0.7
CESAREAN DELIVERIES	1,500	27.9	204	34.5	655	29.8	153	30.5	108	35.3
MATERNAL RISK FACTORS										
SMOKED DURING PREGNANCY	822	15.3	62	10.5	508	23.1	18	3.6	8	2.6
DRANK ALCOHOL DURING PREG	31	0.6	4	0.7	21	1.0	4	0.8	4	1.3
GT 15 PERCENT UNDERWEIGHT	278	5.5	19	3.3	163	7.6	24	5.0	22	7.3
GT 20 PERCENT OVERWEIGHT	2,036	40.4	230	39.9	773	36.1	126	26.0	63	20.9
GAINED LT 15 LBS DURING PREG*	305	7.5	48	9.4	144	7.7	13	3.2	4	1.5
GAINED 45+ LBS. DURING PREG*	828	20.4	93	18.1	449	24.1	72	18.0	39	14.4
MATERNAL EDUCATION UNDER 12	1,469	27.3	37	6.3	469	21.3	39	7.8	0	0.0
OUT-OF-WEDLOCK BIRTHS	3,572	66.5	130	22.0	968	44.0	173	34.5	12	3.9
LIVE BIRTH ORDER 4 OR MORE	860	16.0	43	7.3	198	9.0	57	11.4	35	11.4
LT 18 MOS SINCE LAST BIRTH	393	14.5	23	7.7	176	15.6	29	12.0	13	6.5
PRENATAL CARE										
1ST TRIMESTER	4,332	80.6	565	95.6	1,927	87.6	457	91.0	297	97.1
2ND TRIMESTER	696	13.0	18	3.0	217	9.9	32	6.4	8	2.6
3RD TRIMESTER	101	1.9	5	0.8	37	1.7	3	0.6	0	0.0
NO PRENATAL CARE	129	2.4	1	0.2	9	0.4	3	0.6	0	0.0
INADEQUATE PRENATAL CARE*	904	18.0	21	3.6	197	9.0	38	8.0	1	0.3
MOTHER MEDICAID PARTICIPANT	3,391	64.2	92	15.8	1,365	62.3	136	27.5	7	2.3
MOTHER WIC PARTICIPANT	2,911	55.2	71	12.2	1,168	53.3	130	26.3	3	1.0
MOTHER ON MEDICAID AND WIC	2,556	48.4	55	9.4	1,060	48.4	98	19.8	2	0.7
MOTHER FOOD STAMP RECIPIENT	2,329	44.1	37	6.3	744	33.9	99	20.0	3	1.0
AGE OF MOTHER										
UNDER 15	25	0.5	0	0.0	3	0.1	0	0.0	0	0.0
15-17	328	6.1	15	2.5	89	4.0	12	2.4	0	0.0
18-19	550	10.2	19	3.2	228	10.4	26	5.2	3	1.0
20-24	1,641	30.5	89	15.1	806	36.6	71	14.1	9	2.9
25-29	1,391	25.9	200	33.8	626	28.5	110	21.9	62	20.3
30-34	913	17.0	164	27.7	286	13.0	177	35.3	119	38.9
35-39	428	8.0	90	15.2	134	6.1	84	16.7	90	29.4
40 AND OVER	98	1.8	14	2.4	28	1.3	22	4.4	23	7.5

* ERROR IN ROUNDING GESTATION AGE IN YEARS BEFORE 2003. SEE APPENDIX FOR DETAILS

TABLE 11 RESIDENT TEEN-AGE PREGNANCIES AND ABORTIONS BY SELECTED AGES BY COUNTY OF RESIDENCE: MISSOURI 2006

	TOTAL PREGNANCIES			ABORTIONS				TOTAL PREGNANCIES			ABORTIONS		
	UNDER 20	UNDER 18	18-19	UNDER 20	UNDER 18	18-19		UNDER 20	UNDER 18	18-19	UNDER 20	UNDER 18	18-19
STATE TOTAL	11,381	3,715	7,666	2,023	750	1,273							
ADAIR	32	8	24	5	1	4	DAVIESS	12	4	8	2	1	1
ANDREW	25	5	20	4	1	3	DE KALB	15	2	13	2	0	2
ATCHISON	9	1	8	0	0	0	DENT	25	9	16	1	1	0
AUDRAIN	52	14	38	2	1	1	DOUGLAS	27	11	16	3	1	2
BARRY	99	29	70	1	0	1	DUNKLIN	122	50	72	7	3	4
BARTON	26	8	18	2	2	0	FRANKLIN	139	33	106	21	7	14
BATES	33	9	24	4	2	2	GASCONADE	30	14	16	2	1	1
BENTON	28	6	22	3	0	3	GENTRY	8	0	8	0	0	0
BOLLINGER	19	6	13	2	2	0	GREENE	475	131	344	55	16	39
BOONE	235	65	170	59	8	51	GRUNDY	19	6	13	4	1	3
BUCHANAN	196	66	130	24	8	16	HARRISON	20	7	13	3	0	3
BUTLER	115	36	79	4	3	1	HENRY	42	10	32	6	2	4
CALDWELL	11	5	6	0	0	0	HICKORY	22	6	16	1	0	1
CALLAWAY	77	25	52	15	1	14	HOLT	8	2	6	2	1	1
CAMDEN	73	20	53	7	2	5	HOWARD	8	4	4	1	1	0
CAPE GIRARDEAU	116	33	83	9	3	6	HOWELL	87	26	61	1	0	1
CARROLL	20	3	17	1	0	1	IRON	25	5	20	3	2	1
CARTER	20	5	15	0	0	0	JACKSON	1,787	659	1,128	439	180	259
CASS	152	53	99	37	18	19	JASPER	272	81	191	12	3	9
CEDAR	21	2	19	0	0	0	JEFFERSON	305	101	204	47	22	25
CHARITON	15	4	11	0	0	0	JOHNSON	86	17	69	20	3	17
CHRISTIAN	84	22	62	6	1	5	KNOX	5	1	4	0	0	0
CLARK	11	2	9	0	0	0	LACLEDE	92	31	61	5	3	2
CLAY	295	109	186	78	35	43	LAFAYETTE	56	13	43	3	2	1
CLINTON	35	7	28	6	1	5	LAWRENCE	72	18	54	1	0	1
COLE	119	35	84	27	7	20	LEWIS	8	1	7	1	0	1
COOPER	34	7	27	9	1	8	LINCOLN	85	27	58	10	3	7
CRAWFORD	56	16	40	2	2	0	LINN	31	13	18	6	5	1
DADE	17	4	13	0	0	0	LIVINGSTON	24	2	22	3	1	2
DALLAS	43	14	29	6	2	4	MC DONALD	83	25	58	0	0	0


TABLE 11(CONT) RESIDENT TEEN-AGE PREGNANCIES AND ABORTIONS BY SELECTED AGES BY COUNTY OF RESIDENCE: MISSOURI 2006

	TOTAL PREGNANCIES			ABORTIONS				TOTAL PREGNANCIES			ABORTIONS		
	UNDER 20	UNDER 18	18-19	UNDER 20	UNDER 18	18-19		UNDER 20	UNDER 18	18-19	UNDER 20	UNDER 18	18-19
MACON	28	10	18	4	0	4	RIPLEY	31	17	14	1	1	0
MADISON	21	8	13	1	0	1	ST. CHARLES	315	96	219	92	37	55
MARIES	22	6	16	2	1	1	ST. CLAIR	12	3	9	2	0	2
MARION	48	16	32	3	1	2	ST. FRANCOIS	136	42	94	9	5	4
MERCER	4	1	3	0	0	0	STE. GENEVIEVE	20	7	13	1	1	0
MILLER	73	16	57	9	4	5	ST. LOUIS CITY	1,168	448	720	254	90	164
MISSISSIPPI	46	16	30	1	1	0	ST. LOUIS COUNTY	1,512	513	999	485	177	308
MONITEAU	21	12	9	3	1	2	SALINE	57	14	43	8	2	6
MONROE	12	1	11	2	0	2	SCHUYLER	5	0	5	2	0	2
MONTGOMERY	23	9	14	2	2	0	SCOTLAND	5	1	4	2	1	1
MORGAN	48	14	34	6	4	2	SCOTT	119	36	83	4	2	2
NEW MADRID	48	16	32	1	1	0	SHANNON	24	5	19	0	0	0
NEWTON	126	36	90	1	1	0	SHELBY	6	2	4	0	0	0
NODAWAY	23	4	19	6	1	5	STODDARD	66	18	48	7	3	4
OREGON	21	7	14	0	0	0	STONE	49	15	34	5	2	3
OSAGE	19	3	16	1	0	1	SULLIVAN	17	10	7	2	2	0
OZARK	10	2	8	1	1	0	TANEY	97	38	59	5	3	2
PEMISCOT	91	32	59	10	4	6	TEXAS	43	15	28	4	2	2
PERRY	30	13	17	1	0	1	VERNON	52	17	35	9	2	7
PETTIS	113	36	77	9	4	5	WARREN	62	15	47	10	3	7
PHELPS	94	32	62	8	1	7	WASHINGTON	65	21	44	4	1	3
PIKE	27	7	20	2	0	2	WAYNE	26	6	20	0	0	0
PLATTE	89	18	71	25	8	17	WEBSTER	72	24	48	6	3	3
POLK	60	19	41	4	1	3	WORTH	2	1	1	1	1	0
PULASKI	78	16	62	7	1	6	WRIGHT	54	17	37	0	0	0
PUTNAM	10	6	4	2	1	1							
RALLS	12	4	8	0	0	0							
RANDOLPH	43	18	25	5	1	4							
RAY	48	21	27	9	7	2							
REYNOLDS	10	2	8	1	1	0							

Graph D

Resident Abortion Ratios per 1,000 Live Births

Missouri 1971 - 2006



<i>Resident</i>				<i>Resident</i>				<i>Resident</i>				<i>Estimated* Resident</i>	
<i>Recorded</i>	<i>Resident</i>	<i>Abortion</i>		<i>Recorded</i>	<i>Resident</i>	<i>Abortion</i>		<i>Recorded</i>	<i>Resident</i>	<i>Abortion</i>		<i>Number</i>	<i>Ratio</i>
<i>Abortions</i>	<i>Abortions</i>	<i>Ratio</i>		<i>Abortions</i>	<i>Abortions</i>	<i>Ratio</i>		<i>Abortions</i>	<i>Abortions</i>	<i>Ratio</i>			
1971	NA	4,582	58.5	1983	19,199	20,024	265.2	1995	11,203	13,635	187.3	16,281	223.6
1972	NA	6,943	95.6	1984	20,204	20,037	269.2	1996	11,629	13,989	189.7	16,923	229.5
1973	NA	8,589	125.2	1985	19,482	19,210	250.5	1997	10,202	13,321	180.2	16,401	221.8
1974	NA	10,486	151.1	1986	19,039	18,824	250.6	1998	9,089	12,751	169.5	16,051	213.3
1975	10,245	11,077	161.8	1987	17,574	17,518	234.1	1999	8,113	12,600	167.2	15,855	210.4
1976	12,885	13,869	201.6	1988	17,382	18,379	241.5	2000	7,884	12,292	161.0	15,710	205.8
1977	13,533	14,762	202.3	1989	17,495	18,639	239.7	2001	7,797	12,266	162.9	15,559	206.7
1978	15,546	17,785	244.8	1990	16,366	17,947	226.8	2002	8,201	12,250	163.0	15,111	201.0
1979	17,787	21,267	279.6	1991	15,473	17,171	218.8	2003	8,350	12,476	162.1	15,111	196.3
1980	19,043	21,671	275.8	1992	13,390	16,240	213.7	2004	8,072	11,871	152.8	14,259	183.5
1981	18,604	20,738	270.2	1993	15,540	15,415	205.1	2005	7,977	11,619	147.9	14,025	178.6
1982	19,226	20,380	265.9	1994	11,879	14,119	192.7	2006	7,556	11,833	145.5	14,435	177.4

Source: 1971-1974 Centers for Disease Control; 1975-2006 Missouri Department of Health and Senior Services, Bureau of Health Informatics.

Graph D Abortion Definitions:

Recorded: Abortions performed in a facility located in Missouri.

Resident: Abortions to Missouri residents regardless of where the abortions occurred as indicated on the individual record level data reports.

*Estimated Resident: Resident Abortions as defined above plus estimated Missouri resident counts from Illinois for 1988-2006 and Tennessee in 1997-2005.

TABLE 12A RESIDENT ABORTIONS BY RACE, HISPANIC ORIGIN, AGE OF WOMAN AND TYPE OF PROCEDURE
BY WEEKS OF GESTATION: MISSOURI 2006

RACE	WEEKS OF GESTATION								UNKNOWN
	TOTAL	UNDER 9	9-10	11-12	13-14	15-16	17-20	21 AND OVER	
TOTAL	11,833	7,298	2,019	1,284	537	279	298	110	8
WHITE	6,860	4,509	1,083	641	268	142	156	59	2
BLACK	4,226	2,282	831	582	249	118	122	42	0
OTHER RACES	719	491	104	58	19	19	19	9	0
UNKNOWN	28	16	1	3	1	0	1	0	6
HISPANIC, ANY RACE	588	385	95	53	22	13	15	5	0
AGE									
TOTAL	11,833	7,298	2,019	1,284	537	279	298	110	8
UNDER 15	73	29	18	14	4	1	6	1	0
15	128	44	29	24	10	7	9	5	0
16	246	115	38	35	23	5	20	10	0
17	303	148	59	44	24	12	11	4	1
18	566	300	107	75	37	16	26	5	0
19	707	398	123	94	37	30	18	6	1
20-24	3,997	2,388	723	468	196	92	95	31	4
25-29	2,828	1,847	468	289	92	61	51	18	2
30-34	1,639	1,115	249	136	60	30	30	19	0
35-39	993	683	146	74	41	19	22	8	0
40 AND OVER	351	230	58	31	13	6	10	3	0
UNKNOWN	2	1	1	0	0	0	0	0	0
TYPE OF PROCEDURE									
TOTAL	11,833	7,298	2,019	1,284	537	279	298	110	8
CURETTAGE	9,471	5,553	1,988	1,277	432	160	53	0	8
INTRAUTERINE INSTILLATION	0	0	0	0	0	0	0	0	0
HYSTEROTOMY/HYSTERECTOMY	0	0	0	0	0	0	0	0	0
LAMINARIA D & E	543	3	3	5	104	116	237	75	0
MEDICAL NONSURGICAL	1,775	1,736	26	2	1	2	3	5	0
OTHER	40	3	2	0	0	1	4	30	0
UNKNOWN	4	3	0	0	0	0	1	0	0

NOTE: WEEKS OF GESTATION IS CLINICAL ESTIMATE OF GESTATION UNLESS THE RESULT IS UNKNOWN;
THEN THE DATE OF LAST NORMAL MENSES IS USED.

TABLE 12B RECORDED ABORTIONS BY RACE, HISPANIC ORIGIN, AGE OF WOMAN AND TYPE OF PROCEDURE
BY WEEKS OF GESTATION: MISSOURI 2006

RACE	TOTAL	WEEKS OF GESTATION						21 AND OVER	UNKNOWN
		UNDER 9	9-10	11-12	13-14	15-16	17-20		
TOTAL	7,556	4,507	1,382	918	319	152	201	76	1
WHITE	4,140	2,678	704	409	141	65	107	35	1
BLACK	3,032	1,563	623	474	173	78	83	38	0
OTHER RACES	367	254	55	33	4	8	10	3	0
UNKNOWN	17	12	0	2	1	1	1	0	0
HISPANIC, ANY RACE	233	144	43	26	6	4	8	2	0
AGE									
TOTAL	7,556	4,507	1,382	918	319	152	201	76	1
UNDER 15	50	16	13	11	3	2	5	0	0
15	76	24	17	16	5	6	4	4	0
16	143	66	29	18	10	3	12	5	0
17	179	81	39	30	14	7	5	3	0
18	361	181	82	50	22	6	17	3	0
19	469	274	82	65	21	13	12	2	0
20-24	2,594	1,515	493	340	111	50	65	19	1
25-29	1,761	1,098	309	213	55	34	34	18	0
30-34	1,043	680	172	99	41	14	22	15	0
35-39	627	405	104	58	29	11	15	5	0
40 AND OVER	253	167	42	18	8	6	10	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0
TYPE OF PROCEDURE									
TOTAL	7,556	4,507	1,382	918	319	152	201	76	1
CURETTAGE	6,008	3,224	1,351	914	315	146	57	0	1
INTRAUTERINE INSTILLATION	0	0	0	0	0	0	0	0	0
HYSTEROTOMY/HYSTERECTOMY	0	0	0	0	0	0	0	0	0
LAMINARIA D & E	208	0	2	2	3	2	136	63	0
MEDICAL NONSURGICAL	1,318	1,279	27	2	1	1	3	5	0
OTHER	20	3	2	0	0	3	4	8	0
UNKNOWN	2	1	0	0	0	0	1	0	0

NOTE: WEEKS OF GESTATION IS CLINICAL ESTIMATE OF GESTATION UNLESS THE RESULT IS UNKNOWN;
THEN THE DATE OF LAST NORMAL MENSES IS USED.

TABLE 13

RESIDENT ABORTIONS BY AGE, MARITAL STATUS, AND EDUCATION, BY RACE AND HISPANIC ORIGIN: MISSOURI 2006

RACE						
AGE	TOTAL	WHITE	BLACK	OTHER RACES	UNKNOWN	HISPANIC ANY RACE
TOTAL	11,833	6,860	4,226	719	28	588
UNDER 15	73	35	37	1	0	2
15	128	61	56	11	0	6
16	246	148	86	12	0	10
17	303	174	117	11	1	15
18	566	339	208	19	0	21
19	707	411	251	43	2	28
20-24	3,997	2,359	1,409	220	9	204
25-29	2,828	1,580	1,081	159	8	165
30-34	1,639	891	607	138	3	89
35-39	993	604	304	81	4	36
40 AND OVER	351	257	69	24	1	12
UNKNOWN	2	1	1	0	0	0
MARITAL STATUS						
TOTAL	11,833	6,860	4,226	719	28	588
NEVER MARRIED	4,991	2,453	2,384	146	8	133
CURRENTLY MARRIED	1,970	1,307	415	245	3	129
FORMERLY MARRIED	592	445	121	24	2	15
UNMARRIED, UNSPECIFIED	4,166	2,600	1,261	300	5	308
UNKNOWN	114	55	45	4	10	3
YEARS OF EDUCATION						
TOTAL	11,833	6,860	4,226	719	28	588
0-8	235	155	61	19	0	51
9-11	1,802	1,044	645	106	7	124
12	5,466	2,987	2,190	284	5	200
13-15	2,735	1,663	909	160	3	133
16 OR MORE	1,390	892	363	131	4	44
UNKNOWN	205	119	58	19	9	36

TABLE 14A

RESIDENT ABORTIONS AND RATIOS PER 1,000 LIVE BIRTHS BY COUNTY OF RESIDENCE: MISSOURI 2006

COUNTIES	NUMBER	RATIO	COUNTIES	NUMBER	RATIO	COUNTIES	NUMBER	RATIO
STATE TOTAL	11,833	145.5	GRUNDY	10	81.3	PETTIS	52	79.9
ADAIR	22	71.4	HARRISON	5	32.7	PHHELPS	34	60.1
ANDREW	19	91.3	HENRY	24	83.0	PIKE	11	47.2
ATCHISON	3	55.6	HICKORY	2	21.5	PLATTE	201	188.2
AUDRAIN	18	44.6	HOLT	4	75.5	POLK	21	48.4
BARRY	12	22.2	HOWARD	9	75.6	PULASKI	56	77.2
BARTON	4	21.7	HOWELL	9	16.2	PUTNAM	3	50.8
BATES	12	54.8	IRON	7	55.1	RALLS	2	18.7
BENTON	11	73.3	JACKSON	2,801	262.1	RANDOLPH	23	70.1
BOLLINGER	2	14.3	JASPER	69	38.4	RAY	40	129.9
BOONE	393	191.9	JEFFERSON	309	102.1	REYNOLDS	2	25.0
BUCHANAN	147	114.2	JOHNSON	93	117.4	RIPLEY	5	29.2
BUTLER	26	42.2	KNOX	1	22.2	ST. CHARLES	587	127.3
CALDWELL	6	50.8	LACLEDE	18	34.2	ST. CLAIR	8	94.1
CALLAWAY	61	123.0	LAFAYETTE	40	94.6	ST. FRANCOIS	49	58.4
CAMDEN	33	70.1	LAWRENCE	13	25.0	STE. GENEVIEVE	7	34.7
CAPE GIRARDEAU	67	71.7	LEWIS	2	17.1	ST. LOUIS CITY	1,521	283.0
CARROLL	4	39.2	LINCOLN	37	50.0	ST. LOUIS COUNTY	2,879	231.6
CARTER	2	20.8	LINN	11	62.9	SALINE	29	94.2
CASS	190	143.4	LIVINGSTON	10	59.5	SCHUYLER	3	66.7
CEDAR	6	35.7	MC DONALD	0	0.0	SCOTLAND	3	48.4
CHARITON	3	31.6	MACON	15	78.5	SCOTT	12	19.8
CHRISTIAN	54	52.9	MADISON	6	40.3	SHANNON	0	0.0
CLARK	0	0.0	MARIES	2	21.3	SHELBY	1	11.1
CLAY	499	156.6	MARION	15	36.9	STODDARD	25	68.1
CLINTON	37	137.0	MERCER	1	20.8	STONE	12	36.7
COLE	140	137.1	MILLER	37	105.4	SULLIVAN	7	61.9
COOPER	29	138.8	MISSISSIPPI	5	25.4	TANEY	31	48.5
CRAWFORD	10	28.8	MONTEAU	7	31.8	TEXAS	12	40.8
DADE	5	53.2	MONROE	9	94.7	VERNON	21	70.0
DALLAS	13	54.4	MONTGOMERY	8	47.1	WARREN	25	54.6
DAVIESS	8	67.8	MORGAN	25	81.2	WASHINGTON	22	59.0
DE KALB	13	117.1	NEW MADRID	14	54.5	WAYNE	9	72.0
DENT	6	32.4	NEWTON	19	24.5	WEBSTER	19	33.7
DOUGLAS	9	54.5	NODAWAY	27	106.7	WORTH	1	66.7
DUNKLIN	20	41.8	OREGON	0	0.0	WRIGHT	8	28.8
FRANKLIN	94	70.0	OSAGE	5	25.3			
GASCONADE	12	64.9	OZARK	5	50.0			
GENTRY	1	10.2	PEMISCOT	30	92.0			
GREENE	345	101.1	PERRY	11	37.8			

TABLE 14B RESIDENT ABORTIONS AND RATIOS PER 1,000 LIVE BIRTHS BY REGIONAL PLANNING COMMISSION
OF RESIDENCE: MISSOURI 2006

REGIONAL PLANNING COMMISSIONS	NUMBER	RATIO	REGIONAL PLANNING COMMISSIONS	NUMBER	RATIO
MAJOR METRO REGIONS			BOONSLICK	70	51.2
EAST-WEST GATEWAY	5,390	201.3	KAYSINGER BASIN	84	64.4
MID-AMERICA	3,731	225.1	PIONEER TRAILS	214	98.4
MINOR METRO REGIONS			SOUTH CENTRAL OZARK	43	26.6
SOUTHWEST MISSOURI	525	67.4	MERAMEC	91	46.7
MID-MISSOURI	639	155.4	LAKE OF THE OZARKS	169	70.9
MO-KAN	216	115.1	SOUTHEAST MISSOURI	149	55.6
HARRY S TRUMAN	92	29.2	BOOTHEEL	106	47.5
NONMETRO REGIONS			OZARK FOOTHILLS	44	40.4
NORTHWEST MISSOURI	36	76.1	MAJOR METRO TOTAL	9,121	210.4
GREEN HILLS	68	53.5	MINOR METRO TOTAL	1,472	86.9
			NONMETRO TOTAL	1,199	56.9
NORTHEAST MISSOURI	31	46.4			
MARK TWAIN	94	50.7	STATE TOTAL	11,833	145.5

TABLE 15

RESIDENT ABORTIONS BY AGE AND MARITAL STATUS OF WOMAN: MISSOURI 2006

MARITAL STATUS	TOTAL	AGE								45 AND OVER	UNKNOWN
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44		
TOTAL	11,833	73	677	1,273	3,997	2,828	1,639	993	330	21	2
NEVER MARRIED	4,991	46	372	734	2,078	1,111	431	176	40	3	0
CURRENTLY MARRIED	1,970	0	7	39	359	552	514	352	135	12	0
FORMERLY MARRIED	592	0	0	4	42	144	172	158	70	2	0
UNMARRIED, UNSPECIFIED	4,166	27	294	487	1,479	989	514	295	75	4	2
UNKNOWN	114	0	4	9	39	32	8	12	10	0	0

TABLE 16 RESIDENT ABORTIONS BY NUMBER OF LIVING CHILDREN AND NUMBER OF PREVIOUS ABORTIONS: MISSOURI 2006

NUMBER OF LIVING CHILDREN	FREQUENCY OF PATIENTS	NUMBER OF PREVIOUS ABORTIONS	FREQUENCY OF PATIENTS
TOTAL	11,833	TOTAL	11,833
0	4,667	0	6,899
1	3,223	1	2,963
2	2,404	2	1,252
3	1,014	3	440
4	358	4	154
5	100	5	59
6+	66	6+	62
UNKNOWN	1	UNKNOWN	4

TABLE 17 RESIDENT AND RECORDED LIVE BIRTHS, DEATHS AND NATURAL INCREASE WITH RATES BY COUNTIES AND CITIES WITH
25,000 OR MORE POPULATION: MISSOURI 2006

COUNTIES	POPULATION	RESIDENT			NUMBER		RATE		
		LIVE BIRTHS	DEATHS	NATURAL INCREASE	RECORDED		LIVE BIRTHS	DEATHS	NATURAL INCREASE
					LIVE BIRTHS	DEATHS			
STATE TOTAL	5,842,713	81,353	54,475	26,878	82,456	56,279	13.9	9.3	4.6
ADAIR	24,461	308	206	102	510	247	12.6	8.4	4.2
ANDREW	17,177	208	191	17	2	109	12.1	11.1	1.0
ATCHISON	6,132	54	62	-8	52	58	8.8	10.1	-1.3
AUDRAIN	25,739	404	292	112	346	289	15.7	11.3	4.4
BARRY	36,404	541	362	179	421	302	14.9	9.9	4.9
BARTON	13,015	184	131	53	4	92	14.1	10.1	4.1
BATES	17,116	219	189	30	32	163	12.8	11.0	1.8
BENTON	18,728	150	274	-124	3	181	8.0	14.6	-6.6
BOLLINGER	12,323	140	113	27	1	62	11.4	9.2	2.2
BOONE	146,048	2,048	899	1,149	3,740	1,668	14.0	6.2	7.9
BUCHANAN	84,955	1,287	937	350	1,820	1,131	15.1	11.0	4.1
BUTLER	41,582	616	524	92	1,546	655	14.8	12.6	2.2
CALDWELL	9,313	118	118	0	1	62	12.7	12.7	0.0
CALLAWAY	43,072	496	333	163	133	209	11.5	7.7	3.8
CAMDEN	40,283	471	392	79	832	428	11.7	9.7	2.0
CAPE GIRARDEAU	71,892	934	691	243	1,859	1,124	13.0	9.6	3.4
CARROLL	10,058	102	111	-9	0	86	10.1	11.0	-0.9
CARTER	5,956	96	83	13	1	39	16.1	13.9	2.2
CASS	95,781	1,325	729	596	5	564	13.8	7.6	6.2
CEDAR	13,998	168	174	-6	98	158	12.0	12.4	-0.4
CHARITON	8,046	95	109	-14	1	59	11.8	13.5	-1.7
CHRISTIAN	70,514	1,020	479	541	9	322	14.5	6.8	7.7
CLARK	7,305	91	83	8	1	44	12.5	11.4	1.1
CLAY	206,957	3,187	1,455	1,732	3,237	1,798	15.4	7.0	8.4
CLINTON	20,671	270	253	17	152	296	13.1	12.2	0.8
COLE	73,296	1,021	569	452	1,719	787	13.9	7.8	6.2
COOPER	17,441	209	172	37	2	133	12.0	9.9	2.1
CRAWFORD	24,009	347	226	121	260	203	14.5	9.4	5.0
DADE	7,804	94	110	-16	4	68	12.0	14.1	-2.1
DALLAS	16,696	239	194	45	14	111	14.3	11.6	2.7
DAVIESS	8,072	118	81	37	9	39	14.6	10.0	4.6
DE KALB	12,309	111	130	-19	1	67	9.0	10.6	-1.5
DENT	15,276	185	176	9	7	138	12.1	11.5	0.6
DOUGLAS	13,658	165	161	4	5	103	12.1	11.8	0.3
DUNKLIN	32,277	478	439	39	543	320	14.8	13.6	1.2

TABLE 17(CONT) RESIDENT AND RECORDED LIVE BIRTHS, DEATHS AND NATURAL INCREASE WITH RATES BY COUNTIES AND CITIES WITH
25,000 OR MORE POPULATION: MISSOURI 2006

COUNTIES	POPULATION	NUMBER			RECORDED		RATE		
		LIVE BIRTHS	DEATHS	NATURAL INCREASE	LIVE BIRTHS	DEATHS	LIVE BIRTHS	DEATHS	NATURAL INCREASE
FRANKLIN	100,067	1,343	927	416	1,030	801	13.4	9.3	4.2
GASCONADE	15,634	185	196	-11	1	140	11.8	12.5	-0.7
GENTRY	6,389	98	82	16	15	71	15.3	12.8	2.5
GREENE	254,779	3,414	2,401	1,013	6,465	3,565	13.4	9.4	4.0
GRUNDY	10,239	123	131	-8	206	118	12.0	12.8	-0.8
HARRISON	8,898	153	110	43	2	77	17.2	12.4	4.8
HENRY	22,719	289	293	-4	356	286	12.7	12.9	-0.2
HICKORY	9,243	93	152	-59	1	98	10.1	16.4	-6.4
HOLT	4,997	53	69	-16	0	52	10.6	13.8	-3.2
HOWARD	9,949	119	102	17	1	51	12.0	10.3	1.7
HOWELL	38,734	556	488	68	682	528	14.4	12.6	1.8
IRON	10,279	127	136	-9	0	71	12.4	13.2	-0.9
JACKSON	664,078	10,686	6,144	4,542	12,091	6,827	16.1	9.3	6.8
JASPER	112,505	1,796	1,071	725	888	1,181	16.0	9.5	6.4
JEFFERSON	216,469	3,025	1,639	1,386	841	1,123	14.0	7.6	6.4
JOHNSON	50,646	792	343	449	834	335	15.6	6.8	8.9
KNOX	4,093	45	62	-17	6	36	11.0	15.1	-4.2
LACLEDE	35,091	527	350	177	487	318	15.0	10.0	5.0
LAFAYETTE	33,186	423	388	35	3	286	12.7	11.7	1.1
LAWRENCE	37,400	521	415	106	265	345	13.9	11.1	2.8
LEWIS	10,152	117	117	0	8	84	11.5	11.5	0.0
LINCOLN	50,123	740	360	380	3	287	14.8	7.2	7.6
LINN	12,865	175	172	3	4	127	13.6	13.4	0.2
LIVINGSTON	14,291	168	211	-43	201	170	11.8	14.8	-3.0
MC DONALD	22,949	401	226	175	1	121	17.5	9.8	7.6
MACON	15,651	191	219	-28	9	189	12.2	14.0	-1.8
MADISON	12,109	149	168	-19	1	134	12.3	13.9	-1.6
MARIES	9,099	94	88	6	2	47	10.3	9.7	0.7
MARION	28,425	406	349	57	659	380	14.3	12.3	2.0
MERCER	3,584	48	31	17	1	17	13.4	8.6	4.7
MILLER	24,989	351	245	106	2	142	14.0	9.8	4.2
MISSISSIPPI	13,770	197	169	28	0	98	14.3	12.3	2.0
MONITEAU	15,092	220	149	71	5	91	14.6	9.9	4.7
MONROE	9,396	95	124	-29	5	63	10.1	13.2	-3.1
MONTGOMERY	12,170	170	168	2	3	119	14.0	13.8	0.2

TABLE 17(CONT) RESIDENT AND RECORDED LIVE BIRTHS, DEATHS AND NATURAL INCREASE WITH RATES BY COUNTIES AND CITIES WITH
25,000 OR MORE POPULATION: MISSOURI 2006

COUNTIES	POPULATION	NUMBER			RECORDED		RATE		
		LIVE BIRTHS	DEATHS	NATURAL INCREASE	LIVE BIRTHS	DEATHS	LIVE BIRTHS	DEATHS	NATURAL INCREASE
MORGAN	20,716	308	264	44	53	190	14.9	12.7	2.1
NEW MADRID	18,314	257	226	31	0	128	14.0	12.3	1.7
NEWTON	56,047	775	549	226	2,662	829	13.8	9.8	4.0
NODAWAY	21,660	253	212	41	319	197	11.7	9.8	1.9
OREGON	10,407	120	121	-1	2	67	11.5	11.6	-0.1
OSAGE	13,498	198	108	90	0	60	14.7	8.0	6.7
OZARK	9,393	100	111	-11	0	70	10.6	11.8	-1.2
PEMISCOT	19,163	326	257	69	133	189	17.0	13.4	3.6
PERRY	18,639	291	144	147	151	113	15.6	7.7	7.9
PETTIS	40,520	651	400	251	601	378	16.1	9.9	6.2
PHELPS	42,289	566	389	177	972	409	13.4	9.2	4.2
PIKE	18,566	233	195	38	3	157	12.5	10.5	2.0
PLATTE	83,061	1,068	536	532	973	505	12.9	6.5	6.4
POLK	29,596	434	316	118	540	300	14.7	10.7	4.0
PULASKI	44,022	725	256	469	418	164	16.5	5.8	10.7
PUTNAM	5,153	59	70	-11	14	50	11.4	13.6	-2.1
RALLS	9,925	107	70	37	0	38	10.8	7.1	3.7
RANDOLPH	25,438	328	239	89	288	227	12.9	9.4	3.5
RAY	23,999	308	203	105	5	144	12.8	8.5	4.4
REYNOLDS	6,547	80	76	4	0	57	12.2	11.6	0.6
RIPLEY	13,937	171	206	-35	0	122	12.3	14.8	-2.5
ST. CHARLES	338,719	4,610	1,976	2,634	2,753	1,850	13.6	5.8	7.8
ST. CLAIR	9,589	85	147	-62	2	112	8.9	15.3	-6.5
ST. FRANCOIS	62,181	839	686	153	976	655	13.5	11.0	2.5
STE. GENEVIEVE	18,248	202	167	35	110	128	11.1	9.2	1.9
ST. LOUIS CITY	347,181	5,374	3,551	1,823	4,151	4,739	15.5	10.2	5.3
ST. LOUIS COUNTY	1,000,510	12,429	9,351	3,078	22,358	10,939	12.4	9.3	3.1
SALINE	22,896	308	275	33	375	218	13.5	12.0	1.4
SCHUYLER	4,271	45	52	-7	4	28	10.5	12.2	-1.6
SCOTLAND	4,922	62	61	1	97	64	12.6	12.4	0.2
SCOTT	41,068	606	387	219	601	400	14.8	9.4	5.3
SHANNON	8,503	101	90	11	3	51	11.9	10.6	1.3
SHELBY	6,645	90	83	7	0	56	13.5	12.5	1.1
STODDARD	29,754	367	357	10	2	285	12.3	12.0	0.3
STONE	31,382	327	322	5	2	198	10.4	10.3	0.2

TABLE 17(CONT) RESIDENT AND RECORDED LIVE BIRTHS, DEATHS AND NATURAL INCREASE WITH RATES BY COUNTIES AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2006

COUNTIES	POPULATION	NUMBER			RECORDED		RATE		
		LIVE BIRTHS	DEATHS	NATURAL INCREASE	LIVE BIRTHS	DEATHS	LIVE BIRTHS	DEATHS	NATURAL INCREASE
SULLIVAN	6,785	113	80	33	0	57	16.7	11.8	4.9
TANEY	43,770	639	425	214	662	420	14.6	9.7	4.9
TEXAS	23,566	294	287	7	290	236	12.5	12.2	0.3
VERNON	20,455	300	270	30	366	229	14.7	13.2	1.5
WARREN	29,685	458	234	224	3	127	15.4	7.9	7.5
WASHINGTON	24,182	373	246	127	2	180	15.4	10.2	5.3
WAYNE	12,997	125	174	-49	0	90	9.6	13.4	-3.8
WEBSTER	35,507	563	307	256	106	190	15.9	8.6	7.2
WORTH	2,186	15	36	-21	0	16	6.9	16.5	-9.6
WRIGHT	18,397	278	220	58	11	124	15.1	12.0	3.2
CITIES OVER 25,000 POPULATION									
BALLWIN	30,264	316	167	149	2	161	10.4	5.5	4.9
BLUE SPRINGS	53,885	714	319	395	1,228	391	13.3	5.9	7.3
CAPE GIRARDEAU	36,621	496	447	49	1,858	993	13.5	12.2	1.3
CHESTERFIELD	46,635	373	463	-90	2,185	1,045	8.0	9.9	-1.9
COLUMBIA	94,428	1,439	623	816	3,732	1,573	15.2	6.6	8.6
FLORISSANT	51,387	638	504	134	5	656	12.4	9.8	2.6
GLADSTONE	27,542	334	279	55	1	184	12.1	10.1	2.0
HAZELWOOD	25,523	344	187	157	0	60	13.5	7.3	6.2
INDEPENDENCE	109,400	1,714	1,247	467	1,499	1,211	15.7	11.4	4.3
JEFFERSON CITY	39,274	645	386	259	1,716	770	16.4	9.8	6.6
KIRKWOOD	26,936	333	229	104	1,031	302	12.4	8.5	3.9
LEES SUMMIT	81,913	1,213	670	543	758	723	14.8	8.2	6.6
LIBERTY	29,581	373	191	182	1,196	431	12.6	6.5	6.2
MARYLAND HEIGHTS	26,339	318	188	130	0	221	12.1	7.1	4.9
OFALLON	72,477	1,102	308	794	4	231	15.2	4.2	11.0
RAYTOWN	28,577	398	419	-21	0	215	13.9	14.7	-0.7
ST. CHARLES	63,009	793	546	247	717	905	12.6	8.7	3.9
ST. JOSEPH	72,651	1,168	854	314	1,819	1,110	16.1	11.8	4.3
ST. LOUIS CITY	347,181	5,374	3,551	1,823	4,151	4,739	15.5	10.2	5.3
ST. PETERS	54,839	591	316	275	829	351	10.8	5.8	5.0
SPRINGFIELD	150,797	2,200	1,709	491	6,451	3,325	14.6	11.3	3.3
UNIVERSITY CITY	36,847	502	357	145	0	128	13.6	9.7	3.9
WILDWOOD	34,549	306	104	202	0	20	8.9	3.0	5.8

TABLE 17(CONT) RESIDENT AND RECORDED LIVE BIRTHS, DEATHS AND NATURAL INCREASE WITH RATES BY COUNTIES AND CITIES WITH
25,000 OR MORE POPULATION: MISSOURI 2006

COUNTIES	POPULATION	NUMBER			RECORDED		RATE		
		LIVE	RESIDENT	NATURAL	LIVE		RESIDENT	NATURAL	
MULTI-COUNTY CITIES		BIRTHS	DEATHS	INCREASE	BIRTHS	DEATHS	BIRTHS	DEATHS	INCREASE
JOPLIN	47,994	830	606	224	3,542	1,404	17.3	12.6	4.7
JASPER CO. PART	42,419	732	509	223	883	841	17.3	12.0	5.3
NEWTON CO. PART	5,575	98	97	1	2,659	563	17.6	17.4	0.2
KANSAS CITY	447,306	7,866	3,809	4,057	9,572	4,716	17.6	8.5	9.1
JACKSON CO. PART	314,523	5,463	2,945	2,518	8,597	4,039	17.4	9.4	8.0
CLAY CO. PART	94,045	1,866	604	1,262	4	347	19.8	6.4	13.4
PLATTE CO. PART	38,602	534	260	274	971	330	13.8	6.7	7.1
CASS CO. PART	136	3	0	3	0	0	22.1	0.0	22.1

TABLE 18 RESIDENT AND RECORDED LIVE BIRTHS AND DEATHS BY CITIES WITH 2,500-24,999 POPULATION: MISSOURI 2006

	RESIDENT		RECORDED			RESIDENT		RECORDED	
	LIVE BIRTHS	DEATHS	LIVE BIRTHS	DEATHS		LIVE BIRTHS	DEATHS	LIVE BIRTHS	DEATHS
CITIES WITH 10,000 TO 24,999 POPULATION					CITIES WITH 10,000 TO 24,999 POPULATION				
ARNOLD	250	200	0	150	MANCHESTER	206	91	0	25
BELLEFONTAINE NGHS.	153	127	0	56	MARSHALL	201	141	375	160
BELTON	416	163	3	160	MARYVILLE	125	98	317	170
BERKELEY	191	92	1	26	MEXICO	199	171	314	249
BRIDGETON	137	176	1,937	791	MOBERLY	201	150	287	202
CARTHAGE	314	145	3	191	NEOSHO	252	140	2	180
CLAYTON	98	67	0	68	NIXA	273	121	2	87
CRESTWOOD	99	132	0	14	OVERLAND	258	177	1	80
CREVE COEUR	136	156	8,089	949	POPLAR BLUFF	339	317	1,546	620
EXCELSIOR SPRINGS	183	109	0	116	RAYMORE	269	161	0	135
CLAY CO. PART	182	106	0	110	ROLLA	260	154	972	321
RAY CO. PART	1	3	0	6	ST. ANN	214	119	0	40
FARMINGTON	216	227	972	409	SEDALIA	406	246	594	347
FERGUSON	364	194	2	78	SIKESTON	299	213	601	334
FULTON	144	133	133	141	NEW MADRID CO. PART	19	5	0	5
GRANDVIEW	427	204	0	126	SCOTT CO. PART	280	208	601	329
HANNIBAL	297	243	658	307	TOWN AND COUNTRY	33	181	4,233	584
MARION CO. PART	292	241	658	303	WARRENSBURG	257	149	826	269
RALLS CO. PART	5	2	0	4	WASHINGTON	202	179	1,022	395
JACKSON	205	110	0	100	WEBSTER GROVES	291	231	1	125
JENNINGS	246	133	3	38	WEST PLAINS	207	184	679	384
KENNETT	173	145	542	183					
KIRKSVILLE	219	156	508	239					
LAKE ST. LOUIS	181	60	1,199	183					
LEBANON	293	183	487	293					

TABLE 18(CONT) RESIDENT AND RECORDED LIVE BIRTHS AND DEATHS BY CITIES WITH 2,500-24,999 POPULATION: MISSOURI 2006

	RESIDENT		RECORDED			RESIDENT		RECORDED	
	LIVE		LIVE			LIVE		LIVE	
	BIRTHS	DEATHS	BIRTHS	DEATHS		BIRTHS	DEATHS	BIRTHS	DEATHS
CITIES WITH 2,500 TO 9,999 POPULATION					CITIES WITH 2,500 TO 9,999 POPULATION				
AURORA	115	100	252	99	DES PERES	74	73	0	275
BEL RIDGE	54	20	0	3	DEXTER	119	120	1	186
BETHANY	60	63	1	61	EAST PRAIRIE	66	56	0	41
BLACK JACK	69	110	0	8	MISSISSIPPI CO. PART	66	56	0	41
BOLIVAR	174	115	538	212	NEW MADRID CO. PART	0	0	0	0
BONNE TERRE	91	64	0	105	ELDON	84	64	0	60
BOONVILLE	111	93	1	56	ELDORADO SPRINGS	65	64	91	93
BOWLING GREEN	50	68	0	69	CEDAR CO. PART	65	63	91	93
BRANSON	193	104	658	250	VERNON CO. PART	0	1	0	0
BRECKENRIDGE HILLS	66	42	0	4	ELLISVILLE	94	103	0	88
BRENTWOOD	98	45	0	17	EUREKA	141	86	1	83
BROOKFIELD	70	84	2	106	FAYETTE	28	32	0	21
BUCKNER	57	21	0	9	FENTON	49	36	0	177
BUFFALO	60	65	0	75	JEFFERSON CO. PART	0	4	0	73
BUTLER	64	75	29	109	ST. LOUIS CO. PART	49	32	0	104
CALIFORNIA	69	66	0	55	FESTUS	232	141	2	126
CAMDENTON	82	60	1	82	FREDERICKTOWN	62	98	0	133
CAMERON	113	147	151	223	FRONTENAC	21	29	0	11
CALDWELL CO. PART	2	0	0	0	GLENDALE	102	31	0	11
CLINTON CO. PART	86	108	151	197	GRAIN VALLEY	209	46	1	22
DE KALB CO. PART	25	39	0	26	GREENWOOD	102	19	0	7
CARL JUNCTION	84	33	0	20	HARRISONVILLE	141	127	1	175
CARROLLTON	54	68	0	72	HAYTI	73	61	133	107
CARUTHERSVILLE	133	80	0	30	HERCULANEUM	28	45	0	42
CASSVILLE	64	53	1	89	HERMANN	36	48	0	58
CENTRALIA	55	46	0	30	HIGGINSVILLE	58	77	0	43
AUDRAIN CO. PART	1	0	0	0	HOLDEN	46	30	1	30
BOONE CO. PART	54	46	0	30	HOLLISTER	91	44	0	63
CHAFFEE	54	36	0	29	HOLT SUMMIT	64	25	0	12
CHARLESTON	80	62	0	41	KEARNEY	96	45	0	19
CHILLICOTHE	117	164	199	160	LADUE	62	70	0	32
CLINTON	128	164	355	230	LAMAR	78	58	2	78
CRYSTAL CITY	58	60	831	315	LEXINGTON	69	81	1	119
CUBA	75	48	0	50	LOUISIANA	52	64	0	72
DARDENNE PRAIRIE TOWN	129	53	0	8	MACON	70	96	1	135
DELLWOOD	75	38	0	13	MALDEN	67	82	1	56
DESLOGE	58	72	0	55	MAPLEWOOD	154	46	0	11
DESOTO	101	84	2	121	MARCELINE	32	23	0	8

TABLE 18(CONT) RESIDENT AND RECORDED LIVE BIRTHS AND DEATHS BY CITIES WITH 2,500-24,999 POPULATION: MISSOURI 2006

	RESIDENT		RECORDED			RESIDENT		RECORDED	
	LIVE BIRTHS	DEATHS	LIVE BIRTHS	DEATHS		LIVE BIRTHS	DEATHS	LIVE BIRTHS	DEATHS
CITIES WITH 2,500 TO 9,999 POPULATION					CITIES WITH 2,500 TO 9,999 POPULATION				
MARSHFIELD	112	104	0	107	REPUBLIC	186	90	1	87
MOLINE ACRES	34	19	0	5	RICHMOND	86	84	2	95
MONETT	162	98	418	139	RICHMOND HEIGHTS	94	88	3,138	537
BARRY CO. PART	132	82	418	129	RIVERSIDE	74	49	0	70
LAWRENCE CO. PART	30	16	0	10	RIVERVIEW	61	27	0	2
MONROE CITY	44	34	1	21	ROCK HILL	72	44	0	10
MARION CO. PART	6	11	0	16	ST. CLAIR	122	57	0	64
MONROE CO. PART	38	23	1	5	ST. JOHN	101	81	0	16
MOUNTAIN GROVE	87	68	3	48	ST. ROBERT	118	14	0	8
MOUNT VERNON	65	99	1	151	STE. GENEVIEVE	72	74	109	105
NEVADA	136	168	357	202	SALEM	86	84	2	78
NEW MADRID	51	47	0	31	SAVANNAH	77	87	0	78
NORMANDY	83	48	0	16	SCOTT CITY	78	41	0	24
NORTH KANSAS CITY	49	39	2,035	619	CAPE GIRARDEAU CO. PART	0	1	0	1
NORTHWOODS	49	65	0	8	SCOTT CO. PART	78	40	0	23
OAK GROVE	94	67	1	51	SHREWSBURY	65	109	0	5
ODESSA	97	56	0	50	SMITHVILLE	93	63	0	43
OLIVETTE	74	62	0	24	SUGAR CREEK	44	38	0	14
OSAGE BEACH	57	40	830	250	SULLIVAN	144	117	260	151
OWENSVILLE	49	65	0	70	CRAWFORD CO. PART	35	20	259	79
OZARK	287	143	2	171	FRANKLIN CO. PART	109	97	1	72
PACIFIC	99	59	1	53	SUNSET HILLS	56	164	0	10
FRANKLIN CO. PART	98	59	1	52	TIPTON	36	40	0	30
ST. LOUIS CO. PART	1	0	0	1	TRENTON	79	103	202	111
PAGEDALE	56	45	0	6	TROY	189	84	1	158
PALMYRA	53	51	0	54	UNION	184	106	1	66
PARK HILLS	155	92	1	49	VALLEY PARK	118	79	0	76
PARKVILLE	57	20	0	28	VANDALIA	91	52	2	33
PECULIAR	77	19	0	12	VERSAILLES	53	53	23	70
PERRYVILLE	136	89	150	101	WARRENTON	132	53	1	54
PEVELY	85	35	0	14	WAYNESVILLE	88	39	0	41
PINE LAWN	73	30	0	4	WEBB CITY	202	103	1	68
PLATTE CITY	89	41	1	42	WELDON SPRING	31	44	0	4
PLEASANT HILL	123	59	0	47	WENTZVILLE	431	122	1	109
PLEASANT VALLEY	37	25	0	18	WILLARD	87	34	1	25
PORTAGEVILLE	46	43	0	35	WINDSOR	44	48	0	38
POTOSI	88	74	0	75	WOODSON TERRACE	56	40	0	20

TABLE 19

TWELVE LEADING CAUSES OF DEATH (**) BY RACE AND HISPANIC ORIGIN WITH PERCENTAGES
AND WITH RATES PER 100,000 FOR ALL RACES, RESIDENT DATA: MISSOURI 2006

RANK (ALL RACES)	NUMBER	CRUDE RATE	AGE-ADJ RATE*	PERCENT OF TOTAL
1. DISEASES OF HEART	14,647	250.7	222.8	26.9
2. MALIGNANT NEOPLASMS	12,484	213.7	195.7	22.9
3. CEREBROVASCULAR DISEASE	3,243	55.5	49.4	6.0
4. CHRONIC LOWER RESPIRATORY DISEASES	3,008	51.5	47.2	5.5
5. UNINTENTIONAL INJURIES	2,975	50.9	49.2	5.5
6. ALZHEIMER'S DISEASE	1,632	27.9	24.1	3.0
7. DIABETES MELLITUS	1,491	25.5	23.3	2.7
8. INFLUENZA & PNEUMONIA	1,321	22.6	19.8	2.4
9. NEPHRITIS & NEPHROSIS	1,106	18.9	16.9	2.0
10. SUICIDE	798	13.7	13.5	1.5
11. SEPTICEMIA	751	12.9	11.7	1.4
12. CHRONIC LIVER DISEASE & CIRRHOSIS	459	7.9	7.3	0.8
ALL OTHER CAUSES	10,560	180.7	163.9	19.4
TOTAL (ALL CAUSES)	54,475	932.4	844.7	100.0

RANK (WHITE)	NUMBER	PERCENT OF TOTAL	RANK (BLACK)	NUMBER	PERCENT OF TOTAL
1. DISEASES OF HEART	13,160	27.2	1. DISEASES OF HEART	1,408	24.6
2. MALIGNANT NEOPLASMS	11,130	23.0	2. MALIGNANT NEOPLASMS	1,266	22.1
3. CEREBROVASCULAR DISEASE	2,887	6.0	3. UNINTENTIONAL INJURIES	343	6.0
4. CHRONIC LOWER RESPIRATORY DISEASES	2,829	5.8	4. CEREBROVASCULAR DISEASE	332	5.8
5. UNINTENTIONAL INJURIES	2,600	5.4	5. DIABETES MELLITUS	263	4.6
6. ALZHEIMER'S DISEASE	1,551	3.2	6. HOMICIDE	262	4.6
7. INFLUENZA & PNEUMONIA	1,227	2.5	7. CHRONIC LOWER RESPIRATORY DISEASES	166	2.9
8. DIABETES MELLITUS	1,216	2.5	8. NEPHRITIS & NEPHROSIS	157	2.7
9. NEPHRITIS & NEPHROSIS	939	1.9	9. CONDITIONS ORIG. IN PERINATAL PERIOD	110	1.9
10. SUICIDE	747	1.5	10. SEPTICEMIA	107	1.9
11. SEPTICEMIA	639	1.3	11. INFLUENZA & PNEUMONIA	89	1.6
12. CHRONIC LIVER DISEASE & CIRRHOSIS	425	0.9	12. ESSENTIAL HYPERTENSION	85	1.5
ALL OTHER CAUSES	9,031	18.7	ALL OTHER CAUSES	1,141	19.9
TOTAL (ALL CAUSES)	48,381	100.0	TOTAL (ALL CAUSES)	5,729	100.0

* 2000 UNITED STATES POPULATION USED AS THE STANDARD POPULATION BEGINNING IN 1999 INSTEAD OF U.S. 1940. SEE APPENDIX.

** ICD-10 STARTED IN 1999, MAKING COMPARISONS WITH PAST YEARS VERY DIFFICULT. SEE APPENDIX.

TABLE 19 (CONT)

TWELVE LEADING CAUSES OF DEATH (**) BY RACE AND HISPANIC ORIGIN WITH PERCENTAGES
AND WITH RATES PER 100,000 FOR ALL RACES, RESIDENT DATA: MISSOURI 2006

RANK (OTHER RACES)	NUMBER	PERCENT OF TOTAL	RANK (HISPANIC, ANY RACE)	NUMBER	PERCENT OF TOTAL
1. MALIGNANT NEOPLASMS	86	25.0	1. DISEASES OF HEART	71	18.8
2. DISEASES OF HEART	72	20.9	2. MALIGNANT NEOPLASMS	70	18.5
3. UNINTENTIONAL INJURIES	32	9.3	3. UNINTENTIONAL INJURIES	48	12.7
4. CEREBROVASCULAR DISEASE	23	6.7	4. CEREBROVASCULAR DISEASE	20	5.3
5. CHRONIC LOWER RESPIRATORY DISEASES	12	3.5	5. CONDITIONS ORIG. IN PERINATAL PERIOD	14	3.7
6. DIABETES MELLITUS	11	3.2	6. DIABETES MELLITUS	13	3.4
7. NEPHRITIS & NEPHROSIS	10	2.9	7. HOMICIDE	12	3.2
8. CONDITIONS ORIG. IN PERINATAL PERIOD	9	2.6	8. CHRONIC LOWER RESPIRATORY DISEASES	10	2.6
9. SUICIDE	8	2.3	9. INFLUENZA & PNEUMONIA	8	2.1
10. ALZHEIMER'S DISEASE	6	1.7	9. SUICIDE	8	2.1
11. SEPTICEMIA	4	1.2	11. NEPHRITIS & NEPHROSIS	7	1.9
11. ESSENTIAL HYPERTENSION	4	1.2	12. SEPTICEMIA	6	1.6
ALL OTHER CAUSES	67	19.5	ALL OTHER CAUSES	91	24.1
TOTAL (ALL CAUSES)	344	100.0	TOTAL (ALL CAUSES)	378	100.0

* 2000 UNITED STATES POPULATION USED AS THE STANDARD POPULATION BEGINNING IN 1999 INSTEAD OF U.S. 1940. SEE APPENDIX.

** ICD-10 STARTED IN 1999, MAKING COMPARISONS WITH PAST YEARS VERY DIFFICULT. SEE APPENDIX.

TABLE 20

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS
WITH PERCENTAGES, RESIDENT DATA: MISSOURI 2006

CAUSES BY AGE GROUPS	NUMBER	PERCENT OF TOTAL	CAUSES BY AGE GROUPS	NUMBER	PERCENT OF TOTAL
UNDER 1 YEAR			45-54 YEARS		
1. CONDITIONS ORIG. IN PERINATAL PERIOD	288	48.1	1. MALIGNANT NEOPLASMS	1,089	27.0
2. CONGENITAL ANOMALIES	133	22.2	2. DISEASES OF HEART	960	23.8
3. UNINTENTIONAL INJURIES	37	6.2	3. UNINTENTIONAL INJURIES	440	10.9
4. HOMICIDE	9	1.5	4. SUICIDE	186	4.6
5. INFLUENZA & PNEUMONIA	7	1.2	5. CEREBROVASCULAR DISEASE	142	3.5
TOTAL (ALL CAUSES)	599	100.0	TOTAL (ALL CAUSES)	4,031	100.0
1-4 YEARS			55-64 YEARS		
1. UNINTENTIONAL INJURIES	35	40.2	1. MALIGNANT NEOPLASMS	2,289	37.3
2. HOMICIDE	12	13.8	2. DISEASES OF HEART	1,522	24.8
3. CONGENITAL ANOMALIES	11	12.6	3. CHRONIC LOWER RESPIRATORY DISEASES	317	5.2
4. MALIGNANT NEOPLASMS	4	4.6	4. UNINTENTIONAL INJURIES	252	4.1
5. SEPTICEMIA	3	3.4	5. CEREBROVASCULAR DISEASE	223	3.6
TOTAL (ALL CAUSES)	87	100.0	TOTAL (ALL CAUSES)	6,143	100.0
5-14 YEARS			65-74 YEARS		
1. UNINTENTIONAL INJURIES	51	35.7	1. MALIGNANT NEOPLASMS	3,207	35.6
2. MALIGNANT NEOPLASMS	26	18.2	2. DISEASES OF HEART	2,170	24.1
3. HOMICIDE	9	6.3	3. CHRONIC LOWER RESPIRATORY DISEASES	700	7.8
4. SUICIDE	7	4.9	4. CEREBROVASCULAR DISEASE	449	5.0
5. DISEASES OF HEART	6	4.2	5. DIABETES MELLITUS	307	3.4
TOTAL (ALL CAUSES)	143	100.0	TOTAL (ALL CAUSES)	9,005	100.0
15-24 YEARS			75-84 YEARS		
1. UNINTENTIONAL INJURIES	446	52.7	1. DISEASES OF HEART	4,063	27.1
2. HOMICIDE	136	16.1	2. MALIGNANT NEOPLASMS	3,602	24.0
3. SUICIDE	105	12.4	3. CHRONIC LOWER RESPIRATORY DISEASES	1,174	7.8
4. DISEASES OF HEART	28	3.3	4. CEREBROVASCULAR DISEASE	1,055	7.0
5. MALIGNANT NEOPLASMS	25	3.0	5. ALZHEIMER'S DISEASE	500	3.3
TOTAL (ALL CAUSES)	847	100.0	TOTAL (ALL CAUSES)	15,009	100.0
25-34 YEARS			85-YEARS & OVER		
1. UNINTENTIONAL INJURIES	370	38.9	1. DISEASES OF HEART	5,549	34.9
2. SUICIDE	121	12.7	2. MALIGNANT NEOPLASMS	1,874	11.8
3. HOMICIDE	92	9.7	3. CEREBROVASCULAR DISEASE	1,310	8.2
4. MALIGNANT NEOPLASMS	78	8.2	4. ALZHEIMER'S DISEASE	1,004	6.3
5. DISEASES OF HEART	68	7.1	5. CHRONIC LOWER RESPIRATORY DISEASES	662	4.2
TOTAL (ALL CAUSES)	952	100.0	TOTAL (ALL CAUSES)	15,893	100.0
35-44 YEARS					
1. UNINTENTIONAL INJURIES	411	23.4			
2. MALIGNANT NEOPLASMS	290	16.5			
3. DISEASES OF HEART	277	15.7			
4. SUICIDE	160	9.1			
5. HOMICIDE	68	3.9			
TOTAL (ALL CAUSES)	1,760	100.0			

TABLE 21

RESIDENT DEATHS, AGE GROUPS BY RACE BY SEX
WITH AGE-SPECIFIC RATES PER 1,000 BY SEX: MISSOURI 2006

AGE AT DEATH	TOTAL	NUMBER MALE	A L L R A C E S			W H I T E			B L A C K			
			AGE-SPECIFIC RATE	AGE-SPECIFIC RATE	AGE-SPECIFIC RATE	AGE-SPECIFIC RATE	AGE-SPECIFIC RATE	AGE-SPECIFIC RATE	AGE-SPECIFIC RATE	AGE-SPECIFIC RATE	AGE-SPECIFIC RATE	
ALL AGES	54,475	26,465	28,010	9.3	9.3	9.4	48,381	23,375	25,006	5,729	2,914	2,815
UNDER 1 YEAR	599	333	266	7.4	8.0	6.7	398	225	173	184	99	85
1-4 YEARS	87	47	40	0.3	0.3	0.3	58	32	26	29	15	14
5-9 YEARS	64	43	21	0.2	0.2	0.1	42	25	17	19	15	4
10-14 YEARS	79	45	34	0.2	0.2	0.2	51	26	25	24	18	6
15-19 YEARS	357	251	106	0.9	1.2	0.5	267	184	83	87	64	23
20-24 YEARS	490	368	122	1.2	1.8	0.6	365	278	87	120	86	34
25-29 YEARS	427	319	108	1.0	1.6	0.5	322	235	87	96	77	19
30-34 YEARS	525	340	185	1.5	1.9	1.0	388	252	136	126	79	47
35-39 YEARS	650	407	243	1.7	2.1	1.3	500	313	187	142	91	51
40-44 YEARS	1,110	706	404	2.6	3.3	1.9	905	580	325	194	119	75
45-49 YEARS	1,715	1,067	648	3.8	4.8	2.8	1,413	897	516	287	162	125
50-54 YEARS	2,316	1,482	834	5.7	7.5	4.0	1,886	1,218	668	405	252	153
55-59 YEARS	2,940	1,776	1,164	8.1	10.2	6.2	2,468	1,499	969	442	261	181
60-64 YEARS	3,203	1,827	1,376	11.7	14.0	9.6	2,800	1,619	1,181	375	191	184
65-69 YEARS	4,023	2,316	1,707	18.6	23.0	14.8	3,516	2,033	1,483	482	269	213
70-74 YEARS	4,982	2,693	2,289	27.8	33.4	23.2	4,394	2,386	2,008	552	291	261
75-79 YEARS	6,680	3,404	3,276	43.9	53.2	37.2	6,042	3,111	2,931	590	273	317
80-84 YEARS	8,329	3,802	4,527	70.7	84.4	62.3	7,667	3,540	4,127	632	255	377
85 AND OVER	15,893	5,234	10,659	139.7	154.3	133.5	14,895	4,919	9,976	942	296	646
UNKNOWN AGE	6	5	1				4	3	1	1	1	0

TABLE 22A

RESIDENT DEATHS, AGE GROUPS BY SELECTED CAUSES OF DEATH: MISSOURI 2006

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
ALL CAUSES	54,475	599	87	64	79	357	490	427	525	650	1,110
CAUSES OF DEATH											
TUBERCULOSIS	6	0	0	0	0	0	0	0	0	0	0
SEPTICEMIA	751	4	3	0	3	1	4	3	1	6	12
SYPHILIS	0	0	0	0	0	0	0	0	0	0	0
AIDS	120	0	0	0	0	0	1	5	7	24	27
MALIGNANT NEOPLASMS	12,484	0	4	17	9	12	13	24	54	84	206
STOMACH	203	0	0	0	0	0	0	1	1	3	5
COLON, RECTUM & ANUS	1,155	0	0	0	0	0	0	1	7	10	14
PANCREAS	719	0	0	0	0	0	0	0	0	4	5
TRACHEA, BRONCHUS & LUNG	3,921	0	0	0	0	0	0	1	3	8	53
BREAST	918	0	0	0	0	0	0	2	5	15	28
CERVIX UTERI, CORPUS UTERI & OVARY	558	0	0	0	0	0	0	2	6	10	23
PROSTATE	577	0	0	0	0	0	1	0	0	0	0
URINARY TRACT	586	0	0	1	0	0	1	0	1	1	4
NON-HODGKIN'S LYMPHOMA	411	0	0	0	1	1	0	0	2	1	5
LEUKEMIA	540	0	2	5	3	5	3	6	6	6	5
OTHER MALIGNANT NEOPLASMS	2,896	0	2	11	5	6	8	11	23	26	64
DIABETES MELLITUS	1,491	0	0	1	1	0	3	11	12	16	33
ALZHEIMER'S DISEASE	1,632	0	0	0	0	0	0	0	0	0	0
MAJOR CARDIOVASCULAR DISEASES	19,069	8	2	2	6	9	21	18	61	103	236
DISEASES OF HEART	14,647	3	1	1	5	9	19	17	51	85	192
HYPERTENSIVE HEART DISEASE	505	0	0	0	0	0	2	1	3	9	20
ISCHEMIC HEART DISEASES	10,138	0	0	0	0	2	4	9	26	41	114
OTHER HEART DISEASES	4,004	3	1	1	5	7	13	7	22	35	58
ESSENTIAL HYPERTENSION	432	0	0	0	0	0	0	0	2	2	7
CEREBROVASCULAR DISEASES	3,243	4	1	1	1	0	2	1	5	16	33
ATHEROSCLEROSIS	256	0	0	0	0	0	0	0	0	0	0
OTHER MAJOR CARDIOVASCULAR DIS.	491	1	0	0	0	0	0	0	3	0	4
INFLUENZA AND PNEUMONIA	1,321	7	1	1	2	2	3	6	7	3	13
CHRONIC LOWER RESPIRATORY DISEASES	3,008	1	0	0	1	0	2	4	3	6	24
PEPTIC ULCER	60	1	0	0	0	0	0	0	0	0	1
CHRONIC LIVER DISEASE & CIRRHOSIS	459	0	0	0	0	0	0	2	4	20	31
NEPHRITIS & NEPHROSIS	1,106	1	1	1	0	0	3	4	2	1	9
PREGNANCY, CHILDBIRTH & PUERPERIUM	13	0	0	0	0	2	4	4	2	1	0
CONDITIONS ORIG. IN PERINATAL PERIOD	288	288	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	229	133	11	1	4	4	4	1	6	3	5
SUDDEN INFANT DEATH SYNDROME	51	50	1	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	282	14	1	0	1	4	8	9	6	16	13
ALL OTHER DISEASES	7,814	35	15	10	13	23	26	39	54	72	134
UNINTENTIONAL INJURIES	2,975	37	35	26	25	202	244	174	196	180	231
MOTOR VEHICLE CRASHES	1,104	1	11	14	16	153	144	91	89	74	87
OTHER UNINTENTIONAL INJURIES	1,871	36	24	12	9	49	100	83	107	106	144
SUICIDE	798	0	0	0	7	35	70	61	60	71	89
HOMICIDE	412	9	12	5	4	60	76	54	38	38	30
ALL OTHER EXTERNAL CAUSES	106	11	1	0	3	3	8	8	12	6	16

TABLE 22A (CONT)

RESIDENT DEATHS, AGE GROUPS BY SELECTED CAUSES OF DEATH: MISSOURI 2006

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85+ YRS.	UNK AGE
ALL CAUSES	1,715	2,316	2,940	3,203	4,023	4,982	6,680	8,329	15,893	6
CAUSES OF DEATH										
TUBERCULOSIS	1	0	0	0	0	1	0	4	0	0
SEPTICEMIA	11	35	54	46	60	83	119	112	194	0
SYPHILIS	0	0	0	0	0	0	0	0	0	0
AIDS	18	17	6	6	3	3	1	2	0	0
MALIGNANT NEOPLASMS	421	668	1,065	1,224	1,518	1,689	1,870	1,732	1,874	0
STOMACH	9	9	24	21	17	21	28	33	31	0
COLON, RECTUM & ANUS	41	59	72	93	126	139	147	177	269	0
PANCREAS	13	37	58	75	88	97	113	113	116	0
TRACHEA, BRONCHUS & LUNG	106	203	358	447	588	650	678	484	342	0
BREAST	60	65	95	97	96	94	118	114	129	0
CERVIX UTERI, CORPUS UTERI & OVARY	28	33	48	57	62	78	63	65	83	0
PROSTATE	3	11	14	18	49	64	97	133	187	0
URINARY TRACT	13	27	53	51	57	80	90	86	121	0
NON-HODGKIN'S LYMPHOMA	10	13	29	27	50	65	64	62	81	0
LEUKEMIA	15	21	31	29	60	60	90	97	96	0
OTHER MALIGNANT NEOPLASMS	123	190	283	309	325	341	382	368	419	0
DIABETES MELLITUS	42	77	95	115	143	164	215	242	321	0
ALZHEIMER'S DISEASE	0	2	0	18	33	75	165	335	1,004	0
MAJOR CARDIOVASCULAR DISEASES	464	691	867	966	1,227	1,590	2,271	3,192	7,335	0
DISEASES OF HEART	385	575	727	795	969	1,201	1,690	2,373	5,549	0
HYPERTENSIVE HEART DISEASE	37	45	37	26	31	33	44	52	165	0
ISCHEMIC HEART DISEASES	258	406	536	599	723	885	1,204	1,647	3,684	0
OTHER HEART DISEASES	90	124	154	170	215	283	442	674	1,700	0
ESSENTIAL HYPERTENSION	12	14	15	21	20	31	42	84	182	0
CEREBROVASCULAR DISEASES	56	86	102	121	181	268	444	611	1,310	0
ATHEROSCLEROSIS	0	5	5	7	12	14	25	39	149	0
OTHER MAJOR CARDIOVASCULAR DIS.	11	11	18	22	45	76	70	85	145	0
INFLUENZA AND PNEUMONIA	21	27	27	31	44	74	165	227	659	1
CHRONIC LOWER RESPIRATORY DISEASES	41	73	129	188	290	410	579	595	662	0
PEPTIC ULCER	1	3	4	7	3	2	14	10	14	0
CHRONIC LIVER DISEASE & CIRRHOSIS	58	61	75	48	45	35	46	18	16	0
NEPHRITIS & NEPHROSIS	22	30	45	47	61	90	154	223	412	0
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	7	9	5	10	6	6	5	2	6	1
SUDDEN INFANT DEATH SYNDROME	0	0	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	13	13	13	15	15	18	15	20	86	2
ALL OTHER DISEASES	217	306	321	350	417	603	875	1,378	2,925	1
UNINTENTIONAL INJURIES	242	198	156	96	110	111	147	206	358	1
MOTOR VEHICLE CRASHES	72	69	69	45	36	40	29	37	26	1
OTHER UNINTENTIONAL INJURIES	170	129	87	51	74	71	118	169	332	0
SUICIDE	101	85	54	24	39	19	29	28	26	0
HOMICIDE	23	15	15	7	7	8	8	3	0	0
ALL OTHER EXTERNAL CAUSES	12	6	9	5	2	1	2	0	1	0

TABLE 22B

MALE RESIDENT DEATHS, AGE GROUPS BY SELECTED CAUSES OF DEATH: MISSOURI 2006

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
ALL CAUSES	26,465	333	47	43	45	251	368	319	340	407	706
CAUSES OF DEATH											
TUBERCULOSIS	4	0	0	0	0	0	0	0	0	0	0
SEPTICEMIA	358	0	2	0	1	1	1	1	0	4	9
SYPHILIS	0	0	0	0	0	0	0	0	0	0	0
AIDS	104	0	0	0	0	0	1	5	6	17	25
MALIGNANT NEOPLASMS	6,473	0	3	11	5	8	11	16	24	29	92
STOMACH	124	0	0	0	0	0	0	1	1	1	2
COLON, RECTUM & ANUS	565	0	0	0	0	0	0	1	4	5	8
PANCREAS	353	0	0	0	0	0	0	0	0	3	3
TRACHEA, BRONCHUS & LUNG	2,226	0	0	0	0	0	0	1	1	3	31
BREAST	11	0	0	0	0	0	0	0	0	0	0
CERVIX UTERI, CORPUS UTERI & OVARY	0	0	0	0	0	0	0	0	0	0	0
PROSTATE	577	0	0	0	0	0	1	0	0	0	0
URINARY TRACT	398	0	0	1	0	0	1	0	1	1	3
NON-HODGKIN'S LYMPHOMA	212	0	0	0	0	1	0	0	0	1	2
LEUKEMIA	304	0	2	2	2	3	2	4	2	3	3
OTHER MALIGNANT NEOPLASMS	1,703	0	1	8	3	4	7	9	15	12	40
DIABETES MELLITUS	728	0	0	1	0	0	2	5	7	11	21
ALZHEIMER'S DISEASE	463	0	0	0	0	0	0	0	0	0	0
MAJOR CARDIOVASCULAR DISEASES	8,814	4	1	0	2	5	15	14	40	66	155
DISEASES OF HEART	7,100	0	1	0	2	5	13	14	34	58	133
HYPERTENSIVE HEART DISEASE	229	0	0	0	0	0	2	1	1	8	13
ISCHEMIC HEART DISEASES	5,207	0	0	0	0	2	4	7	19	29	83
OTHER HEART DISEASES	1,664	0	1	0	2	3	7	6	14	21	37
ESSENTIAL HYPERTENSION	156	0	0	0	0	0	0	0	0	0	6
CEREBROVASCULAR DISEASES	1,218	3	0	0	0	0	2	0	4	8	15
ATHEROSCLEROSIS	93	0	0	0	0	0	0	0	0	0	0
OTHER MAJOR CARDIOVASCULAR DIS.	247	1	0	0	0	0	0	0	2	0	1
INFLUENZA AND PNEUMONIA	570	4	0	0	1	1	3	2	2	2	5
CHRONIC LOWER RESPIRATORY DISEASES	1,436	0	0	0	1	0	2	2	2	5	14
PEPTIC ULCER	30	0	0	0	0	0	0	0	0	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	316	0	0	0	0	0	0	1	3	13	24
NEPHRITIS & NEPHROSIS	540	1	1	1	0	0	1	1	1	0	9
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	155	155	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	129	79	4	0	3	3	3	1	3	1	4
SUDDEN INFANT DEATH SYNDROME	26	25	1	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	148	7	1	0	1	3	4	5	4	10	9
ALL OTHER DISEASES	3,305	21	7	9	9	14	11	26	23	38	81
UNINTENTIONAL INJURIES	1,849	23	20	17	12	136	191	136	133	123	155
MOTOR VEHICLE CRASHES	739	1	7	10	8	97	111	71	61	51	59
OTHER UNINTENTIONAL INJURIES	1,110	22	13	7	4	39	80	65	72	72	96
SUICIDE	630	0	0	0	4	29	55	51	52	55	66
HOMICIDE	319	5	7	4	3	48	63	47	31	29	22
ALL OTHER EXTERNAL CAUSES	68	9	0	0	3	3	5	6	9	4	15

TABLE 22B (CONT) MALE RESIDENT DEATHS, AGE GROUPS BY SELECTED CAUSES OF DEATH: MISSOURI 2006

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85+ YRS.	UNK AGE
ALL CAUSES	1,067	1,482	1,776	1,827	2,316	2,693	3,404	3,802	5,234	5
CAUSES OF DEATH										
TUBERCULOSIS	1	0	0	0	0	1	0	2	0	0
SEPTICEMIA	6	15	31	25	29	51	58	54	70	0
SYPHILIS	0	0	0	0	0	0	0	0	0	0
AIDS	16	16	4	5	3	3	1	2	0	0
MALIGNANT NEOPLASMS	200	385	569	675	854	893	992	871	835	0
STOMACH	7	7	14	17	11	11	19	22	11	0
COLON, RECTUM & ANUS	19	34	35	61	75	79	73	74	97	0
PANCREAS	6	22	39	42	47	51	58	53	29	0
TRACHEA, BRONCHUS & LUNG	57	136	212	264	344	371	375	253	178	0
BREAST	0	0	1	3	1	2	3	1	0	0
CERVIX UTERI, CORPUS UTERI & OVARY	0	0	0	0	0	0	0	0	0	0
PROSTATE	3	11	14	18	49	64	97	133	187	0
URINARY TRACT	11	19	38	36	44	57	64	53	69	0
NON-HODGKIN'S LYMPHOMA	8	11	17	15	27	33	33	30	34	0
LEUKEMIA	9	13	21	22	36	36	44	58	42	0
OTHER MALIGNANT NEOPLASMS	80	132	178	197	220	189	226	194	188	0
DIABETES MELLITUS	26	52	58	67	82	88	103	113	92	0
ALZHEIMER'S DISEASE	0	1	0	6	11	29	68	97	251	0
MAJOR CARDIOVASCULAR DISEASES	321	463	594	598	768	915	1,179	1,426	2,248	0
DISEASES OF HEART	274	396	502	511	616	725	914	1,127	1,775	0
HYPERTENSIVE HEART DISEASE	23	30	22	17	16	17	21	18	40	0
ISCHEMIC HEART DISEASES	195	297	390	403	485	546	684	823	1,240	0
OTHER HEART DISEASES	56	69	90	91	115	162	209	286	495	0
ESSENTIAL HYPERTENSION	12	8	10	9	11	16	18	28	38	0
CEREBROVASCULAR DISEASES	25	50	64	60	108	126	195	215	343	0
ATHEROSCLEROSIS	0	1	3	5	4	7	12	18	43	0
OTHER MAJOR CARDIOVASCULAR DIS.	10	8	15	13	29	41	40	38	49	0
INFLUENZA AND PNEUMONIA	15	20	17	23	19	42	83	119	212	0
CHRONIC LOWER RESPIRATORY DISEASES	23	39	63	81	133	211	287	293	280	0
PEPTIC ULCER	1	3	3	3	3	0	9	3	5	0
CHRONIC LIVER DISEASE & CIRRHOSIS	47	41	60	34	27	23	25	10	8	0
NEPHRITIS & NEPHROSIS	16	23	22	29	40	52	69	112	162	0
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	6	3	3	3	4	3	4	0	1	1
SUDDEN INFANT DEATH SYNDROME	0	0	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	10	11	10	9	12	11	5	14	20	2
ALL OTHER DISEASES	121	189	173	181	219	295	417	583	887	1
UNINTENTIONAL INJURIES	169	137	111	67	72	53	74	80	139	1
MOTOR VEHICLE CRASHES	57	47	48	27	18	20	15	14	16	1
OTHER UNINTENTIONAL INJURIES	112	90	63	40	54	33	59	66	123	0
SUICIDE	67	69	44	18	34	16	25	21	24	0
HOMICIDE	18	12	10	1	5	7	5	2	0	0
ALL OTHER EXTERNAL CAUSES	4	3	4	2	1	0	0	0	0	0

TABLE 22C


FEMALE RESIDENT DEATHS, AGE GROUPS BY SELECTED CAUSES OF DEATH: MISSOURI 2006

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
ALL CAUSES	28,010	266	40	21	34	106	122	108	185	243	404
CAUSES OF DEATH											
TUBERCULOSIS	2	0	0	0	0	0	0	0	0	0	0
SEPTICEMIA	393	4	1	0	2	0	3	2	1	2	3
SYPHILIS	0	0	0	0	0	0	0	0	0	0	0
AIDS	16	0	0	0	0	0	0	0	1	7	2
MALIGNANT NEOPLASMS	6,011	0	1	6	4	4	2	8	30	55	114
STOMACH	79	0	0	0	0	0	0	0	0	2	3
COLON, RECTUM & ANUS	590	0	0	0	0	0	0	0	3	5	6
PANCREAS	366	0	0	0	0	0	0	0	0	1	2
TRACHEA, BRONCHUS & LUNG	1,695	0	0	0	0	0	0	0	2	5	22
BREAST	907	0	0	0	0	0	0	2	5	15	28
CERVIX UTERI, CORPUS UTERI & OVARY	558	0	0	0	0	0	0	2	6	10	23
PROSTATE	0	0	0	0	0	0	0	0	0	0	0
URINARY TRACT	188	0	0	0	0	0	0	0	0	0	1
NON-HODGKIN'S LYMPHOMA	199	0	0	0	1	0	0	0	2	0	3
LEUKEMIA	236	0	0	3	1	2	1	2	4	3	2
OTHER MALIGNANT NEOPLASMS	1,193	0	1	3	2	2	1	2	8	14	24
DIABETES MELLITUS	763	0	0	0	1	0	1	6	5	5	12
ALZHEIMER'S DISEASE	1,169	0	0	0	0	0	0	0	0	0	0
MAJOR CARDIOVASCULAR DISEASES	10,255	4	1	2	4	4	6	4	21	37	81
DISEASES OF HEART	7,547	3	0	1	3	4	6	3	17	27	59
HYPERTENSIVE HEART DISEASE	276	0	0	0	0	0	0	0	2	1	7
ISCHEMIC HEART DISEASES	4,931	0	0	0	0	0	0	2	7	12	31
OTHER HEART DISEASES	2,340	3	0	1	3	4	6	1	8	14	21
ESSENTIAL HYPERTENSION	276	0	0	0	0	0	0	0	2	2	1
CEREBROVASCULAR DISEASES	2,025	1	1	1	1	0	0	1	1	8	18
ATHEROSCLEROSIS	163	0	0	0	0	0	0	0	0	0	0
OTHER MAJOR CARDIOVASCULAR DIS.	244	0	0	0	0	0	0	0	1	0	3
INFLUENZA AND PNEUMONIA	751	3	1	1	1	1	0	4	5	1	8
CHRONIC LOWER RESPIRATORY DISEASES	1,572	1	0	0	0	0	0	2	1	1	10
PEPTIC ULCER	30	1	0	0	0	0	0	0	0	0	1
CHRONIC LIVER DISEASE & CIRRHOSIS	143	0	0	0	0	0	0	1	1	7	7
NEPHRITIS & NEPHROSIS	566	0	0	0	0	0	2	3	1	1	0
PREGNANCY, CHILDBIRTH & PUERPERIUM	13	0	0	0	0	2	4	4	2	1	0
CONDITIONS ORIG. IN PERINATAL PERIOD	133	133	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	100	54	7	1	1	1	1	0	3	2	1
SUDDEN INFANT DEATH SYNDROME	25	25	0	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	134	7	0	0	0	1	4	4	2	6	4
ALL OTHER DISEASES	4,509	14	8	1	4	9	15	13	31	34	53
UNINTENTIONAL INJURIES	1,126	14	15	9	13	66	53	38	63	57	76
MOTOR VEHICLE CRASHES	365	0	4	4	8	56	33	20	28	23	28
OTHER UNINTENTIONAL INJURIES	761	14	11	5	5	10	20	18	35	34	48
SUICIDE	168	0	0	0	3	6	15	10	8	16	23
HOMICIDE	93	4	5	1	1	12	13	7	7	9	8
ALL OTHER EXTERNAL CAUSES	38	2	1	0	0	0	3	2	3	2	1

TABLE 22C (CONT) FEMALE RESIDENT DEATHS, AGE GROUPS BY SELECTED CAUSES OF DEATH: MISSOURI 2006

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85+ YRS.	UNK AGE
ALL CAUSES	648	834	1,164	1,376	1,707	2,289	3,276	4,527	10,659	1
CAUSES OF DEATH										
TUBERCULOSIS	0	0	0	0	0	0	0	2	0	0
SEPTICEMIA	5	20	23	21	31	32	61	58	124	0
SYPHILIS	0	0	0	0	0	0	0	0	0	0
AIDS	2	1	2	1	0	0	0	0	0	0
MALIGNANT NEOPLASMS	221	283	496	549	664	796	878	861	1,039	0
STOMACH	2	2	10	4	6	10	9	11	20	0
COLON, RECTUM & ANUS	22	25	37	32	51	60	74	103	172	0
PANCREAS	7	15	19	33	41	46	55	60	87	0
TRACHEA, BRONCHUS & LUNG	49	67	146	183	244	279	303	231	164	0
BREAST	60	65	94	94	95	92	115	113	129	0
CERVIX UTERI, CORPUS UTERI & OVARY	28	33	48	57	62	78	63	65	83	0
PROSTATE	0	0	0	0	0	0	0	0	0	0
URINARY TRACT	2	8	15	15	13	23	26	33	52	0
NON-HODGKIN'S LYMPHOMA	2	2	12	12	23	32	31	32	47	0
LEUKEMIA	6	8	10	7	24	24	46	39	54	0
OTHER MALIGNANT NEOPLASMS	43	58	105	112	105	152	156	174	231	0
DIABETES MELLITUS	16	25	37	48	61	76	112	129	229	0
ALZHEIMER'S DISEASE	0	1	0	12	22	46	97	238	753	0
MAJOR CARDIOVASCULAR DISEASES	143	228	273	368	459	675	1,092	1,766	5,087	0
DISEASES OF HEART	111	179	225	284	353	476	776	1,246	3,774	0
HYPERTENSIVE HEART DISEASE	14	15	15	9	15	16	23	34	125	0
ISCHEMIC HEART DISEASES	63	109	146	196	238	339	520	824	2,444	0
OTHER HEART DISEASES	34	55	64	79	100	121	233	388	1,205	0
ESSENTIAL HYPERTENSION	0	6	5	12	9	15	24	56	144	0
CEREBROVASCULAR DISEASES	31	36	38	61	73	142	249	396	967	0
ATHEROSCLEROSIS	0	4	2	2	8	7	13	21	106	0
OTHER MAJOR CARDIOVASCULAR DIS.	1	3	3	9	16	35	30	47	96	0
INFLUENZA AND PNEUMONIA	6	7	10	8	25	32	82	108	447	1
CHRONIC LOWER RESPIRATORY DISEASES	18	34	66	107	157	199	292	302	382	0
PEPTIC ULCER	0	0	1	4	0	2	5	7	9	0
CHRONIC LIVER DISEASE & CIRRHOSIS	11	20	15	14	18	12	21	8	8	0
NEPHRITIS & NEPHROSIS	6	7	23	18	21	38	85	111	250	0
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	1	6	2	7	2	3	1	2	5	0
SUDDEN INFANT DEATH SYNDROME	0	0	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	3	2	3	6	3	7	10	6	66	0
ALL OTHER DISEASES	96	117	148	169	198	308	458	795	2,038	0
UNINTENTIONAL INJURIES	73	61	45	29	38	58	73	126	219	0
MOTOR VEHICLE CRASHES	15	22	21	18	18	20	14	23	10	0
OTHER UNINTENTIONAL INJURIES	58	39	24	11	20	38	59	103	209	0
SUICIDE	34	16	10	6	5	3	4	7	2	0
HOMICIDE	5	3	5	6	2	1	3	1	0	0
ALL OTHER EXTERNAL CAUSES	8	3	5	3	1	1	2	0	1	0

Graph E
Resident Infant Death Rates per 1,000 Live Births
Missouri 1960 - 2006



	<i>Infant Deaths</i>	<i>Rate</i>		<i>Infant Deaths</i>	<i>Rate</i>		<i>Infant Deaths</i>	<i>Rate</i>
1960	2,414	24.7	1992	647	8.5	2000	547	7.2
1965	2,060	25.4	1993	630	8.4	2001	555	7.4
1970	1,580	19.6	1994	597	8.1	2002	638	8.5
1975	1,123	16.4	1995	539	7.4	2003	599	7.8
1980	970	12.3	1996	558	7.6	2004	583	7.5
1985	784	10.2	1997	562	7.6	2005	588	7.5
1990	746	9.4	1998	573	7.6	2006	599	7.4
1991	798	10.2	1999	581	7.7			

TABLE 23A

RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL AND MATERNAL DEATHS
BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2006

COUNTIES	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	MATER- NAL DEATHS	COUNTIES CONT.	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	MATER- NAL DEATHS
STATE TOTAL	858	599	461	397	202	13							
ADAIR	4	3	2	2	1	0	FRANKLIN	10	9	7	3	6	0
ANDREW	2	1	1	1	0	0	GASCONADE	3	2	1	2	0	0
ATCHISON	0	0	0	0	0	0	GENTRY	0	0	0	0	0	0
AUDRAIN	5	1	5	0	1	0	GREENE	39	31	22	17	14	0
BARRY	10	4	8	2	2	0	GRUNDY	2	2	1	1	1	0
BARTON	3	1	2	1	0	1	HARRISON	2	0	2	0	0	0
BATES	3	2	2	1	1	0	HENRY	2	3	0	2	1	0
BENTON	1	1	0	1	0	0	HICKORY	1	0	1	0	0	0
BOLLINGER	3	2	1	2	0	0	HOLT	0	0	0	0	0	0
BOONE	19	10	13	6	4	0	HOWARD	2	0	2	0	0	0
BUCHANAN	9	11	4	5	6	0	HOWELL	4	3	2	2	1	0
BUTLER	7	7	4	3	4	0	IRON	2	1	1	1	0	0
CALDWELL	1	1	0	1	0	0	JACKSON	128	102	53	75	27	2
CALLAWAY	6	4	4	2	2	0	JASPER	16	7	11	5	2	0
CAMDEN	6	3	4	2	1	0	JEFFERSON	21	21	8	13	8	1
CAPE GIRARDEAU	7	6	5	2	4	0	JOHNSON	7	7	3	4	3	0
CARROLL	1	0	1	0	0	0	KNOX	0	0	0	0	0	0
CARTER	0	0	0	0	0	1	LACLEDE	4	4	0	4	0	0
CASS	9	8	3	6	2	0	LAFAYETTE	1	2	0	1	1	0
CEDAR	1	1	0	1	0	0	LAWRENCE	3	1	2	1	0	0
CHARITON	2	2	1	1	1	0	LEWIS	0	1	0	0	1	0
CHRISTIAN	6	4	4	2	2	0	LINCOLN	5	3	4	1	2	0
CLARK	0	0	0	0	0	0	LINN	0	0	0	0	0	0
CLAY	21	16	9	12	4	0	LIVINGSTON	2	1	2	0	1	0
CLINTON	1	0	1	0	0	0	MC DONALD	3	4	2	1	3	0
COLE	14	12	4	10	2	0	MACON	2	2	0	2	0	0
COOPER	5	1	4	1	0	0	MADISON	2	1	2	0	1	0
CRAWFORD	1	0	1	0	0	0	MARIES	1	0	1	0	0	0
DADE	1	1	1	0	1	0	MARION	2	4	1	1	3	0
DALLAS	0	3	0	0	3	0	MERCER	0	0	0	0	0	0
DAVISS	2	1	2	0	1	0	MILLER	4	3	1	3	0	0
DE KALB	0	0	0	0	0	0	MISSISSIPPI	1	1	1	0	1	0
DENT	2	0	2	0	0	0	MONITEAU	1	0	1	0	0	0
DOUGLAS	3	1	2	1	0	0	MONROE	1	1	0	1	0	0
DUNKLIN	1	5	0	1	4	1	MONTGOMERY	4	3	1	3	0	0

TABLE 23A (CONT)

 RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL AND MATERNAL DEATHS
 BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2006

COUNTIES	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL		MATER- NAL DEATHS	COUNTIES CONT.	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL		MATER- NAL DEATHS
					DEATHS	DEATHS							DEATHS	DEATHS	
MORGAN	3	3	1	2	1	0		WASHINGTON	3	2	2	1	1	0	
NEW MADRID	2	3	0	2	1	0		WAYNE	1	0	1	0	0	0	
NEWTON	8	5	5	3	2	0		WEBSTER	8	7	3	5	2	0	
NODAWAY	1	2	0	1	1	0		WORTH	0	0	0	0	0	0	
OREGON	0	0	0	0	0	0		WRIGHT	1	1	1	0	1	0	
OSAGE	2	0	2	0	0	0		CITIES OVER							
OZARK	0	0	0	0	0	0		25,000 POP.							
PEMISCOT	4	5	1	3	2	0		BALLWIN	1	0	1	0	0	0	
PERRY	3	1	3	0	1	0		BLUE SPRINGS	7	7	1	6	1	0	
PETTIS	5	2	4	1	1	0		CAPE GIRARDEAU	2	4	1	1	3	0	
PHELPS	8	9	1	7	2	0		CHESTERFIELD	3	1	2	1	0	0	
PIKE	3	2	1	2	0	0		COLUMBIA	15	7	11	4	3	0	
PLATTE	10	5	7	3	2	0		FLORISSANT	6	4	4	2	2	0	
POLK	2	2	1	1	1	0		GLADSTONE	3	2	1	2	0	0	
PULASKI	11	7	6	5	2	0		HAZELWOOD	4	3	2	2	1	0	
PUTNAM	0	1	0	0	1	0		INDEPENDENCE	20	20	6	14	6	0	
RALLS	2	2	0	2	0	0		JEFFERSON CITY	6	5	1	5	0	0	
RANDOLPH	2	2	1	1	1	1		KIRKWOOD	3	2	1	2	0	0	
RAY	4	2	2	2	0	0		LEES SUMMIT	9	6	5	4	2	0	
REYNOLDS	1	2	1	0	2	0		LIBERTY	2	1	1	1	0	0	
RIPLEY	5	8	2	3	5	0		MARYLAND HEIGHTS	4	1	3	1	0	0	
ST. CHARLES	35	22	15	20	2	0		OFALLON	9	4	5	4	0	0	
ST. CLAIR	1	0	1	0	0	0		RAYTOWN	3	4	2	1	3	0	
ST. FRANCOIS	6	2	5	1	1	0		ST. CHARLES	4	3	1	3	0	0	
STE. GENEVIEVE	2	0	2	0	0	0		ST. JOSEPH	9	10	4	5	5	0	
ST. LOUIS CITY	88	47	53	35	12	2		ST. LOUIS CITY	88	47	53	35	12	2	
ST. LOUIS COUNTY	176	98	102	74	24	4		ST. PETERS	9	7	3	6	1	0	
SALINE	5	6	2	3	3	0		SPRINGFIELD	27	20	17	10	10	0	
SCHUYLER	0	0	0	0	0	0		UNIVERSITY CITY	13	7	7	6	1	0	
SCOTLAND	0	0	0	0	0	0		WILDWOOD	2	1	1	1	0	0	
SCOTT	4	4	2	2	2	0		MULTI-COUNTY							
SHANNON	1	0	1	0	0	0		CITIES							
SHELBY	2	2	1	1	1	0		JOPLIN	7	4	4	3	1	0	
STODDARD	2	0	2	0	0	0		JASPER CO. PART	6	4	3	3	1	0	
STONE	2	2	0	2	0	0		NEWTON CO. PART	1	0	1	0	0	0	
SULLIVAN	1	1	0	1	0	0		KANSAS CITY	98	71	45	53	18	1	
TANEY	7	6	4	3	3	0		JACKSON CO. PAR	78	58	33	45	13	1	
TEXAS	1	2	1	0	2	0		CLAY CO. PART	12	11	5	7	4	0	
VERNON	1	1	0	1	0	0		PLATTE CO. PART	8	2	7	1	1	0	
WARREN	4	2	3	1	1	0		CASS CO. PART	0	0	0	0	0	0	

TABLE 23B WHITE RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND MATERNAL DEATHS
BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2006

COUNTIES	PERI-	INFANT	FETAL	POST-		MATER-		COUNTIES CONT.	PERI-	INFANT	FETAL	POST-		MATER-
	NATAL			NEO-	NEO-				NATAL			NEO-	NEO-	
	DEATHS	DEATHS	DEATHS	NATAL	NATAL	NAL			DEATHS	DEATHS	DEATHS	NATAL	NATAL	NAL
	DEATHS	DEATHS	DEATHS	DEATHS	DEATHS	DEATHS			DEATHS	DEATHS	DEATHS	DEATHS	DEATHS	DEATHS
STATE TOTAL	565	398	306	259	139	5								
ADAIR	4	3	2	2	1	0	FRANKLIN	10	8	7	3	5	0	
ANDREW	2	1	1	1	0	0	GASCONADE	3	2	1	2	0	0	
ATCHISON	0	0	0	0	0	0	GENTRY	0	0	0	0	0	0	
AUDRAIN	4	1	4	0	1	0	GREENE	31	25	18	13	12	0	
BARRY	9	4	7	2	2	0	GRUNDY	2	2	1	1	1	0	
BARTON	3	1	2	1	0	1	HARRISON	2	0	2	0	0	0	
BATES	3	2	2	1	1	0	HENRY	2	3	0	2	1	0	
BENTON	1	1	0	1	0	0	HICKORY	1	0	1	0	0	0	
BOLLINGER	3	2	1	2	0	0	HOLT	0	0	0	0	0	0	
BOONE	11	3	9	2	1	0	HOWARD	2	0	2	0	0	0	
BUCHANAN	9	9	4	5	4	0	HOWELL	4	3	2	2	1	0	
BUTLER	7	6	4	3	3	0	IRON	2	1	1	1	0	0	
CALDWELL	1	1	0	1	0	0	JACKSON	68	51	29	39	12	0	
CALLAWAY	6	4	4	2	2	0	JASPER	14	7	9	5	2	0	
CAMDEN	6	3	4	2	1	0	JEFFERSON	20	19	8	12	7	1	
CAPE GIRARDEAU	7	4	5	2	2	0	JOHNSON	6	6	3	3	3	0	
CARROLL	1	0	1	0	0	0	KNOX	0	0	0	0	0	0	
CARTER	0	0	0	0	0	1	LACLEDE	4	4	0	4	0	0	
CASS	9	7	3	6	1	0	LAFAYETTE	1	2	0	1	1	0	
CEDAR	1	1	0	1	0	0	LAWRENCE	3	1	2	1	0	0	
CHARITON	1	2	0	1	1	0	LEWIS	0	1	0	0	1	0	
CHRISTIAN	6	4	4	2	2	0	LINCOLN	5	3	4	1	2	0	
CLARK	0	0	0	0	0	0	LINN	0	0	0	0	0	0	
CLAY	18	14	7	11	3	0	LIVINGSTON	2	1	2	0	1	0	
CLINTON	1	0	1	0	0	0	MC DONALD	3	4	2	1	3	0	
COLE	11	10	3	8	2	0	MACON	2	2	0	2	0	0	
COOPER	5	1	4	1	0	0	MADISON	2	1	2	0	1	0	
CRAWFORD	1	0	1	0	0	0	MARIES	1	0	1	0	0	0	
DADE	1	1	1	0	1	0	MARION	2	2	1	1	1	0	
DALLAS	0	3	0	0	3	0	MERCER	0	0	0	0	0	0	
DAVIESS	2	1	2	0	1	0	MILLER	4	3	1	3	0	0	
DE KALB	0	0	0	0	0	0	MISSISSIPPI	1	1	1	0	1	0	
DENT	2	0	2	0	0	0	MONITEAU	1	0	1	0	0	0	
DOUGLAS	3	1	2	1	0	0	MONROE	1	1	0	1	0	0	
DUNKLIN	0	3	0	0	3	1	MONTGOMERY	4	3	1	3	0	0	

TABLE 23B (CONT) WHITE RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND MATERNAL DEATHS
BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2006

COUNTIES	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	MATER- NAL DEATHS	COUNTIES CONT.	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	MATER- NAL DEATHS
MORGAN	2	3	0	2	1	0	WASHINGTON	3	2	2	1	1	0
NEW MADRID	2	3	0	2	1	0	WAYNE	1	0	1	0	0	0
NEWTON	6	2	5	1	1	0	WEBSTER	8	7	3	5	2	0
NODAWAY	1	2	0	1	1	0	WORTH	0	0	0	0	0	0
OREGON	0	0	0	0	0	0	WRIGHT	1	1	1	0	1	0
OSAGE	2	0	2	0	0	0	CITIES OVER 25,000 POP.						
OZARK	0	0	0	0	0	0							
PEMISCOT	3	3	1	2	1	0	BALLWIN	1	0	1	0	0	0
PERRY	3	1	3	0	1	0	BLUE SPRINGS	7	7	1	6	1	0
PETTIS	5	2	4	1	1	0	CAPE GIRARDEAU	2	3	1	1	2	0
PHELPS	8	9	1	7	2	0	CHESTERFIELD	2	1	1	1	0	0
PIKE	3	2	1	2	0	0	COLUMBIA	7	1	7	0	1	0
PLATTE	7	4	5	2	2	0							
POLK	2	2	1	1	1	0	FLORISSANT	3	2	1	2	0	0
PULASKI	7	7	2	5	2	0	GLADSTONE	3	2	1	2	0	0
PUTNAM	0	1	0	0	1	0	HAZELWOOD	2	1	1	1	0	0
RALLS	2	2	0	2	0	0	INDEPENDENCE	17	15	6	11	4	0
RANDOLPH	2	2	1	1	1	1	JEFFERSON CITY	4	3	1	3	0	0
RAY	4	2	2	2	0	0	KIRKWOOD	1	1	0	1	0	0
REYNOLDS	1	2	1	0	2	0	LEES SUMMIT	8	6	4	4	2	0
RIPLEY	5	8	2	3	5	0	LIBERTY	2	1	1	1	0	0
ST. CHARLES	33	21	14	19	2	0	MARYLAND HEIGHTS	3	1	2	1	0	0
ST. CLAIR	1	0	1	0	0	0	OFALLON	8	3	5	3	0	0
ST. FRANCOIS	6	1	5	1	0	0	RAYTOWN	0	2	0	0	2	0
STE. GENEVIEVE	2	0	2	0	0	0	ST. CHARLES	4	3	1	3	0	0
ST. LOUIS CITY	12	5	8	4	1	0	ST. JOSEPH	9	8	4	5	3	0
ST. LOUIS COUNTY	67	35	41	26	9	0	ST. LOUIS CITY	12	5	8	4	1	0
SALINE	2	3	2	0	3	0	ST. PETERS	9	7	3	6	1	0
SCHUYLER	0	0	0	0	0	0	SPRINGFIELD	20	15	13	7	8	0
SCOTLAND	0	0	0	0	0	0	UNIVERSITY CITY	5	2	3	2	0	0
SCOTT	2	2	1	1	1	0	WILDWOOD	2	1	1	1	0	0
SHANNON	1	0	1	0	0	0	MULTI-COUNTY CITIES						
SHELBY	2	2	1	1	1	0							
STODDARD	2	0	2	0	0	0	JOPLIN	7	4	4	3	1	0
STONE	2	2	0	2	0	0	JASPER CO. PART	6	4	3	3	1	0
SULLIVAN	1	1	0	1	0	0	NEWTON CO. PART	1	0	1	0	0	0
TANEY	7	5	4	3	2	0	KANSAS CITY	44	27	23	21	6	0
TEXAS	1	2	1	0	2	0	JACKSON CO. PAR	30	17	15	15	2	0
VERNON	1	1	0	1	0	0	CLAY CO. PART	9	9	3	6	3	0
WARREN	4	2	3	1	1	0	PLATTE CO. PART	5	1	5	0	1	0
							CASS CO. PART	0	0	0	0	0	0

TABLE 23C

BLACK RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND MATERNAL DEATHS
BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2006

COUNTIES	PERI-	INFANT	FETAL	POST-			COUNTIES CONT.	PERI-	INFANT	FETAL	POST-		
	NATAL			NEO-	NEO-	MATER-		NATAL			NEO-	NEO-	MATER-
	DEATHS	DEATHS	DEATHS	NATAL	NATAL	NAL		DEATHS	DEATHS	DEATHS	NATAL	NATAL	NAL
	DEATHS	DEATHS	DEATHS	DEATHS	DEATHS	DEATHS		DEATHS	DEATHS	DEATHS	DEATHS	DEATHS	DEATHS
STATE TOTAL	257	184	132	125	59	7							
ADAIR	0	0	0	0	0	0	FRANKLIN	0	1	0	0	1	0
ANDREW	0	0	0	0	0	0	GASCONADE	0	0	0	0	0	0
ATCHISON	0	0	0	0	0	0	GENTRY	0	0	0	0	0	0
AUDRAIN	1	0	1	0	0	0	GREENE	7	4	4	3	1	0
BARRY	0	0	0	0	0	0	GRUNDY	0	0	0	0	0	0
BARTON	0	0	0	0	0	0	HARRISON	0	0	0	0	0	0
BATES	0	0	0	0	0	0	HENRY	0	0	0	0	0	0
BENTON	0	0	0	0	0	0	HICKORY	0	0	0	0	0	0
BOLLINGER	0	0	0	0	0	0	HOLT	0	0	0	0	0	0
BOONE	8	7	4	4	3	0	HOWARD	0	0	0	0	0	0
BUCHANAN	0	2	0	0	2	0	HOWELL	0	0	0	0	0	0
BUTLER	0	1	0	0	1	0	IRON	0	0	0	0	0	0
CALDWELL	0	0	0	0	0	0	JACKSON	53	47	21	32	15	2
CALLAWAY	0	0	0	0	0	0	JASPER	0	0	0	0	0	0
CAMDEN	0	0	0	0	0	0	JEFFERSON	1	1	0	1	0	0
CAPE GIRARDEAU	0	2	0	0	2	0	JOHNSON	1	1	0	1	0	0
CARROLL	0	0	0	0	0	0	KNOX	0	0	0	0	0	0
CARTER	0	0	0	0	0	0	LACLEDE	0	0	0	0	0	0
CASS	0	1	0	0	1	0	LAFAYETTE	0	0	0	0	0	0
CEDAR	0	0	0	0	0	0	LAWRENCE	0	0	0	0	0	0
CHARITON	0	0	0	0	0	0	LEWIS	0	0	0	0	0	0
CHRISTIAN	0	0	0	0	0	0	LINCOLN	0	0	0	0	0	0
CLARK	0	0	0	0	0	0	LINN	0	0	0	0	0	0
CLAY	2	1	2	0	1	0	LIVINGSTON	0	0	0	0	0	0
CLINTON	0	0	0	0	0	0	MC DONALD	0	0	0	0	0	0
COLE	2	2	0	2	0	0	MACON	0	0	0	0	0	0
COOPER	0	0	0	0	0	0	MADISON	0	0	0	0	0	0
CRAWFORD	0	0	0	0	0	0	MARIES	0	0	0	0	0	0
DADE	0	0	0	0	0	0	MARION	0	1	0	0	1	0
DALLAS	0	0	0	0	0	0	MERCER	0	0	0	0	0	0
DAVIESS	0	0	0	0	0	0	MILLER	0	0	0	0	0	0
DE KALB	0	0	0	0	0	0	MISSISSIPPI	0	0	0	0	0	0
DENT	0	0	0	0	0	0	MONITEAU	0	0	0	0	0	0
DOUGLAS	0	0	0	0	0	0	MONROE	0	0	0	0	0	0
DUNKLIN	1	2	0	1	1	0	MONTGOMERY	0	0	0	0	0	0

TABLE 23C (CONT)

BLACK RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND MATERNAL DEATHS
BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2006

COUNTIES	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	MATER- NAL DEATHS	COUNTIES CONT.	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	MATER- NAL DEATHS
MORGAN	0	0	0	0	0	0	WASHINGTON	0	0	0	0	0	0
NEW MADRID	0	0	0	0	0	0	WAYNE	0	0	0	0	0	0
NEWTON	0	0	0	0	0	0	WEBSTER	0	0	0	0	0	0
NODAWAY	0	0	0	0	0	0	WORTH	0	0	0	0	0	0
OREGON	0	0	0	0	0	0	WRIGHT	0	0	0	0	0	0
OSAGE	0	0	0	0	0	0	CITIES OVER 25,000 POP.						
OZARK	0	0	0	0	0	0							
PEMISCOT	1	2	0	1	1	0	BALLWIN	0	0	0	0	0	0
PERRY	0	0	0	0	0	0	BLUE SPRINGS	0	0	0	0	0	0
PETTIS	0	0	0	0	0	0	CAPE GIRARDEAU	0	1	0	0	1	0
PHELPS	0	0	0	0	0	0	CHESTERFIELD	1	0	1	0	0	0
PIKE	0	0	0	0	0	0	COLUMBIA	8	6	4	4	2	0
PLATTE	2	1	1	1	0	0							
POLK	0	0	0	0	0	0	FLORISSANT	3	2	3	0	2	0
PULASKI	2	0	2	0	0	0	GLADSTONE	0	0	0	0	0	0
							HAZELWOOD	2	2	1	1	1	0
PUTNAM	0	0	0	0	0	0	INDEPENDENCE	2	4	0	2	2	0
RALLS	0	0	0	0	0	0	JEFFERSON CITY	2	2	0	2	0	0
RANDOLPH	0	0	0	0	0	0							
RAY	0	0	0	0	0	0	KIRKWOOD	1	1	0	1	0	0
REYNOLDS	0	0	0	0	0	0	LEES SUMMIT	0	0	0	0	0	0
							LIBERTY	0	0	0	0	0	0
RIPLEY	0	0	0	0	0	0	MARYLAND HEIGHTS	1	0	1	0	0	0
ST. CHARLES	2	1	1	1	0	0	OFALLON	1	1	0	1	0	0
ST. CLAIR	0	0	0	0	0	0							
ST. FRANCOIS	0	1	0	0	1	0	RAYTOWN	3	2	2	1	1	0
STE. GENEVIEVE	0	0	0	0	0	0	ST. CHARLES	0	0	0	0	0	0
							ST. JOSEPH	0	2	0	0	2	0
ST. LOUIS CITY	76	42	45	31	11	2	ST. LOUIS CITY	76	42	45	31	11	2
ST. LOUIS COUNTY	93	58	50	43	15	3	ST. PETERS	0	0	0	0	0	0
SALINE	3	3	0	3	0	0							
SCHUYLER	0	0	0	0	0	0	SPRINGFIELD	6	3	4	2	1	0
SCOTLAND	0	0	0	0	0	0	UNIVERSITY CITY	4	3	2	2	1	0
							WILDWOOD	0	0	0	0	0	0
SCOTT	2	2	1	1	1	0							
SHANNON	0	0	0	0	0	0	MULTI-COUNTY CITIES						
SHELBY	0	0	0	0	0	0							
STODDARD	0	0	0	0	0	0	JOPLIN	0	0	0	0	0	0
STONE	0	0	0	0	0	0	JASPER CO. PART	0	0	0	0	0	0
							NEWTON CO. PART	0	0	0	0	0	0
SULLIVAN	0	0	0	0	0	0							
TANEY	0	1	0	0	1	0	KANSAS CITY	48	41	19	29	12	1
TEXAS	0	0	0	0	0	0	JACKSON CO. PAR	44	39	16	28	11	1
VERNON	0	0	0	0	0	0	CLAY CO. PART	2	1	2	0	1	0
WARREN	0	0	0	0	0	0	PLATTE CO. PART	2	1	1	1	0	0
							CASS CO. PART	0	0	0	0	0	0

TABLE 23D

RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL AND MATERNAL DEATHS
BY REGIONAL PLANNING COMMISSION WITH RATES PER 1,000 LIVE BIRTHS: MISSOURI 2006

REGIONAL PLANNING COMMISSIONS	NUMBER			POST-			RATES			POST-	
	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	NEO- NATAL DEATHS	MATER- NAL DEATHS	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	NEO- NATAL DEATHS
MAJOR METRO REGIONS											
EAST-WEST GATEWAY	330	197	185	145	52	7	12.3	7.4	6.9	5.4	1.9
MID-AMERICA	172	133	74	98	35	2	10.4	8.0	4.5	5.9	2.1
MINOR METRO REGIONS											
SOUTHWEST MISSOURI	78	61	45	33	28	0	10.0	7.8	5.8	4.2	3.6
MID-MISSOURI	47	27	28	19	8	0	11.4	6.6	6.8	4.6*	1.9*
MO-KAN	12	12	6	6	6	0	6.4*	6.4*	3.2*	3.2*	3.2*
HARRY S TRUMAN	30	17	20	10	7	1	9.5	5.4*	6.3	3.2*	2.2*
NONMETRO REGIONS											
NORTHWEST MISSOURI	1	2	0	1	1	0	2.1*	4.2*	0.0*	2.1*	2.1*
GREEN HILLS	13	9	9	4	5	0	10.2*	7.1*	7.1*	3.1*	3.9*
NORTHEAST MISSOURI	4	4	2	2	2	0	6.0*	6.0*	3.0*	3.0*	3.0*
MARK TWAIN	19	16	9	10	6	1	10.2*	8.6*	4.9*	5.4*	3.2*
BOONSLICK	13	8	8	5	3	0	9.5*	5.8*	5.8*	3.7*	2.2*
KAYSINGER BASIN	10	8	4	6	2	0	7.7*	6.1*	3.1*	4.6*	1.5*
PIONEER TRAILS	18	17	9	9	8	0	8.3*	7.8*	4.1*	4.1*	3.7*
SOUTH CENTRAL OZARK	10	7	7	3	4	0	6.2*	4.3*	4.3*	1.9*	2.5*
MERAMEC	20	13	10	10	3	0	10.3	6.7*	5.1*	5.1*	1.5*
LAKE OF THE OZARKS	28	20	12	16	4	0	11.8	8.4	5.0*	6.7*	1.7*
SOUTHEAST MISSOURI	25	13	19	6	7	0	9.3	4.8*	7.1*	2.2*	2.6*
BOOTHEEL	14	18	6	8	10	1	6.3*	8.1*	2.7*	3.6*	4.5*
OZARK FOOTHILLS	14	17	8	6	11	1	12.9*	15.6*	7.4*	5.5*	10.1*
MAJOR METRO TOTAL	502	330	259	243	87	9	11.6	7.6	6.0	5.6	2.0
MINOR METRO TOTAL	167	117	99	68	49	1	9.9	6.9	5.8	4.0	2.9
NONMETRO TOTAL	189	152	103	86	66	3	9.0	7.2	4.9	4.1	3.1
STATE TOTAL	858	599	461	397	202	13	10.5	7.4	5.7	4.9	2.5

*RATE UNSTABLE BECAUSE IT IS BASED ON FEWER THAN 20 DEATHS

TABLE 23E WHITE RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND
MATERNAL DEATHS BY REGIONAL PLANNING COMMISSION: MISSOURI 2006

REGIONAL PLANNING COMMISSIONS	PERINATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEONATAL DEATHS	POST- NEONATAL DEATHS	MATERNAL DEATHS
MAJOR METRO REGIONS						
EAST-WEST GATEWAY	142	88	78	64	24	1
MID-AMERICA	106	78	46	60	18	0
MINOR METRO REGIONS						
SOUTHWEST MISSOURI	69	54	40	29	25	0
MID-MISSOURI	36	18	23	13	5	0
MO-KAN	12	10	6	6	4	0
HARRY S TRUMAN	26	14	18	8	6	1
NONMETRO REGIONS						
NORTHWEST MISSOURI	1	2	0	1	1	0
GREEN HILLS	12	9	8	4	5	0
NORTHEAST MISSOURI	4	4	2	2	2	0
MARK TWAIN	18	14	8	10	4	1
BOONSLICK	13	8	8	5	3	0
KAYSINGER BASIN	10	8	4	6	2	0
PIONEER TRAILS	14	13	9	5	8	0
SOUTH CENTRAL OZARK	10	7	7	3	4	0
MERAMEC	20	13	10	10	3	0
LAKE OF THE OZARKS	23	20	7	16	4	0
SOUTHEAST MISSOURI	25	10	19	6	4	0
BOOTHEEL	10	12	5	5	7	1
OZARK FOOTHILLS	14	16	8	6	10	1
MAJOR METRO TOTAL	248	166	124	124	42	1
MINOR METRO TOTAL	117	82	69	48	34	0
NONMETRO TOTAL	200	150	113	87	63	4
STATE TOTAL	565	398	306	259	139	5

TABLE 23F

BLACK RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND
MATERNAL DEATHS BY REGIONAL PLANNING COMMISSION: MISSOURI 2006

REGIONAL PLANNING COMMISSIONS	PERINATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEONATAL DEATHS	POST- NEONATAL DEATHS	MATERNAL DEATHS
MAJOR METRO REGIONS						
EAST-WEST GATEWAY	172	103	96	76	27	5
MID-AMERICA	57	50	24	33	17	2
MINOR METRO REGIONS						
SOUTHWEST MISSOURI	7	5	4	3	2	0
MID-MISSOURI	10	9	4	6	3	0
MO-KAN	0	2	0	0	2	0
HARRY S TRUMAN	0	0	0	0	0	0
NONMETRO REGIONS						
NORTHWEST MISSOURI	0	0	0	0	0	0
GREEN HILLS	0	0	0	0	0	0
NORTHEAST MISSOURI	0	0	0	0	0	0
MARK TWAIN	1	1	1	0	1	0
BOONSLICK	0	0	0	0	0	0
KAYSINGER BASIN	0	0	0	0	0	0
PIONEER TRAILS	4	4	0	4	0	0
SOUTH CENTRAL OZARK	0	0	0	0	0	0
MERAMEC	0	0	0	0	0	0
LAKE OF THE OZARKS	2	0	2	0	0	0
SOUTHEAST MISSOURI	0	3	0	0	3	0
BOOTHEEL	4	6	1	3	3	0
OZARK FOOTHILLS	0	1	0	0	1	0
MAJOR METRO TOTAL	229	153	120	109	44	7
MINOR METRO TOTAL	17	16	8	9	7	0
NONMETRO TOTAL	11	15	4	7	8	0
STATE TOTAL	257	184	132	125	59	7

TABLE 24

RESIDENT INFANT DEATHS BY AGE CAUSE AND RACE WITH RATES PER 1,000
LIVE BIRTHS BY CAUSE AND RACE: MISSOURI 2006

CAUSE	RACE	NUMBER	RATE	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	UNDER 1 HR	OVER 1 HR UNDER 1 DAY	OVER 1 DAY UNDER 7 DAYS	OVER 7 DAYS UNDER 28 DAYS	OVER 28 DAYS UNDER 3 MOS	OVER 3 MOS UNDER 6 MOS	OVER 6 MOS UNDER 1 YEAR	UNDER 1 YEAR UNKNOWN UNITS
ALL CAUSES	WHITE	398	6.0	259	139	65	107	44	42	77	38	24	1
	BLACK	184	14.9	125	59	30	69	14	12	27	18	14	0
	TOTAL	599	7.4	397	202	100	177	62	57	105	58	39	1
INFECTIOUS DISEASES (A00-B99, P35-P39)	WHITE	7	0.1	6	1	1	2	3	0	0	1	0	0
	BLACK	7	0.6	2	5	0	1	0	1	3	1	1	0
	TOTAL	16	0.2	9	7	1	3	3	2	3	2	2	0
NERVOUS SYSTEM DISEASES (G00-G98)	WHITE	6	0.1	1	5	0	0	1	0	2	2	1	0
	BLACK	1	0.1	0	1	0	0	0	0	1	0	0	0
	TOTAL	7	0.1	1	6	0	0	1	0	3	2	1	0
CIRCULATORY SYSTEM DISEASES (I00-I99)	WHITE	8	0.1	2	6	0	1	1	0	5	1	0	0
	BLACK	2	0.2	0	2	0	0	0	0	1	0	1	0
	TOTAL	10	0.1	2	8	0	1	1	0	6	1	1	0
RESPIRATORY SYSTEM DISEASES (J00-J98)	WHITE	9	0.1	1	8	0	0	1	0	3	4	1	0
	BLACK	11	0.9	1	10	1	0	0	0	5	3	2	0
	TOTAL	20	0.2	2	18	1	0	1	0	8	7	3	0
PERINATAL CONDITIONS (P00-P34, P40-P96)	WHITE	163	2.5	154	9	48	71	16	18	7	1	1	1
	BLACK	107	8.7	105	2	25	65	7	8	2	0	0	0
	TOTAL	278	3.4	267	11	77	137	25	27	9	1	1	1
CONGENITAL ANOMALIES (Q00-Q99)	WHITE	112	1.7	86	26	14	32	22	18	15	2	9	0
	BLACK	17	1.4	13	4	2	3	6	2	0	2	2	0
	TOTAL	133	1.6	103	30	17	35	30	21	15	4	11	0
SUDDEN INFANT DEATH SYNDROME (R95)	WHITE	38	0.6	2	36	0	0	0	2	17	13	6	0
	BLACK	11	0.9	0	11	0	0	0	0	6	5	0	0
	TOTAL	50	0.6	2	48	0	0	0	2	23	19	6	0
UNINTENTIONAL INJURIES (V01-X59)	WHITE	23	0.3	2	21	1	1	0	0	11	8	2	0
	BLACK	12	1.0	1	11	1	0	0	0	6	3	2	0
	TOTAL	37	0.5	3	34	2	1	0	0	18	12	4	0
HOMICIDE (X85-Y09)	WHITE	5	0.1	1	4	0	0	0	1	1	2	1	0
	BLACK	4	0.3	1	3	1	0	0	0	0	1	2	0
	TOTAL	9	0.1	2	7	1	0	0	1	1	3	3	0
ALL OTHER CAUSES RESIDUAL	WHITE	27	0.4	4	23	1	0	0	3	16	4	3	0
	BLACK	12	1.0	2	10	0	0	1	1	3	3	4	0
	TOTAL	39	0.5	6	33	1	0	1	4	19	7	7	0

NUMBER IN PARENTHESIS REFERS TO CODE NUMBERS IN THE 10TH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES

TABLE 25 RESIDENT INFANT DEATHS AND RATES PER 1,000 LIVE BIRTHS BY AGE OF MOTHER BY BIRTH ORDER:
MISSOURI 2006

AGE OF MOTHER	NUMBER BIRTH ORDER					RATES BIRTH ORDER				
	ALL BIRTHS ORDERS	1ST	2ND OR 3RD	4TH OR 5TH	6TH OR MORE	ALL BIRTH ORDERS	1ST	2ND OR 3RD	4TH OR 5TH	6TH OR MORE
ALL AGES	610	208	251	100	51	7.5	7.6	6.6	8.2	12.6
UNDER 18	29	24	5	0	0	9.9	9.4	13.3*	0.0*	0.0*
18-19	65	38	27	0	0	10.2	8.7	14.5	0.0*	0.0*
20-24	196	72	92	24	8	8.3	7.6	8.0	10.5	24.0*
25-29	154	35	62	38	19	6.4	5.1	5.2	9.2	17.7*
30-34	101	26	39	25	11	6.4	8.7	4.7	7.5	8.8*
35-39	43	8	17	9	9	6.0	8.3*	5.1*	4.9*	8.9*
40 AND OVER	22	5	9	4	4	14.7	30.1*	16.8*	9.2*	10.9*

TABLE 26 RESIDENT INFANT DEATHS AND RATES PER 1,000 LIVE BIRTHS BY BIRTH WEIGHT BY RACE OF MOTHER:
MISSOURI 2006

BIRTH WEIGHT (GRAMS)	NUMBER			RATES		
	ALL RACES	WHITE	BLACK	ALL RACES	WHITE	BLACK
ALL WEIGHTS	610	414	173	7.5	6.3	14.0
UNDER 500	146	79	63	895.7	940.5	863.0
500-999	156	101	49	329.8	340.1	310.1
1,000-1,499	38	26	11	68.6	67.4	70.5*
1,500-1,999	44	35	7	35.2	39.0	22.6*
2,000-2,499	38	28	9	9.2	9.3	9.1*
2,500-2,999	73	53	16	5.0	4.9	5.1*
3,000-3,499	72	57	11	2.3	2.2	2.3*
3,500-3,999	25	23	2	1.1	1.2	0.9*
4,000 AND OVER	9	8	0	1.4*	1.4*	0.0*

TOTALS IN TABLES 25 AND 26 DO NOT AGREE WITH THE TOTALS IN TABLES 23 AND 24 BECAUSE TABLES 25 AND 26 INCLUDE ONLY INFANT DEATHS THAT HAVE BEEN MATCHED WITH THEIR CORRESPONDING BIRTH RECORD. IN ADDITION, TABLES 25 AND 26 MAY INCLUDE SOME INFANT DEATHS THAT CAME IN AFTER THE MID APRIL CUTOFF DATE.

* RATE UNSTABLE BECAUSE IT IS BASED ON FEWER THAN 20 DEATHS

TABLE 27A

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH (**) FOR STATE TOTAL BY RACE AND HISPANIC ORIGIN WITH
RATES PER 100,000 FOR ALL RACES; AND FOR REGIONAL PLANNING COMMISSIONS: MISSOURI 2006

	ALL RACES	CRUDE RATE	AGE-ADJ RATE*	S T A T E T O T A L		OTHER RACES	HISPANIC ANY RACE	EAST- WEST GATEWAY	MID- AMERICA
				WHITE	BLACK				
ALL CAUSES	54,475	932.4	844.7	48,381	5,729	344	378	17,444	9,067
TUBERCULOSIS	6	0.1	0.1	4	2	0	0	0	3
SEPTICEMIA	751	12.9	11.7	639	107	4	6	294	121
SYPHILIS	0	0.0	0.0	0	0	0	0	0	0
AIDS	120	2.1	2.1	57	61	2	6	60	37
MALIGNANT NEOPLASMS	12,484	213.7	195.7	11,130	1,266	86	70	4,137	2,054
STOMACH	203	3.5	3.2	157	43	3	6	67	33
COLON, RECTUM & ANUS	1,155	19.8	17.9	1,026	122	7	5	394	192
PANCREAS	719	12.3	11.2	637	81	1	4	264	116
TRACHEA, BRONCHUS & LUNG	3,921	67.1	61.9	3,550	351	19	21	1,205	647
BREAST	918	15.7	14.4	798	114	6	5	317	161
CERVIX UTERI, CORPUS UTERI & OVAR	558	9.6	8.8	489	62	7	3	214	90
PROSTATE	577	9.9	8.9	485	89	3	1	167	90
URINARY TRACT	586	10.0	9.1	536	47	3	6	194	100
NON-HODGKIN'S LYMPHOMA	411	7.0	6.4	387	21	3	1	145	62
LEUKEMIA	540	9.2	8.6	486	46	8	3	212	83
OTHER MALIGNANT NEOPLASMS	2,896	49.6	45.3	2,579	290	26	15	958	480
DIABETES MELLITUS	1,491	25.5	23.3	1,216	263	11	13	469	238
ALZHEIMER'S DISEASE	1,632	27.9	24.1	1,551	73	6	6	395	370
MAJOR CARDIOVASCULAR DISEASES	19,069	326.4	290.1	17,045	1,913	103	95	6,170	2,867
DISEASES OF HEART	14,647	250.7	222.8	13,160	1,408	72	71	4,843	2,056
HYPERTENSIVE HEART DISEASE	505	8.6	7.7	325	177	3	1	259	117
ISCHEMIC HEART DISEASES	10,138	173.5	154.3	9,193	883	55	53	3,594	1,247
OTHER HEART DISEASES	4,004	68.5	60.7	3,642	348	14	17	990	692
ESSENTIAL HYPERTENSION	432	7.4	6.5	343	85	4	1	136	83
CEREBROVASCULAR DISEASES	3,243	55.5	49.4	2,887	332	23	20	1,018	511
ATHEROSCLEROSIS	256	4.4	3.8	222	31	3	1	16	134
OTHER MAJOR CARDIOVASCULAR DIS.	491	8.4	7.6	433	57	1	2	157	83
INFLUENZA AND PNEUMONIA	1,321	22.6	19.8	1,227	89	4	8	434	177
CHRONIC LOWER RESPIRATORY DISEASES	3,008	51.5	47.2	2,829	166	12	10	776	539
PEPTIC ULCER	60	1.0	0.9	56	4	0	2	23	6
CHRONIC LIVER DISEASE & CIRRHOSIS	459	7.9	7.3	425	30	4	4	160	73
NEPHRITIS & NEPHROSIS	1,106	18.9	16.9	939	157	10	7	307	195
PREGNANCY, CHILDBIRTH & PUERPERIUM	13	0.2	0.2	5	7	1	1	7	2
CONDITIONS ORIG. IN PERINATAL PERIOD	288	4.9	4.9	169	110	9	14	107	79
CONGENITAL ANOMALIES	229	3.9	3.8	198	27	4	5	64	49
SUDDEN INFANT DEATH SYNDROME	51	0.9	0.9	38	12	1	2	4	16
SYMPTOMS & ILL-DEFINED CONDITIONS	282	4.8	4.4	254	26	0	5	58	42
ALL OTHER DISEASES	7,814	133.7	119.6	7,013	756	42	54	2,578	1,415
UNINTENTIONAL INJURIES	2,975	50.9	49.2	2,600	343	32	48	943	486
MOTOR VEHICLE CRASHES	1,104	18.9	18.7	964	128	12	25	227	159
OTHER UNINTENTIONAL INJURIES	1,871	32.0	30.6	1,636	215	20	23	716	327
SUICIDE	798	13.7	13.5	747	43	8	8	237	171
HOMICIDE	412	7.1	7.1	147	262	3	12	194	121
ALL OTHER EXTERNAL CAUSES	106	1.8	1.8	92	12	2	2	27	6

* 2000 UNITED STATES POPULATION USED AS THE STANDARD POPULATION BEGINNING IN 1999 INSTEAD OF U.S. 1940. SEE APPENDIX.

** ICD-10 STARTED IN 1999, MAKING COMPARISONS WITH PAST YEARS VERY DIFFICULT. SEE APPENDIX.

TABLE 27A (CONT) RESIDENT DEATHS BY SELECTED CAUSES OF DEATH (**) FOR STATE TOTAL BY RACE AND HISPANIC ORIGIN WITH
RATES PER 100,000 FOR ALL RACES; AND FOR REGIONAL PLANNING COMMISSIONS: MISSOURI 2006

	SOUTHWEST MISSOURI	MID- MISSOURI	MO-KAN	NORTHWEST MISSOURI	GREEN HILLS	NORTHEAST MISSOURI	MARK TWIN	BOONSLICK	HARRY S TRUMAN
ALL CAUSES	5,331	2,224	1,511	461	1,224	581	1,571	762	1,977
TUBERCULOSIS	0	0	0	0	0	0	0	0	1
SEPTICEMIA	63	28	14	2	8	13	23	9	23
SYPHILIS	0	0	0	0	0	0	0	0	0
AIDS	5	3	2	0	1	0	1	1	1
MALIGNANT NEOPLASMS	1,184	515	325	93	279	144	361	187	382
STOMACH	19	7	3	0	3	1	7	1	4
COLON, RECTUM & ANUS	90	41	28	10	27	18	34	21	35
PANCREAS	76	26	13	9	19	7	23	14	20
TRACHEA, BRONCHUS & LUNG	383	153	107	25	74	39	107	57	132
BREAST	91	46	28	5	16	15	18	10	31
CERVIX UTERI, CORPUS UTERI & OVARY	49	19	15	5	12	4	14	13	18
PROSTATE	56	34	12	3	18	14	27	7	15
URINARY TRACT	54	27	26	4	15	6	14	8	17
NON-HODGKIN'S LYMPHOMA	33	22	11	5	7	3	12	10	12
LEUKEMIA	48	17	7	2	15	2	14	7	15
OTHER MALIGNANT NEOPLASMS	285	123	75	25	73	35	91	39	83
DIABETES MELLITUS	114	64	50	10	31	17	50	24	50
ALZHEIMER'S DISEASE	221	81	38	21	35	15	31	16	58
MAJOR CARDIOVASCULAR DISEASES	1,855	714	535	190	466	209	567	260	735
DISEASES OF HEART	1,421	546	393	148	372	151	423	211	581
HYPERTENSIVE HEART DISEASE	27	10	12	3	2	5	9	3	9
ISCHEMIC HEART DISEASES	959	320	248	92	260	81	270	148	448
OTHER HEART DISEASES	435	216	133	53	110	65	144	60	124
ESSENTIAL HYPERTENSION	43	22	18	1	5	6	16	7	12
CEREBROVASCULAR DISEASES	333	119	100	34	78	47	102	36	119
ATHEROSCLEROSIS	6	6	6	2	4	0	9	0	3
OTHER MAJOR CARDIOVASCULAR DIS.	52	21	18	5	7	5	17	6	20
INFLUENZA AND PNEUMONIA	119	47	27	20	33	21	43	16	76
CHRONIC LOWER RESPIRATORY DISEASES	326	109	129	17	74	36	91	36	124
PEPTIC ULCER	2	1	1	0	0	1	2	4	3
CHRONIC LIVER DISEASE & CIRRHOSIS	55	19	14	3	3	3	10	4	12
NEPHRITIS & NEPHROSIS	110	30	37	21	36	17	30	24	33
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	1	0	1
CONDITIONS ORIG. IN PERINATAL PERIOD	19	14	3	1	3	1	7	4	9
CONGENITAL ANOMALIES	33	13	8	1	2	3	6	1	2
SUDDEN INFANT DEATH SYNDROME	7	1	1	1	1	1	1	1	3
SYMPTOMS & ILL-DEFINED CONDITIONS	35	4	9	2	9	1	8	5	21
ALL OTHER DISEASES	771	387	232	60	167	68	229	101	268
UNINTENTIONAL INJURIES	316	143	65	13	56	22	81	46	112
MOTOR VEHICLE CRASHES	132	76	30	6	21	6	30	27	66
OTHER UNINTENTIONAL INJURIES	184	67	35	7	35	16	51	19	46
SUICIDE	69	37	17	6	17	6	21	17	42
HOMICIDE	19	7	3	0	2	3	3	6	8
ALL OTHER EXTERNAL CAUSES	8	7	1	0	1	0	5	0	13

** ICD-10 STARTED IN 1999, MAKING COMPARISONS WITH PAST YEARS VERY DIFFICULT. SEE APPENDIX.

TABLE 27A (CONT) RESIDENT DEATHS BY SELECTED CAUSES OF DEATH (**) FOR STATE TOTAL BY RACE AND HISPANIC ORIGIN WITH
RATES PER 100,000 FOR ALL RACES; AND FOR REGIONAL PLANNING COMMISSIONS: MISSOURI 2006

	KAYSIN- GER BASIN	PIONEER TRAILS	SOUTH CEN. OZARK	MERAMEC	LAKE OF THE OZARKS	SOUTHEAST MISSOURI	BOOTHEEL	OZARK FOOTHILLS
ALL CAUSES	1,499	1,406	1,478	1,429	1,507	2,105	1,835	1,063
TUBERCULOSIS	0	1	0	0	0	1	0	0
SEPTICEMIA	17	18	15	24	8	24	28	19
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	2	1	1	3	1	1	0
MALIGNANT NEOPLASMS	337	317	333	302	382	479	414	259
STOMACH	5	4	12	8	10	9	8	2
COLON, RECTUM & ANUS	27	24	30	33	41	46	46	18
PANCREAS	14	14	15	18	17	21	20	13
TRACHEA, BRONCHUS & LUNG	130	99	117	85	138	156	151	116
BREAST	19	27	19	28	21	27	22	17
CERVIX UTERI, CORPUS UTERI & OVAR	5	11	20	13	12	21	17	6
PROSTATE	11	12	9	20	20	28	24	10
URINARY TRACT	14	11	15	8	20	29	18	6
NON-HODGKIN'S LYMPHOMA	11	12	12	4	12	17	12	9
LEUKEMIA	17	14	13	12	17	22	16	7
OTHER MALIGNANT NEOPLASMS	84	89	71	73	74	103	80	55
DIABETES MELLITUS	44	31	44	28	61	75	60	31
ALZHEIMER'S DISEASE	50	21	35	29	32	85	69	30
MAJOR CARDIOVASCULAR DISEASES	567	544	524	548	522	792	670	334
DISEASES OF HEART	439	425	415	429	416	606	515	257
HYPERTENSIVE HEART DISEASE	3	7	5	0	9	13	11	1
ISCHEMIC HEART DISEASES	301	291	286	315	261	461	383	173
OTHER HEART DISEASES	135	127	124	114	146	132	121	83
ESSENTIAL HYPERTENSION	7	14	7	3	16	17	10	9
CEREBROVASCULAR DISEASES	101	89	81	92	82	115	127	59
ATHEROSCLEROSIS	5	5	3	8	2	38	7	2
OTHER MAJOR CARDIOVASCULAR DIS.	15	11	18	16	6	16	11	7
INFLUENZA AND PNEUMONIA	36	29	48	53	29	37	36	40
CHRONIC LOWER RESPIRATORY DISEASES	98	83	93	71	90	123	116	77
PEPTIC ULCER	1	4	2	1	4	1	2	2
CHRONIC LIVER DISEASE & CIRRHOSIS	18	9	16	16	14	15	9	6
NEPHRITIS & NEPHROSIS	23	32	41	38	28	42	38	24
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	1	1
CONDITIONS ORIG. IN PERINATAL PERIOD	4	6	2	5	9	6	6	3
CONGENITAL ANOMALIES	4	7	3	7	10	6	4	6
SUDDEN INFANT DEATH SYNDROME	1	4	3	0	0	0	3	3
SYMPTOMS & ILL-DEFINED CONDITIONS	16	5	17	8	5	21	14	2
ALL OTHER DISEASES	185	216	181	172	176	248	227	133
UNINTENTIONAL INJURIES	73	55	95	93	99	108	96	73
MOTOR VEHICLE CRASHES	35	25	44	50	49	40	40	41
OTHER UNINTENTIONAL INJURIES	38	30	51	43	50	68	56	32
SUICIDE	20	14	15	14	28	32	23	12
HOMICIDE	2	8	6	7	6	2	13	2
ALL OTHER EXTERNAL CAUSES	3	0	4	12	1	7	5	6

** ICD-10 STARTED IN 1999, MAKING COMPARISONS WITH PAST YEARS VERY DIFFICULT. SEE APPENDIX.

TABLE 27B

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2006

	ADAIR	ANDREW	ATCHISON	AUDRAIN	BARRY	BARTON	BATES	BENTON
ALL CAUSES	206	191	62	292	362	131	189	274
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	2	3	0	4	6	0	1	2
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS	50	45	13	71	78	25	42	64
STOMACH	0	2	0	1	0	0	0	1
COLON, RECTUM & ANUS	6	5	2	4	9	1	3	5
PANCREAS	4	2	0	4	3	1	2	3
TRACHEA, BRONCHUS & LUNG	11	13	4	25	26	10	14	25
BREAST	7	2	2	4	6	2	3	3
CERVIX UTERI, CORPUS UTERI & OVAR	1	0	0	4	4	1	0	2
PROSTATE	5	4	0	5	6	2	3	2
URINARY TRACT	2	7	1	2	5	1	2	3
NON-HODGKIN'S LYMPHOMA	0	4	0	3	3	0	2	2
LEUKEMIA	1	1	0	6	3	4	2	5
OTHER MALIGNANT NEOPLASMS	13	5	4	13	13	3	11	13
DIABETES MELLITUS	4	6	3	9	4	4	7	6
ALZHEIMER'S DISEASE	4	5	5	8	10	5	5	19
MAJOR CARDIOVASCULAR DISEASES	77	68	23	92	137	40	82	90
DISEASES OF HEART	57	57	17	68	118	27	60	75
HYPERTENSIVE HEART DISEASE	4	4	0	0	1	0	0	1
ISCHEMIC HEART DISEASES	26	27	9	42	92	19	39	45
OTHER HEART DISEASES	27	26	8	26	25	8	21	29
ESSENTIAL HYPERTENSION	3	2	0	1	3	1	3	1
CEREBROVASCULAR DISEASES	16	7	4	16	10	12	16	12
ATHEROSCLEROSIS	0	0	0	2	0	0	3	0
OTHER MAJOR CARDIOVASCULAR DIS.	1	2	2	5	6	0	0	2
INFLUENZA AND PNEUMONIA	5	1	3	8	12	8	4	3
CHRONIC LOWER RESPIRATORY DISEASES	14	8	4	16	22	4	8	19
PEPTIC ULCER	0	0	0	1	0	1	0	1
CHRONIC LIVER DISEASE & CIRRHOSIS	2	2	0	2	4	1	2	4
NEPHRITIS & NEPHROSIS	5	5	0	4	8	1	5	3
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	1	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	1	1	0	1	2	1	0	1
CONGENITAL ANOMALIES	3	0	0	0	0	0	1	0
SUDDEN INFANT DEATH SYNDROME	1	0	0	0	1	0	1	0
SYMPTOMS & ILL-DEFINED CONDITIONS	1	4	0	1	3	0	1	1
ALL OTHER DISEASES	27	30	10	60	48	23	13	43
UNINTENTIONAL INJURIES	8	10	0	8	20	15	13	13
MOTOR VEHICLE CRASHES	1	8	0	4	12	7	3	7
OTHER UNINTENTIONAL INJURIES	7	2	0	4	8	8	10	6
SUICIDE	1	0	1	6	3	2	3	5
HOMICIDE	1	2	0	0	4	0	0	0
ALL OTHER EXTERNAL CAUSES	0	1	0	1	0	0	1	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2006

	BOLLINGER	BOONE	BUCHANAN	BUTLER	CALDWELL	CALLAWAY	CAMDEN	CAPE GIRARDEAU
ALL CAUSES	113	899	937	524	118	333	392	691
TUBERCULOSIS	0	0	0	0	0	0	0	1
SEPTICEMIA	0	10	7	12	0	4	3	10
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	2	1	0	1	1	0	1
MALIGNANT NEOPLASMS	29	217	211	114	32	78	105	159
STOMACH	0	3	1	2	0	1	3	4
COLON, RECTUM & ANUS	2	17	16	8	4	6	8	17
PANCREAS	1	17	9	5	3	1	10	6
TRACHEA, BRONCHUS & LUNG	10	56	73	60	9	26	43	46
BREAST	0	19	18	7	2	4	6	10
CERVIX UTERI, CORPUS UTERI & OVAR	1	8	9	0	1	1	0	9
PROSTATE	3	16	3	4	1	5	5	12
URINARY TRACT	2	12	17	1	2	6	4	11
NON-HODGKIN'S LYMPHOMA	1	9	5	4	0	4	2	8
LEUKEMIA	0	5	5	0	2	1	3	6
OTHER MALIGNANT NEOPLASMS	9	55	55	23	8	23	21	30
DIABETES MELLITUS	3	28	34	18	1	7	12	23
ALZHEIMER'S DISEASE	4	40	21	17	1	5	14	38
MAJOR CARDIOVASCULAR DISEASES	44	274	336	175	34	103	133	237
DISEASES OF HEART	34	211	242	132	28	77	110	155
HYPERTENSIVE HEART DISEASE	1	6	6	0	0	2	4	1
ISCHEMIC HEART DISEASES	24	131	158	81	14	46	64	125
OTHER HEART DISEASES	9	74	78	51	14	29	42	29
ESSENTIAL HYPERTENSION	0	9	11	4	0	2	2	9
CEREBROVASCULAR DISEASES	7	44	66	33	6	20	18	38
ATHEROSCLEROSIS	2	1	6	1	0	1	1	31
OTHER MAJOR CARDIOVASCULAR DIS.	1	9	11	5	0	3	2	4
INFLUENZA AND PNEUMONIA	5	19	11	21	3	10	6	12
CHRONIC LOWER RESPIRATORY DISEASES	3	33	94	38	14	21	21	43
PEPTIC ULCER	0	0	1	2	0	1	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	0	8	10	4	2	2	6	3
NEPHRITIS & NEPHROSIS	2	13	20	11	2	8	6	21
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	1	5	2	2	0	2	2	4
CONGENITAL ANOMALIES	1	4	7	0	1	1	1	2
SUDDEN INFANT DEATH SYNDROME	0	1	1	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	1	0	3	1	2	0	1	18
ALL OTHER DISEASES	13	154	136	62	18	58	50	82
UNINTENTIONAL INJURIES	4	65	30	34	6	21	23	23
MOTOR VEHICLE CRASHES	2	28	10	18	2	11	8	8
OTHER UNINTENTIONAL INJURIES	2	37	20	16	4	10	15	15
SUICIDE	2	20	12	8	0	7	7	10
HOMICIDE	0	1	0	2	0	3	1	1
ALL OTHER EXTERNAL CAUSES	1	5	0	3	1	1	1	3

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2006

	CARROLL	CARTER	CASS	CEDAR	CHARITON	CHRISTIAN	CLARK	CLAY
ALL CAUSES	111	83	729	174	109	479	83	1,455
TUBERCULOSIS	0	0	0	0	0	0	0	1
SEPTICEMIA	1	2	6	1	2	4	1	19
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	0	0	0	0	0	0	3
MALIGNANT NEOPLASMS	20	16	156	37	26	114	18	353
STOMACH	0	0	1	1	1	2	1	3
COLON, RECTUM & ANUS	0	0	15	6	3	8	3	36
PANCREAS	3	1	6	3	0	8	1	25
TRACHEA, BRONCHUS & LUNG	5	9	50	10	3	30	4	116
BREAST	0	2	7	3	3	11	2	28
CERVIX UTERI, CORPUS UTERI & OVARY	0	0	8	0	0	5	0	16
PROSTATE	2	0	7	1	3	11	3	13
URINARY TRACT	1	0	8	2	2	6	0	25
NON-HODGKIN'S LYMPHOMA	0	0	3	1	2	3	0	10
LEUKEMIA	0	1	12	0	0	4	0	11
OTHER MALIGNANT NEOPLASMS	9	3	39	10	9	26	4	70
DIABETES MELLITUS	2	1	15	2	1	8	0	41
ALZHEIMER'S DISEASE	1	4	24	1	1	29	6	49
MAJOR CARDIOVASCULAR DISEASES	52	24	238	71	49	170	35	406
DISEASES OF HEART	41	21	165	56	40	126	28	313
HYPERTENSIVE HEART DISEASE	0	0	8	0	0	4	0	17
ISCHEMIC HEART DISEASES	20	14	95	35	23	75	11	195
OTHER HEART DISEASES	21	7	62	21	17	47	17	101
ESSENTIAL HYPERTENSION	0	0	7	1	1	6	0	11
CEREBROVASCULAR DISEASES	9	2	57	13	6	35	6	64
ATHEROSCLEROSIS	1	1	2	0	0	0	0	5
OTHER MAJOR CARDIOVASCULAR DIS.	1	0	7	1	2	3	1	13
INFLUENZA AND PNEUMONIA	2	1	16	8	5	8	2	30
CHRONIC LOWER RESPIRATORY DISEASES	5	10	39	13	6	25	8	115
PEPTIC ULCER	0	0	0	0	0	2	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	0	0	3	2	0	4	0	13
NEPHRITIS & NEPHROSIS	6	2	21	6	3	11	1	22
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	1	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	0	0	8	1	1	0	0	9
CONGENITAL ANOMALIES	0	1	2	1	0	3	0	10
SUDDEN INFANT DEATH SYNDROME	0	0	0	0	1	1	0	1
SYMPTOMS & ILL-DEFINED CONDITIONS	1	0	4	2	0	5	0	9
ALL OTHER DISEASES	11	12	137	20	10	63	6	259
UNINTENTIONAL INJURIES	5	8	42	7	3	27	2	76
MOTOR VEHICLE CRASHES	2	6	16	5	0	10	2	33
OTHER UNINTENTIONAL INJURIES	3	2	26	2	3	17	0	43
SUICIDE	5	1	17	2	0	3	4	35
HOMICIDE	0	0	1	0	1	0	0	3
ALL OTHER EXTERNAL CAUSES	0	0	0	0	0	2	0	1

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2006

	CLINTON	COLE	COOPER	CRAWFORD	DADE	DALLAS	DAVIESS	DE KALB
ALL CAUSES	253	569	172	226	110	194	81	130
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	2	8	3	7	1	2	0	2
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	1	0	0	1	0	0	0	0
MALIGNANT NEOPLASMS	52	143	26	46	22	46	19	17
STOMACH	0	1	1	4	1	0	0	0
COLON, RECTUM & ANUS	5	14	1	5	2	1	1	2
PANCREAS	1	5	0	4	1	3	2	1
TRACHEA, BRONCHUS & LUNG	18	45	13	12	7	20	9	3
BREAST	5	17	3	6	1	1	0	3
CERVIX UTERI, CORPUS UTERI & OVARY	5	5	0	2	0	4	2	1
PROSTATE	4	7	0	4	0	4	0	1
URINARY TRACT	2	7	1	1	0	2	1	0
NON-HODGKIN'S LYMPHOMA	1	6	1	0	0	1	0	1
LEUKEMIA	0	9	0	1	0	3	2	1
OTHER MALIGNANT NEOPLASMS	11	27	6	7	10	7	2	4
DIABETES MELLITUS	6	16	5	0	5	11	2	4
ALZHEIMER'S DISEASE	9	21	9	1	0	4	2	3
MAJOR CARDIOVASCULAR DISEASES	77	174	75	96	46	53	27	54
DISEASES OF HEART	54	132	64	78	37	45	23	40
HYPERTENSIVE HEART DISEASE	1	1	0	0	0	0	1	1
ISCHEMIC HEART DISEASES	34	88	26	65	20	28	19	29
OTHER HEART DISEASES	19	43	38	13	17	17	3	10
ESSENTIAL HYPERTENSION	5	6	0	0	2	0	0	0
CEREBROVASCULAR DISEASES	16	28	8	12	6	6	4	11
ATHEROSCLEROSIS	0	3	1	5	0	1	0	0
OTHER MAJOR CARDIOVASCULAR DIS.	2	5	2	1	1	1	0	3
INFLUENZA AND PNEUMONIA	10	10	7	8	2	4	2	5
CHRONIC LOWER RESPIRATORY DISEASES	21	37	6	10	5	10	5	6
PEPTIC ULCER	0	0	0	0	0	0	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	2	5	1	1	0	1	0	0
NEPHRITIS & NEPHROSIS	8	4	4	6	1	6	5	4
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	0	6	1	0	0	0	0	0
CONGENITAL ANOMALIES	0	6	1	1	0	0	0	1
SUDDEN INFANT DEATH SYNDROME	0	0	0	0	0	1	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	1	2	1	3	0	2	1	1
ALL OTHER DISEASES	45	94	24	31	19	36	12	21
UNINTENTIONAL INJURIES	16	34	6	13	8	12	4	9
MOTOR VEHICLE CRASHES	7	22	4	9	3	8	2	5
OTHER UNINTENTIONAL INJURIES	9	12	2	4	5	4	2	4
SUICIDE	2	6	2	1	0	5	2	3
HOMICIDE	1	2	1	0	1	0	0	0
ALL OTHER EXTERNAL CAUSES	0	1	0	1	0	1	0	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2006

	DENT	DOUGLAS	DUNKLIN	FRANKLIN	GASCONADE	GENTRY	GREENE	GRUNDY
ALL CAUSES	176	161	439	927	196	82	2,401	131
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	2	2	12	15	4	1	23	1
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	0	0	1	0	0	4	0
MALIGNANT NEOPLASMS	39	45	92	218	42	16	519	29
STOMACH	2	0	2	3	1	0	11	1
COLON, RECTUM & ANUS	4	4	11	20	4	0	42	5
PANCREAS	1	1	6	15	4	1	34	1
TRACHEA, BRONCHUS & LUNG	13	18	37	78	7	5	181	7
BREAST	5	4	2	13	4	1	48	1
CERVIX UTERI, CORPUS UTERI & OVARY	1	2	3	6	2	1	16	3
PROSTATE	0	1	5	10	3	0	19	4
URINARY TRACT	1	3	5	10	2	0	21	1
NON-HODGKIN'S LYMPHOMA	2	1	2	9	0	0	16	0
LEUKEMIA	1	0	4	11	2	0	24	1
OTHER MALIGNANT NEOPLASMS	9	11	15	43	13	8	107	5
DIABETES MELLITUS	5	6	11	19	2	1	41	2
ALZHEIMER'S DISEASE	8	2	20	26	7	2	113	10
MAJOR CARDIOVASCULAR DISEASES	71	54	186	322	75	37	818	42
DISEASES OF HEART	49	36	140	250	49	30	621	23
HYPERTENSIVE HEART DISEASE	0	0	3	7	0	0	13	0
ISCHEMIC HEART DISEASES	41	26	95	181	26	17	436	19
OTHER HEART DISEASES	8	10	42	62	23	13	172	4
ESSENTIAL HYPERTENSION	2	2	2	6	1	0	20	1
CEREBROVASCULAR DISEASES	17	15	37	56	18	7	154	17
ATHEROSCLEROSIS	1	0	1	2	2	0	3	0
OTHER MAJOR CARDIOVASCULAR DIS.	2	1	6	8	5	0	20	1
INFLUENZA AND PNEUMONIA	8	1	8	26	3	3	43	4
CHRONIC LOWER RESPIRATORY DISEASES	9	10	22	56	11	1	162	5
PEPTIC ULCER	0	0	0	5	0	0	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	1	2	4	15	3	1	20	0
NEPHRITIS & NEPHROSIS	4	4	3	17	6	2	46	5
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	1	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	0	1	1	2	2	0	9	1
CONGENITAL ANOMALIES	0	1	1	5	0	1	17	0
SUDDEN INFANT DEATH SYNDROME	0	0	2	0	0	0	3	0
SYMPTOMS & ILL-DEFINED CONDITIONS	1	3	6	5	0	2	9	2
ALL OTHER DISEASES	13	18	41	106	35	12	375	22
UNINTENTIONAL INJURIES	7	11	21	67	4	2	148	6
MOTOR VEHICLE CRASHES	5	6	8	20	1	1	44	5
OTHER UNINTENTIONAL INJURIES	2	5	13	47	3	1	104	1
SUICIDE	1	1	4	18	0	1	38	1
HOMICIDE	0	0	2	2	2	0	9	1
ALL OTHER EXTERNAL CAUSES	7	0	2	2	0	0	4	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2006

	HARRISON	HENRY	HICKORY	HOLT	HOWARD	HOWELL	IRON	JACKSON
ALL CAUSES	110	293	152	69	102	488	136	6,144
TUBERCULOSIS	0	0	0	0	0	0	0	2
SEPTICEMIA	1	2	3	0	2	8	1	88
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	0	0	0	0	0	0	33
MALIGNANT NEOPLASMS	28	74	37	16	21	106	36	1,352
STOMACH	0	1	1	0	0	5	2	25
COLON, RECTUM & ANUS	1	8	1	1	2	10	4	124
PANCREAS	3	1	2	1	0	4	1	77
TRACHEA, BRONCHUS & LUNG	5	26	21	4	6	36	9	415
BREAST	2	4	2	0	2	5	1	110
CERVIX UTERI, CORPUS UTERI & OVARY	3	1	0	1	2	9	1	62
PROSTATE	4	2	1	1	2	3	2	63
URINARY TRACT	3	1	2	0	1	5	3	55
NON-HODGKIN'S LYMPHOMA	0	1	2	2	2	3	1	42
LEUKEMIA	1	3	0	1	2	5	3	55
OTHER MALIGNANT NEOPLASMS	6	26	5	5	2	21	9	324
DIABETES MELLITUS	3	1	10	1	1	13	5	165
ALZHEIMER'S DISEASE	3	8	4	2	4	18	6	265
MAJOR CARDIOVASCULAR DISEASES	47	105	51	29	35	167	53	2,008
DISEASES OF HEART	42	74	38	22	22	122	43	1,415
HYPERTENSIVE HEART DISEASE	0	2	0	3	0	2	0	79
ISCHEMIC HEART DISEASES	39	52	26	16	11	89	35	859
OTHER HEART DISEASES	3	20	12	3	11	31	8	477
ESSENTIAL HYPERTENSION	1	0	0	0	0	1	2	57
CEREBROVASCULAR DISEASES	2	29	9	6	12	36	7	358
ATHEROSCLEROSIS	0	0	0	1	0	3	0	120
OTHER MAJOR CARDIOVASCULAR DIS.	2	2	4	0	1	5	1	58
INFLUENZA AND PNEUMONIA	6	10	1	5	1	18	2	120
CHRONIC LOWER RESPIRATORY DISEASES	4	18	14	3	3	27	12	337
PEPTIC ULCER	0	0	0	0	0	1	0	4
CHRONIC LIVER DISEASE & CIRRHOSIS	0	4	2	0	1	8	1	48
NEPHRITIS & NEPHROSIS	0	3	2	2	1	7	0	139
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	2
CONDITIONS ORIG. IN PERINATAL PERIOD	0	2	0	0	0	1	0	57
CONGENITAL ANOMALIES	0	1	0	0	1	2	1	35
SUDDEN INFANT DEATH SYNDROME	0	0	0	0	0	1	0	14
SYMPTOMS & ILL-DEFINED CONDITIONS	1	2	3	0	0	3	0	25
ALL OTHER DISEASES	13	47	17	9	26	67	9	903
UNINTENTIONAL INJURIES	3	11	4	2	6	33	7	319
MOTOR VEHICLE CRASHES	1	6	2	1	3	12	4	89
OTHER UNINTENTIONAL INJURIES	2	5	2	1	3	21	3	230
SUICIDE	1	2	4	0	0	6	3	106
HOMICIDE	0	2	0	0	0	2	0	117
ALL OTHER EXTERNAL CAUSES	0	1	0	0	0	0	0	5

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2006

	JASPER	JEFFERSON	JOHNSON	KNOX	LACLEDE	LAFAYETTE	LAWRENCE	LEWIS
ALL CAUSES	1,071	1,639	343	62	350	388	415	117
TUBERCULOSIS	1	0	1	0	0	0	0	0
SEPTICEMIA	18	34	4	4	0	7	6	4
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	1	1	0	1	0	0	0
MALIGNANT NEOPLASMS	200	383	75	16	77	85	80	32
STOMACH	3	3	0	0	1	0	2	0
COLON, RECTUM & ANUS	19	33	8	1	8	6	5	4
PANCREAS	9	23	3	1	1	3	3	1
TRACHEA, BRONCHUS & LUNG	75	146	19	6	26	28	28	10
BREAST	21	20	3	0	4	10	2	4
CERVIX UTERI, CORPUS UTERI & OVARY	7	14	5	0	2	3	7	2
PROSTATE	4	13	4	0	3	4	4	2
URINARY TRACT	9	18	3	0	7	0	7	0
NON-HODGKIN'S LYMPHOMA	6	17	2	1	3	0	1	1
LEUKEMIA	7	18	7	0	4	4	3	1
OTHER MALIGNANT NEOPLASMS	40	78	21	7	18	27	18	7
DIABETES MELLITUS	28	41	3	0	21	10	13	10
ALZHEIMER'S DISEASE	34	41	3	1	4	9	17	2
MAJOR CARDIOVASCULAR DISEASES	411	546	121	20	150	153	149	46
DISEASES OF HEART	338	432	92	16	113	123	105	31
HYPERTENSIVE HEART DISEASE	6	11	1	1	2	1	2	0
ISCHEMIC HEART DISEASES	272	320	70	6	91	85	66	21
OTHER HEART DISEASES	60	101	21	9	20	37	37	10
ESSENTIAL HYPERTENSION	5	7	5	1	5	6	2	0
CEREBROVASCULAR DISEASES	56	90	17	2	32	19	40	15
ATHEROSCLEROSIS	2	2	4	0	0	1	1	0
OTHER MAJOR CARDIOVASCULAR DIS.	10	15	3	1	0	4	1	0
INFLUENZA AND PNEUMONIA	38	39	7	3	9	10	15	3
CHRONIC LOWER RESPIRATORY DISEASES	76	87	22	3	16	18	24	5
PEPTIC ULCER	0	1	1	0	1	1	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	10	14	0	0	2	5	5	0
NEPHRITIS & NEPHROSIS	24	22	5	5	7	7	10	3
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	1	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	4	7	2	0	3	0	1	0
CONGENITAL ANOMALIES	2	10	1	0	1	2	1	0
SUDDEN INFANT DEATH SYNDROME	1	0	3	0	0	1	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	11	7	0	0	0	1	1	0
ALL OTHER DISEASES	126	221	75	6	42	60	64	8
UNINTENTIONAL INJURIES	56	138	12	3	13	14	25	4
MOTOR VEHICLE CRASHES	33	37	7	1	8	7	12	1
OTHER UNINTENTIONAL INJURIES	23	101	5	2	5	7	13	3
SUICIDE	25	36	7	0	1	2	2	0
HOMICIDE	6	6	0	1	2	3	1	0
ALL OTHER EXTERNAL CAUSES	0	4	0	0	0	0	1	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2006

	LINCOLN	LINN	LIVINGSTON	MC DONALD	MACON	MADISON	MARIES	MARION
ALL CAUSES	360	172	211	226	219	168	88	349
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	4	0	2	3	3	3	2	5
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	0	0	0	0	0	0	1
MALIGNANT NEOPLASMS	81	44	45	49	48	34	19	67
STOMACH	1	0	1	0	1	0	0	3
COLON, RECTUM & ANUS	6	3	8	3	6	7	3	8
PANCREAS	6	1	4	8	3	2	0	4
TRACHEA, BRONCHUS & LUNG	34	13	10	15	14	12	6	18
BREAST	4	1	4	1	4	2	2	2
CERVIX UTERI, CORPUS UTERI & OVARY	8	3	0	4	1	1	1	5
PROSTATE	3	0	4	3	7	2	2	4
URINARY TRACT	1	0	2	2	2	3	0	1
NON-HODGKIN'S LYMPHOMA	3	3	1	1	0	0	0	3
LEUKEMIA	2	4	3	2	2	1	1	0
OTHER MALIGNANT NEOPLASMS	13	16	8	10	8	4	4	19
DIABETES MELLITUS	11	7	4	5	5	4	4	9
ALZHEIMER'S DISEASE	9	5	5	9	0	7	2	14
MAJOR CARDIOVASCULAR DISEASES	121	65	83	76	81	65	34	135
DISEASES OF HEART	92	55	69	56	62	51	30	99
HYPERTENSIVE HEART DISEASE	3	0	0	1	2	2	0	4
ISCHEMIC HEART DISEASES	64	34	54	49	43	35	18	66
OTHER HEART DISEASES	25	21	15	6	17	14	12	29
ESSENTIAL HYPERTENSION	4	0	1	3	1	3	0	6
CEREBROVASCULAR DISEASES	21	10	11	14	13	10	3	26
ATHEROSCLEROSIS	0	0	2	0	3	0	0	0
OTHER MAJOR CARDIOVASCULAR DIS.	4	0	0	3	2	1	1	4
INFLUENZA AND PNEUMONIA	5	5	3	9	8	4	5	14
CHRONIC LOWER RESPIRATORY DISEASES	18	10	14	11	13	10	5	21
PEPTIC ULCER	1	0	0	1	0	0	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	3	0	1	0	1	6	0	1
NEPHRITIS & NEPHROSIS	15	5	4	2	6	4	1	11
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	1	0	0	1	0	0	0	1
CONGENITAL ANOMALIES	0	0	1	0	2	1	0	1
SUDDEN INFANT DEATH SYNDROME	0	0	0	2	0	0	0	1
SYMPTOMS & ILL-DEFINED CONDITIONS	2	0	2	0	3	0	0	0
ALL OTHER DISEASES	54	22	34	24	33	21	6	51
UNINTENTIONAL INJURIES	21	6	12	18	13	7	9	14
MOTOR VEHICLE CRASHES	13	4	1	11	3	5	4	5
OTHER UNINTENTIONAL INJURIES	8	2	11	7	10	2	5	9
SUICIDE	11	3	1	5	3	2	1	3
HOMICIDE	3	0	0	1	0	0	0	0
ALL OTHER EXTERNAL CAUSES	0	0	0	10	0	0	0	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2006

	MERCER	MILLER	MISSISS- SIPPI	MONITEAU	MONROE	MONTGOMERY	MORGAN	NEW MADRID
ALL CAUSES	31	245	169	149	124	168	264	226
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	1	3	2	1	1	2	1	4
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	0	0	0	0	0	1	1
MALIGNANT NEOPLASMS	6	60	34	30	29	31	76	44
STOMACH	0	2	2	1	1	0	2	1
COLON, RECTUM & ANUS	1	8	2	1	3	4	10	2
PANCREAS	1	1	2	3	4	2	2	4
TRACHEA, BRONCHUS & LUNG	4	21	11	7	10	6	25	16
BREAST	0	5	3	1	1	2	1	4
CERVIX UTERI, CORPUS UTERI & OVAR	0	3	2	3	0	2	5	2
PROSTATE	0	4	3	4	1	1	4	3
URINARY TRACT	0	4	0	0	3	3	1	3
NON-HODGKIN'S LYMPHOMA	0	0	1	0	0	2	4	0
LEUKEMIA	0	1	0	0	0	1	6	2
OTHER MALIGNANT NEOPLASMS	0	11	8	10	6	8	16	7
DIABETES MELLITUS	0	6	7	7	1	5	11	7
ALZHEIMER'S DISEASE	0	3	3	2	0	5	9	10
MAJOR CARDIOVASCULAR DISEASES	12	87	74	53	51	61	84	91
DISEASES OF HEART	7	77	63	40	45	55	58	71
HYPERTENSIVE HEART DISEASE	0	2	3	1	0	0	1	1
ISCHEMIC HEART DISEASES	6	25	52	18	34	39	37	62
OTHER HEART DISEASES	1	50	8	21	11	16	20	8
ESSENTIAL HYPERTENSION	1	1	0	5	0	2	8	0
CEREBROVASCULAR DISEASES	4	7	9	7	6	3	15	19
ATHEROSCLEROSIS	0	0	0	0	0	0	1	0
OTHER MAJOR CARDIOVASCULAR DIS.	0	2	2	1	0	1	2	1
INFLUENZA AND PNEUMONIA	1	4	3	0	2	6	4	5
CHRONIC LOWER RESPIRATORY DISEASES	3	19	10	9	5	8	16	14
PEPTIC ULCER	0	2	0	0	0	3	1	0
CHRONIC LIVER DISEASE & CIRRHOSIS	0	2	0	2	1	0	3	1
NEPHRITIS & NEPHROSIS	2	3	5	0	2	6	4	5
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	0	1	0	0	1	2	0	1
CONGENITAL ANOMALIES	0	2	1	0	0	1	4	1
SUDDEN INFANT DEATH SYNDROME	0	0	1	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	0	1	0	1	1	3	1	3
ALL OTHER DISEASES	3	26	21	31	16	24	24	26
UNINTENTIONAL INJURIES	3	22	4	11	11	9	20	11
MOTOR VEHICLE CRASHES	1	13	2	8	6	7	11	5
OTHER UNINTENTIONAL INJURIES	2	9	2	3	5	2	9	6
SUICIDE	0	4	1	2	2	1	5	1
HOMICIDE	0	0	3	0	1	1	0	1
ALL OTHER EXTERNAL CAUSES	0	0	0	0	0	0	0	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2006

	NEWTON	NODAWAY	OREGON	OSAGE	OZARK	PEMISCOT	PERRY	PETTIS
ALL CAUSES	549	212	121	108	111	257	144	400
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	2	1	0	0	1	2	1	4
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	1	0	0	0	0	0	0	1
MALIGNANT NEOPLASMS	108	43	27	26	26	54	34	94
STOMACH	1	0	0	0	3	2	0	4
COLON, RECTUM & ANUS	12	7	2	5	2	7	5	6
PANCREAS	2	4	1	2	1	1	1	4
TRACHEA, BRONCHUS & LUNG	32	12	8	9	13	17	8	33
BREAST	7	2	2	0	1	2	3	10
CERVIX UTERI, CORPUS UTERI & OVARY	6	3	1	0	0	4	1	1
PROSTATE	6	2	0	2	1	4	3	2
URINARY TRACT	5	3	1	1	0	4	0	5
NON-HODGKIN'S LYMPHOMA	5	3	1	0	1	0	3	5
LEUKEMIA	2	1	1	3	1	5	2	2
OTHER MALIGNANT NEOPLASMS	30	6	10	4	3	8	8	22
DIABETES MELLITUS	13	5	3	1	8	11	5	11
ALZHEIMER'S DISEASE	10	9	2	1	1	5	4	9
MAJOR CARDIOVASCULAR DISEASES	208	83	53	48	31	96	54	158
DISEASES OF HEART	160	68	44	43	25	78	45	121
HYPERTENSIVE HEART DISEASE	2	0	0	0	2	1	2	2
ISCHEMIC HEART DISEASES	108	43	9	28	18	58	33	67
OTHER HEART DISEASES	50	25	35	15	5	19	10	52
ESSENTIAL HYPERTENSION	3	0	2	0	0	1	0	2
CEREBROVASCULAR DISEASES	37	13	6	5	4	16	5	31
ATHEROSCLEROSIS	1	0	0	0	0	1	3	0
OTHER MAJOR CARDIOVASCULAR DIS.	7	2	1	0	2	0	1	4
INFLUENZA AND PNEUMONIA	21	8	2	3	7	3	3	8
CHRONIC LOWER RESPIRATORY DISEASES	33	7	2	6	12	11	7	25
PEPTIC ULCER	1	0	0	0	0	0	1	2
CHRONIC LIVER DISEASE & CIRRHOSIS	1	1	1	0	1	0	2	2
NEPHRITIS & NEPHROSIS	6	14	4	0	5	10	4	14
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	3	1	0	0	0	3	0	1
CONGENITAL ANOMALIES	0	0	0	0	0	0	0	2
SUDDEN INFANT DEATH SYNDROME	0	1	0	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	10	0	4	0	1	4	2	4
ALL OTHER DISEASES	95	27	15	13	10	29	12	44
UNINTENTIONAL INJURIES	23	8	7	7	6	19	11	17
MOTOR VEHICLE CRASHES	15	3	2	4	3	6	3	6
OTHER UNINTENTIONAL INJURIES	8	5	5	3	3	13	8	11
SUICIDE	10	4	1	3	2	9	3	2
HOMICIDE	1	0	0	0	0	1	1	2
ALL OTHER EXTERNAL CAUSES	3	0	0	0	0	0	0	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2006

	PHELPS	PIKE	PLATTE	POLK	PULASKI	PUTNAM	RALLS	RANDOLPH
ALL CAUSES	389	195	536	316	256	70	70	239
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	6	3	4	6	1	0	1	6
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	0	0	0	1	0	0	0
MALIGNANT NEOPLASMS	70	37	148	62	64	14	23	60
STOMACH	0	0	2	0	2	0	0	1
COLON, RECTUM & ANUS	8	5	12	5	7	1	2	4
PANCREAS	4	2	7	3	3	0	2	3
TRACHEA, BRONCHUS & LUNG	21	12	50	11	23	4	9	16
BREAST	3	0	11	5	5	2	3	2
CERVIX UTERI, CORPUS UTERI & OVAR	5	1	2	1	2	0	0	2
PROSTATE	5	3	6	4	4	0	1	2
URINARY TRACT	1	3	11	2	4	3	0	2
NON-HODGKIN'S LYMPHOMA	0	0	3	1	3	0	1	2
LEUKEMIA	3	1	5	2	3	1	1	2
OTHER MALIGNANT NEOPLASMS	20	10	39	28	8	3	4	24
DIABETES MELLITUS	9	9	12	11	11	4	3	12
ALZHEIMER'S DISEASE	10	1	26	8	2	5	3	4
MAJOR CARDIOVASCULAR DISEASES	120	89	145	104	68	29	19	67
DISEASES OF HEART	90	64	106	65	58	25	10	50
HYPERTENSIVE HEART DISEASE	0	2	10	2	0	1	0	1
ISCHEMIC HEART DISEASES	64	45	68	41	44	17	5	17
OTHER HEART DISEASES	26	17	28	22	14	7	5	32
ESSENTIAL HYPERTENSION	0	4	5	6	0	0	3	1
CEREBROVASCULAR DISEASES	26	17	23	28	10	2	5	13
ATHEROSCLEROSIS	0	2	7	0	0	1	0	1
OTHER MAJOR CARDIOVASCULAR DIS.	4	2	4	5	0	1	1	2
INFLUENZA AND PNEUMONIA	19	4	5	11	6	2	0	6
CHRONIC LOWER RESPIRATORY DISEASES	25	9	32	20	18	4	5	15
PEPTIC ULCER	1	1	2	0	0	0	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	6	2	8	5	1	0	0	3
NEPHRITIS & NEPHROSIS	17	2	12	8	8	2	0	3
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	1
CONDITIONS ORIG. IN PERINATAL PERIOD	2	1	3	1	3	1	2	0
CONGENITAL ANOMALIES	6	1	1	1	2	0	0	2
SUDDEN INFANT DEATH SYNDROME	0	0	1	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	3	2	4	1	2	0	0	1
ALL OTHER DISEASES	56	22	89	57	34	6	9	34
UNINTENTIONAL INJURIES	27	11	35	19	21	3	4	14
MOTOR VEHICLE CRASHES	11	5	11	12	9	2	3	1
OTHER UNINTENTIONAL INJURIES	16	6	24	7	12	1	1	13
SUICIDE	6	0	9	2	11	0	0	7
HOMICIDE	4	0	0	0	3	0	0	2
ALL OTHER EXTERNAL CAUSES	2	1	0	0	0	0	1	2

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2006

	RAY	REYNOLDS	RIPLEY	ST CHARLES	ST CLAIR	ST FRANCOIS	STE GENEVIEVE	ST LOUIS CITY
ALL CAUSES	203	76	206	1,976	147	686	167	3,551
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	4	3	1	31	5	6	3	52
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	1	0	0	1	0	0	0	40
MALIGNANT NEOPLASMS	45	20	56	498	26	144	43	805
STOMACH	2	0	0	7	1	3	0	19
COLON, RECTUM & ANUS	5	1	5	52	1	7	4	75
PANCREAS	1	1	3	22	2	8	2	52
TRACHEA, BRONCHUS & LUNG	16	8	20	136	12	58	13	254
BREAST	5	0	3	41	1	9	2	53
CERVIX UTERI, CORPUS UTERI & OVAR	2	0	1	23	1	5	3	38
PROSTATE	1	0	3	13	0	4	2	36
URINARY TRACT	1	1	4	31	2	9	1	28
NON-HODGKIN'S LYMPHOMA	4	0	1	19	2	1	3	18
LEUKEMIA	0	1	3	36	2	8	2	32
OTHER MALIGNANT NEOPLASMS	8	8	13	118	2	32	11	200
DIABETES MELLITUS	5	3	2	44	1	29	6	130
ALZHEIMER'S DISEASE	6	1	2	42	4	22	4	52
MAJOR CARDIOVASCULAR DISEASES	70	21	65	610	58	274	65	1,286
DISEASES OF HEART	57	17	54	488	41	221	57	990
HYPERTENSIVE HEART DISEASE	3	0	0	14	0	6	1	121
ISCHEMIC HEART DISEASES	30	14	40	373	30	170	39	657
OTHER HEART DISEASES	24	3	14	101	11	45	17	212
ESSENTIAL HYPERTENSION	3	1	0	12	1	2	1	45
CEREBROVASCULAR DISEASES	9	3	10	96	12	41	7	213
ATHEROSCLEROSIS	0	0	0	1	1	2	0	3
OTHER MAJOR CARDIOVASCULAR DIS.	1	0	1	13	3	8	0	35
INFLUENZA AND PNEUMONIA	6	0	11	42	5	9	2	71
CHRONIC LOWER RESPIRATORY DISEASES	16	4	14	118	13	42	6	133
PEPTIC ULCER	0	0	0	3	0	0	0	2
CHRONIC LIVER DISEASE & CIRRHOSIS	1	0	0	28	2	2	1	32
NEPHRITIS & NEPHROSIS	1	0	3	47	3	9	2	63
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	2
CONDITIONS ORIG. IN PERINATAL PERIOD	2	0	1	12	0	1	0	30
CONGENITAL ANOMALIES	1	1	3	12	0	1	0	6
SUDDEN INFANT DEATH SYNDROME	0	1	2	0	0	0	0	2
SYMPTOMS & ILL-DEFINED CONDITIONS	0	1	0	3	4	0	0	10
ALL OTHER DISEASES	27	9	30	305	15	89	22	465
UNINTENTIONAL INJURIES	14	11	13	136	8	47	9	210
MOTOR VEHICLE CRASHES	10	6	7	35	4	14	4	46
OTHER UNINTENTIONAL INJURIES	4	5	6	101	4	33	5	164
SUICIDE	4	1	2	35	3	8	4	51
HOMICIDE	0	0	0	7	0	0	0	104
ALL OTHER EXTERNAL CAUSES	0	0	1	2	0	3	0	5

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2006

	ST LOUIS COUNTY	SALINE	SCHUYLER	SCOTLAND	SCOTT	SHANNON	SHELBY	STODDARD
ALL CAUSES	9,351	275	52	61	387	90	83	357
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	162	3	1	1	3	0	0	5
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	17	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS	2,233	63	14	14	89	17	26	101
STOMACH	35	0	0	0	0	0	0	1
COLON, RECTUM & ANUS	214	4	3	1	11	0	2	13
PANCREAS	152	4	0	0	4	3	1	3
TRACHEA, BRONCHUS & LUNG	591	19	5	3	39	6	3	31
BREAST	190	4	0	2	4	1	2	7
CERVIX UTERI, CORPUS UTERI & OVAR	133	2	0	1	3	0	1	3
PROSTATE	95	2	1	3	6	2	4	3
URINARY TRACT	107	3	3	1	2	1	1	4
NON-HODGKIN'S LYMPHOMA	82	5	0	1	2	0	3	7
LEUKEMIA	115	1	0	0	4	2	2	1
OTHER MALIGNANT NEOPLASMS	519	19	2	2	14	2	7	28
DIABETES MELLITUS	235	7	3	0	15	0	2	9
ALZHEIMER'S DISEASE	234	0	2	0	15	0	1	16
MAJOR CARDIOVASCULAR DISEASES	3,406	112	14	17	126	36	33	97
DISEASES OF HEART	2,683	89	11	8	97	30	25	66
HYPERTENSIVE HEART DISEASE	106	3	0	0	3	0	0	0
ISCHEMIC HEART DISEASES	2,063	69	9	8	69	26	18	47
OTHER HEART DISEASES	514	17	2	0	25	4	7	19
ESSENTIAL HYPERTENSION	66	1	1	1	1	0	0	6
CEREBROVASCULAR DISEASES	563	22	2	6	24	4	6	22
ATHEROSCLEROSIS	8	0	0	0	3	0	1	2
OTHER MAJOR CARDIOVASCULAR DIS.	86	0	0	2	1	2	1	1
INFLUENZA AND PNEUMONIA	256	4	5	3	11	3	1	6
CHRONIC LOWER RESPIRATORY DISEASES	382	18	2	4	23	5	7	36
PEPTIC ULCER	12	0	0	1	2	0	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	71	2	1	0	2	2	0	2
NEPHRITIS & NEPHROSIS	158	6	2	1	9	3	2	6
PREGNANCY, CHILDBIRTH & PUERPERIUM	4	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	56	3	0	0	1	0	1	0
CONGENITAL ANOMALIES	31	2	0	0	0	0	0	1
SUDDEN INFANT DEATH SYNDROME	2	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	33	0	0	0	0	5	0	1
ALL OTHER DISEASES	1,481	37	6	15	57	9	4	53
UNINTENTIONAL INJURIES	392	12	1	4	24	8	6	17
MOTOR VEHICLE CRASHES	89	5	1	0	11	5	3	8
OTHER UNINTENTIONAL INJURIES	303	7	0	4	13	3	3	9
SUICIDE	97	3	0	1	4	0	0	4
HOMICIDE	75	3	1	0	4	0	0	2
ALL OTHER EXTERNAL CAUSES	14	0	0	0	2	2	0	1

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2006

	STONE	SULLIVAN	TANEY	TEXAS	VERNON	WARREN	WASHINGTON	WAYNE
ALL CAUSES	322	80	425	287	270	234	246	174
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	1	0	9	2	3	3	3	1
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	0	0	1	0	1	0	0
MALIGNANT NEOPLASMS	79	16	118	55	57	75	60	53
STOMACH	0	0	3	2	0	0	1	0
COLON, RECTUM & ANUS	6	0	8	8	3	11	4	4
PANCREAS	5	1	11	1	1	6	3	3
TRACHEA, BRONCHUS & LUNG	22	5	37	17	22	17	17	19
BREAST	6	1	8	4	3	4	8	5
CERVIX UTERI, CORPUS UTERI & OVARY	5	0	3	4	1	3	2	5
PROSTATE	1	0	3	2	2	3	4	3
URINARY TRACT	1	0	6	0	2	4	2	0
NON-HODGKIN'S LYMPHOMA	2	1	4	1	1	5	2	4
LEUKEMIA	3	1	4	4	5	4	1	2
OTHER MALIGNANT NEOPLASMS	28	7	31	12	17	18	16	8
DIABETES MELLITUS	7	5	6	10	17	8	7	7
ALZHEIMER'S DISEASE	15	2	11	6	9	2	0	6
MAJOR CARDIOVASCULAR DISEASES	124	26	148	99	110	78	104	49
DISEASES OF HEART	98	19	125	85	95	64	90	33
HYPERTENSIVE HEART DISEASE	1	0	2	0	0	0	0	1
ISCHEMIC HEART DISEASES	71	15	79	66	74	45	73	24
OTHER HEART DISEASES	26	4	44	19	21	19	17	8
ESSENTIAL HYPERTENSION	2	0	0	1	1	1	0	4
CEREBROVASCULAR DISEASES	18	7	15	8	10	12	11	11
ATHEROSCLEROSIS	1	0	0	0	1	0	0	0
OTHER MAJOR CARDIOVASCULAR DIS.	5	0	8	5	3	1	3	1
INFLUENZA AND PNEUMONIA	5	0	15	12	5	5	7	7
CHRONIC LOWER RESPIRATORY DISEASES	16	4	23	20	13	10	5	11
PEPTIC ULCER	0	0	0	1	0	0	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	6	0	6	1	2	1	5	2
NEPHRITIS & NEPHROSIS	7	2	7	12	1	3	4	8
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	1	0	2	0	0	1	1	0
CONGENITAL ANOMALIES	3	0	3	0	1	0	0	1
SUDDEN INFANT DEATH SYNDROME	0	0	1	2	0	1	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	1	0	12	0	3	0	1	0
ALL OTHER DISEASES	38	16	29	45	30	23	18	20
UNINTENTIONAL INJURIES	14	5	24	14	17	16	26	7
MOTOR VEHICLE CRASHES	9	1	11	7	8	7	16	4
OTHER UNINTENTIONAL INJURIES	5	4	13	7	9	9	10	3
SUICIDE	3	4	9	2	1	5	2	0
HOMICIDE	2	0	2	4	0	2	1	0
ALL OTHER EXTERNAL CAUSES	0	0	0	1	1	0	2	2

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 2006

	WEBSTER	WORTH	WRIGHT
ALL CAUSES	307	36	220
TUBERCULOSIS	0	0	0
SEPTICEMIA	5	0	2
SYPHILIS	0	0	0
AIDS	1	0	0
MALIGNANT NEOPLASMS	66	5	57
STOMACH	0	0	2
COLON, RECTUM & ANUS	4	0	4
PANCREAS	5	3	4
TRACHEA, BRONCHUS & LUNG	21	0	19
BREAST	3	0	2
CERVIX UTERI, CORPUS UTERI & OVAR	4	0	4
PROSTATE	4	0	0
URINARY TRACT	4	0	5
NON-HODGKIN'S LYMPHOMA	2	0	5
LEUKEMIA	2	0	0
OTHER MALIGNANT NEOPLASMS	17	2	12
DIABETES MELLITUS	8	0	4
ALZHEIMER'S DISEASE	14	3	6
MAJOR CARDIOVASCULAR DISEASES	106	18	84
DISEASES OF HEART	81	11	73
HYPERTENSIVE HEART DISEASE	2	0	1
ISCHEMIC HEART DISEASES	51	7	52
OTHER HEART DISEASES	28	4	20
ESSENTIAL HYPERTENSION	2	1	1
CEREBROVASCULAR DISEASES	21	4	8
ATHEROSCLEROSIS	0	1	0
OTHER MAJOR CARDIOVASCULAR DIS.	2	1	2
INFLUENZA AND PNEUMONIA	4	1	5
CHRONIC LOWER RESPIRATORY DISEASES	19	2	17
PEPTIC ULCER	0	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	4	1	1
NEPHRITIS & NEPHROSIS	6	3	6
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	3	0	0
CONGENITAL ANOMALIES	5	0	0
SUDDEN INFANT DEATH SYNDROME	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	1	0	1
ALL OTHER DISEASES	42	2	17
UNINTENTIONAL INJURIES	19	1	16
MOTOR VEHICLE CRASHES	11	1	9
OTHER UNINTENTIONAL INJURIES	8	0	7
SUICIDE	4	0	3
HOMICIDE	0	0	0
ALL OTHER EXTERNAL CAUSES	0	0	1

TABLE 27C

 RESIDENT DEATHS BY SELECTED CAUSES OF DEATH
 BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2006

	BALLWIN	BLUE SPRINGS	CAPE GIRARDEAU	CHESTER- FIELD	COLUMBIA	FLORISSANT	GLADSTONE	HAZELWOOD
ALL CAUSES	167	319	447	463	623	504	279	187
TUBERCULOSIS	0	0	1	0	0	0	0	0
SEPTICEMIA	3	6	6	7	8	14	3	2
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	2	1	0	2	1	0	1
MALIGNANT NEOPLASMS	61	90	94	91	147	123	65	46
STOMACH	1	1	4	0	3	4	1	1
COLON, RECTUM & ANUS	8	8	10	7	13	9	7	6
PANCREAS	5	5	3	8	11	6	5	1
TRACHEA, BRONCHUS & LUNG	14	29	27	23	34	40	22	10
BREAST	7	8	6	10	14	9	5	3
CERVIX UTERI, CORPUS UTERI & OVAR	3	10	7	7	5	8	4	3
PROSTATE	1	4	6	7	9	3	2	0
URINARY TRACT	2	1	4	7	7	2	2	2
NON-HODGKIN'S LYMPHOMA	4	1	7	0	5	3	1	6
LEUKEMIA	4	2	2	2	4	6	2	3
OTHER MALIGNANT NEOPLASMS	12	21	18	20	42	33	14	11
DIABETES MELLITUS	4	5	16	8	15	14	7	5
ALZHEIMER'S DISEASE	3	28	32	19	32	8	8	3
MAJOR CARDIOVASCULAR DISEASES	50	88	145	185	179	198	78	62
DISEASES OF HEART	38	69	91	141	145	172	56	52
HYPERTENSIVE HEART DISEASE	0	5	1	1	3	7	4	1
ISCHEMIC HEART DISEASES	27	38	71	103	90	148	37	43
OTHER HEART DISEASES	11	26	19	37	52	17	15	8
ESSENTIAL HYPERTENSION	2	2	5	4	6	0	2	1
CEREBROVASCULAR DISEASES	7	10	25	31	21	23	17	6
ATHEROSCLEROSIS	0	4	22	1	1	0	0	0
OTHER MAJOR CARDIOVASCULAR DIS.	3	3	2	8	6	3	3	3
INFLUENZA AND PNEUMONIA	3	5	11	9	14	9	3	10
CHRONIC LOWER RESPIRATORY DISEASES	5	15	26	16	22	19	16	9
PEPTIC ULCER	0	0	0	1	0	1	0	1
CHRONIC LIVER DISEASE & CIRRHOSIS	0	3	1	2	5	0	2	4
NEPHRITIS & NEPHROSIS	1	5	19	7	12	7	3	3
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	0	6	3	1	4	2	0	1
CONGENITAL ANOMALIES	0	2	1	1	3	1	2	1
SUDDEN INFANT DEATH SYNDROME	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	0	3	15	0	0	2	2	1
ALL OTHER DISEASES	27	36	57	97	108	62	68	22
UNINTENTIONAL INJURIES	8	14	14	18	52	30	15	11
MOTOR VEHICLE CRASHES	0	6	2	0	21	10	5	2
OTHER UNINTENTIONAL INJURIES	8	8	12	18	31	20	10	9
SUICIDE	2	9	4	1	16	8	5	3
HOMICIDE	0	1	1	0	1	3	2	2
ALL OTHER EXTERNAL CAUSES	0	1	0	0	3	2	0	0

TABLE 27C (CONT)

 RESIDENT DEATHS BY SELECTED CAUSES OF DEATH
 BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2006

	INDE- PENDENCE	JEFFERSON CITY	JOPLIN	KANSAS CITY (TOT)	K.C. (JACKSON)	K.C. (CLAY)	K.C. (PLATTE)	K.C. (CASS)
ALL CAUSES	1,247	386	606	3,809	2,945	604	260	0
TUBERCULOSIS	0	0	1	3	2	1	0	0
SEPTICEMIA	19	7	11	49	43	5	1	0
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	5	0	1	23	20	3	0	0
MALIGNANT NEOPLASMS	278	92	96	854	629	153	72	0
STOMACH	4	1	1	13	12	0	1	0
COLON, RECTUM & ANUS	18	10	8	75	54	13	8	0
PANCREAS	16	5	6	46	31	11	4	0
TRACHEA, BRONCHUS & LUNG	86	26	32	278	202	51	25	0
BREAST	32	11	9	68	50	14	4	0
CERVIX UTERI, CORPUS UTERI & OVAR	12	3	5	31	22	7	2	0
PROSTATE	16	3	3	40	32	6	2	0
URINARY TRACT	11	7	6	46	31	10	5	0
NON-HODGKIN'S LYMPHOMA	13	6	5	26	16	8	2	0
LEUKEMIA	8	6	4	35	29	4	2	0
OTHER MALIGNANT NEOPLASMS	62	14	17	196	150	29	17	0
DIABETES MELLITUS	36	16	18	106	81	20	5	0
ALZHEIMER'S DISEASE	90	15	25	107	72	25	10	0
MAJOR CARDIOVASCULAR DISEASES	429	124	222	1,163	938	160	65	0
DISEASES OF HEART	309	90	186	815	643	125	47	0
HYPERTENSIVE HEART DISEASE	12	1	2	60	47	8	5	0
ISCHEMIC HEART DISEASES	181	58	139	493	386	78	29	0
OTHER HEART DISEASES	116	31	45	262	210	39	13	0
ESSENTIAL HYPERTENSION	15	5	3	39	31	5	3	0
CEREBROVASCULAR DISEASES	78	25	28	197	165	21	11	0
ATHEROSCLEROSIS	15	2	1	79	71	5	3	0
OTHER MAJOR CARDIOVASCULAR DIS.	12	2	4	33	28	4	1	0
INFLUENZA AND PNEUMONIA	14	7	28	81	60	16	5	0
CHRONIC LOWER RESPIRATORY DISEASES	62	26	43	206	146	42	18	0
PEPTIC ULCER	0	0	1	6	4	0	2	0
CHRONIC LIVER DISEASE & CIRRHOSIS	5	2	4	36	27	6	3	0
NEPHRITIS & NEPHROSIS	26	3	13	90	78	7	5	0
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	1	1	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	11	4	2	38	31	6	1	0
CONGENITAL ANOMALIES	6	2	1	25	21	4	0	0
SUDDEN INFANT DEATH SYNDROME	3	0	1	9	7	1	1	0
SYMPTOMS & ILL-DEFINED CONDITIONS	3	1	8	19	12	4	3	0
ALL OTHER DISEASES	173	67	97	585	444	95	46	0
UNINTENTIONAL INJURIES	61	15	21	235	181	35	19	0
MOTOR VEHICLE CRASHES	19	7	9	66	45	16	5	0
OTHER UNINTENTIONAL INJURIES	42	8	12	169	136	19	14	0
SUICIDE	23	3	9	71	48	19	4	0
HOMICIDE	3	2	4	97	96	1	0	0
ALL OTHER EXTERNAL CAUSES	0	0	0	5	4	1	0	0

TABLE 27C (CONT)

 RESIDENT DEATHS BY SELECTED CAUSES OF DEATH
 BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2006

	KIRKWOOD	LEES SUMMIT	LIBERTY	MARYLAND HEIGHTS	OFALLON	RAYTOWN	ST CHARLES	ST JOSEPH
ALL CAUSES	229	670	191	188	308	419	546	854
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	3	7	4	6	6	8	10	5
SYPHILIS	0	0	0	0	0	0	0	0
AIDS	0	2	0	1	0	3	1	1
MALIGNANT NEOPLASMS	63	141	36	44	85	78	106	185
STOMACH	0	2	0	0	1	4	2	1
COLON, RECTUM & ANUS	3	19	5	3	6	6	14	13
PANCREAS	10	8	2	1	4	8	2	8
TRACHEA, BRONCHUS & LUNG	16	37	12	15	26	22	34	59
BREAST	7	13	3	4	8	3	5	17
CERVIX UTERI, CORPUS UTERI & OVAR	6	8	3	1	2	2	5	9
PROSTATE	3	2	1	1	2	4	2	3
URINARY TRACT	3	6	0	4	5	4	9	16
NON-HODGKIN'S LYMPHOMA	0	5	1	0	5	3	1	5
LEUKEMIA	3	7	1	2	7	6	6	5
OTHER MALIGNANT NEOPLASMS	12	34	8	13	19	16	26	49
DIABETES MELLITUS	2	10	6	7	10	15	11	33
ALZHEIMER'S DISEASE	2	45	7	4	4	12	20	20
MAJOR CARDIOVASCULAR DISEASES	85	248	54	58	87	144	169	311
DISEASES OF HEART	64	182	41	40	75	99	130	224
HYPERTENSIVE HEART DISEASE	2	5	2	2	2	1	3	6
ISCHEMIC HEART DISEASES	51	126	20	33	64	63	96	147
OTHER HEART DISEASES	11	51	19	5	9	35	31	71
ESSENTIAL HYPERTENSION	1	3	2	0	0	3	4	11
CEREBROVASCULAR DISEASES	19	41	9	16	11	27	29	62
ATHEROSCLEROSIS	0	15	0	0	1	9	0	6
OTHER MAJOR CARDIOVASCULAR DIS.	1	7	2	2	0	6	6	8
INFLUENZA AND PNEUMONIA	9	18	3	15	5	11	22	10
CHRONIC LOWER RESPIRATORY DISEASES	5	50	21	8	15	30	35	87
PEPTIC ULCER	0	0	0	0	0	0	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	2	6	3	2	7	2	11	9
NEPHRITIS & NEPHROSIS	6	12	8	4	6	4	11	18
PREGNANCY, CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	2	3	1	0	4	1	1	2
CONGENITAL ANOMALIES	0	4	2	2	0	1	5	7
SUDDEN INFANT DEATH SYNDROME	0	2	0	0	0	2	0	1
SYMPTOMS & ILL-DEFINED CONDITIONS	1	4	1	1	0	2	1	3
ALL OTHER DISEASES	38	84	30	26	51	80	87	126
UNINTENTIONAL INJURIES	7	22	10	7	21	18	45	24
MOTOR VEHICLE CRASHES	2	6	5	1	10	4	10	7
OTHER UNINTENTIONAL INJURIES	5	16	5	6	11	14	35	17
SUICIDE	4	9	5	2	5	2	9	12
HOMICIDE	0	3	0	1	2	6	2	0
ALL OTHER EXTERNAL CAUSES	0	0	0	0	0	0	0	0

TABLE 27C (CONT)

 RESIDENT DEATHS BY SELECTED CAUSES OF DEATH
 BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 2006

	ST LOUIS CITY	ST PETER	SPRING- FIELD	UNIVERSITY CITY	WILDWOOD
ALL CAUSES	3,551	316	1,709	357	104
TUBERCULOSIS	0	0	0	0	0
SEPTICEMIA	52	2	16	4	3
SYPHILIS	0	0	0	0	0
AIDS	40	0	4	1	0
MALIGNANT NEOPLASMS	805	79	344	99	30
STOMACH	19	1	11	0	0
COLON, RECTUM & ANUS	75	9	30	7	1
PANCREAS	52	3	22	10	3
TRACHEA, BRONCHUS & LUNG	254	18	117	18	7
BREAST	53	10	31	11	4
CERVIX UTERI, CORPUS UTERI & OVAR	38	5	12	7	1
PROSTATE	36	1	9	7	1
URINARY TRACT	28	4	15	6	2
NON-HODGKIN'S LYMPHOMA	18	4	12	5	0
LEUKEMIA	32	7	16	8	0
OTHER MALIGNANT NEOPLASMS	200	17	69	20	11
DIABETES MELLITUS	130	6	24	7	2
ALZHEIMER'S DISEASE	52	6	89	8	0
MAJOR CARDIOVASCULAR DISEASES	1,286	103	603	121	29
DISEASES OF HEART	990	86	461	93	24
HYPERTENSIVE HEART DISEASE	121	4	10	8	0
ISCHEMIC HEART DISEASES	657	59	325	64	19
OTHER HEART DISEASES	212	23	126	21	5
ESSENTIAL HYPERTENSION	45	1	15	5	0
CEREBROVASCULAR DISEASES	213	15	112	18	4
ATHEROSCLEROSIS	3	0	2	0	0
OTHER MAJOR CARDIOVASCULAR DIS.	35	1	13	5	1
INFLUENZA AND PNEUMONIA	71	2	32	9	2
CHRONIC LOWER RESPIRATORY DISEASES	133	17	118	22	5
PEPTIC ULCER	2	2	0	0	0
CHRONIC LIVER DISEASE & CIRRHOSIS	32	5	13	0	1
NEPHRITIS & NEPHROSIS	63	12	33	7	0
PREGNANCY, CHILDBIRTH & PUERPERIUM	2	0	0	0	0
CONDITIONS ORIG. IN PERINATAL PERIOD	30	3	6	5	0
CONGENITAL ANOMALIES	6	4	9	2	1
SUDDEN INFANT DEATH SYNDROME	2	0	1	0	0
SYMPTOMS & ILL-DEFINED CONDITIONS	10	1	7	0	0
ALL OTHER DISEASES	465	50	270	50	19
UNINTENTIONAL INJURIES	210	15	101	15	8
MOTOR VEHICLE CRASHES	46	2	29	3	4
OTHER UNINTENTIONAL INJURIES	164	13	72	12	4
SUICIDE	51	8	27	0	4
HOMICIDE	104	1	9	7	0
ALL OTHER EXTERNAL CAUSES	5	0	3	0	0

TABLE 28

RECORDED DEATHS BY TYPE OF ACCIDENT* AGE AND SEX: MISSOURI 2006

	TOTAL	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER 74	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
GRAND TOTAL	3,185	1,991	1,194	45	29	32	23	346	131	588	246	520	216	132	105	327	444
WORK TOTAL	117	111	6	0	0	0	0	8	0	36	3	46	3	12	0	9	0
HEAVY TRANSPORT VEHICLE	12	12	0	0	0	0	0	0	0	5	0	7	0	0	0	0	0
OTHER MOTOR VEHICLE	27	22	5	0	0	0	0	2	0	9	3	8	2	2	0	1	0
OTHER TRANSPORT	9	9	0	0	0	0	0	1	0	2	0	3	0	0	0	3	0
FALLS	26	26	0	0	0	0	0	1	0	10	0	11	0	3	0	1	0
FARM MACHINERY	8	8	0	0	0	0	0	2	0	0	0	2	0	2	0	2	0
OTHER MACHINERY	2	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
STRUCK BY/AGAINST OBJECT	10	10	0	0	0	0	0	0	0	3	0	4	0	2	0	1	0
ELECTRIC CURRENT	8	8	0	0	0	0	0	1	0	3	0	3	0	1	0	0	0
OTHER/UNSPECIFIED	15	14	1	0	0	0	0	1	0	3	0	7	1	2	0	1	0
HOME TOTAL	1,245	745	500	32	24	9	6	85	19	210	116	202	116	60	39	147	180
FALLS	401	205	196	0	0	0	1	1	0	8	3	32	14	38	28	126	150
MACHINERY	6	6	0	0	0	0	0	0	0	0	0	1	0	4	0	1	0
FIREARMS	14	12	2	0	0	2	0	6	1	2	0	2	0	0	1	0	0
STRUCK BY/AGAINST OBJECT	15	12	3	1	0	1	0	0	0	1	0	5	1	1	1	3	1
DROWNING	15	6	9	1	3	0	1	1	0	1	1	1	4	2	0	0	0
CHOKES/SUFFOCATE	65	36	29	20	16	2	0	3	0	2	2	8	3	0	3	1	5
EXCESS NATURAL HEAT/COLD	23	13	10	0	0	1	0	0	0	1	0	8	1	1	3	2	6
FIRE/FLAME/SMOKE	78	48	30	5	3	3	3	2	1	8	2	17	7	5	3	8	11
POISONING (DRUG/ALCOHOL)	585	377	208	2	0	0	1	66	15	182	107	123	84	4	0	0	1
POISONING (GAS/OTHER)	23	16	7	1	1	0	0	6	2	3	0	2	1	1	0	3	3
OTHER/UNSPECIFIED	20	14	6	2	1	0	0	0	0	2	1	3	1	4	0	3	3
PUBLIC TRANSPORT TOTAL	1,210	801	409	8	5	19	14	231	103	266	108	185	82	39	43	52	54
CAR OR TRUCK	773	493	280	4	5	11	8	178	86	140	79	111	44	19	26	30	32
PEDESTRIAN	82	60	22	3	0	5	0	5	3	23	4	15	9	5	3	4	3
PEDAL CYCLIST	5	5	0	0	0	0	0	0	0	2	0	1	0	1	0	1	0
MOTORCYCLIST	106	91	15	0	0	0	1	15	0	45	9	28	3	2	2	1	0
RAILROAD (NOT W/MOTOR VEH)	7	6	1	0	0	0	0	2	1	4	0	0	0	0	0	0	0
NONROAD VEH, INCL SPECIAL ATV	31	27	4	0	0	2	1	11	1	7	1	3	1	2	0	2	0
WATER TRANSPORT	9	8	1	0	0	0	0	3	0	1	1	4	0	0	0	0	0
AIR TRANSPORT	13	9	4	0	0	0	0	1	1	3	1	2	0	1	1	2	1
OTHER/UNSPECIFIED	184	102	82	1	0	1	4	16	11	41	13	21	25	9	11	12	18
PUBLIC NONTRANSPORT TOTAL	594	322	272	5	0	4	3	22	9	74	17	77	14	21	23	119	206
FALLS	319	128	191	0	0	0	1	3	2	5	2	19	6	9	15	92	165
MACHINERY	11	10	1	0	0	0	1	0	0	2	0	5	0	2	0	1	0
FIREARMS	6	5	1	0	0	0	0	0	0	1	1	3	0	0	0	1	0
STRUCK BY/AGAINST OBJECT	13	12	1	0	0	0	0	1	0	2	0	3	1	4	0	2	0
DROWNING	45	42	3	3	0	3	1	10	0	13	1	8	0	2	0	3	1
CHOKES/SUFFOCATE	37	20	17	0	0	0	0	1	0	4	2	6	1	3	3	6	11
EXCESS NATURAL HEAT/COLD	7	6	1	0	0	0	0	0	0	2	0	2	0	0	0	2	1
FIRE/FLAME/SMOKE	2	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
POISONING (DRUG/ALCOHOL)	88	70	18	1	0	0	0	6	5	35	10	28	3	0	0	0	0
POISONING (GAS/OTHER)	5	4	1	0	0	1	0	0	1	3	0	0	0	0	0	0	0
OTHER/UNSPECIFIED	61	23	38	1	0	0	0	1	1	7	1	3	3	0	5	11	28
LATE EFFECTS OF ACCIDENTS	19	12	7	0	0	0	0	0	0	2	2	10	1	0	0	0	4

* BEGINNING WITH 2004, TYPE OF ACCIDENTS ARE CATEGORIZED DIFFERENTLY. SEE APPENDIX FOR EXPLANATION.

TABLE 29

ABRIDGED LIFE TABLE FOR TOTAL POPULATION, AND BY SEX: MISSOURI 2006

TOTAL POPULATION

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL	NUMBER LIVING AT BEGINNING OF AGE INTERVAL	NUMBER DYING DURING AGE INTERVAL	IN THE AGE INTERVAL	IN THIS AND ALL SUBSEQUENT AGE INTERVALS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL
X TO X + N	$\frac{Q}{N} X$	$1 X$	$D N X$	$L N X$	$T X$	$E X$
00 TO 01	.0074	100,000	736	99,343	7,696,552	77.0
01 TO 05	.0011	99,264	113	396,786	7,597,209	76.5
05 TO 10	.0008	99,151	84	495,528	7,200,423	72.6
10 TO 15	.0010	99,067	98	495,114	6,704,895	67.7
15 TO 20	.0043	98,969	427	493,865	6,209,781	62.7
20 TO 25	.0059	98,542	586	491,272	5,715,916	58.0
25 TO 30	.0052	97,956	510	488,523	5,224,644	53.3
30 TO 35	.0073	97,446	710	485,537	4,736,121	48.6
35 TO 40	.0084	96,736	811	481,787	4,250,584	43.9
40 TO 45	.0128	95,925	1,225	476,781	3,768,797	39.3
45 TO 50	.0188	94,700	1,781	469,372	3,292,016	34.8
50 TO 55	.0282	92,919	2,623	458,425	2,822,644	30.4
55 TO 60	.0399	90,296	3,606	442,962	2,364,219	26.2
60 TO 65	.0568	86,690	4,925	421,730	1,921,257	22.2
65 TO 70	.0892	81,765	7,291	391,289	1,499,527	18.3
70 TO 75	.1301	74,474	9,692	348,840	1,108,238	14.9
75 TO 80	.1982	64,782	12,842	292,351	759,398	11.7
80 TO 85	.2997	51,940	15,565	219,998	467,047	9.0
85 AND UP	1.0000	36,375	36,375	247,049	247,049	6.8


TABLE 29 (CONT.) ABRIDGED LIFE TABLE FOR TOTAL POPULATION, AND BY SEX: MISSOURI 2006
MALE POPULATION

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL	NUMBER LIVING AT BEGINNING OF AGE INTERVAL	NUMBER DYING DURING AGE INTERVAL	IN THE AGE INTERVAL	IN THIS AND ALL SUBSEQUENT AGE INTERVALS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL
X TO X + N	$\frac{Q}{N} X$	$1 X$	$\frac{D}{N} X$	$\frac{L}{N} X$	$T X$	$E X$
00 TO 01	.0080	100,000	801	99,280	7,427,939	74.3
01 TO 05	.0012	99,199	119	396,512	7,328,659	73.9
05 TO 10	.0011	99,080	111	495,104	6,932,147	70.0
10 TO 15	.0011	98,969	109	494,606	6,437,043	65.0
15 TO 20	.0059	98,860	585	492,973	5,942,437	60.1
20 TO 25	.0087	98,275	857	489,260	5,449,464	55.5
25 TO 30	.0078	97,418	758	485,191	4,960,204	50.9
30 TO 35	.0094	96,660	913	481,110	4,475,013	46.3
35 TO 40	.0105	95,747	1,004	476,394	3,993,903	41.7
40 TO 45	.0164	94,743	1,552	470,122	3,517,509	37.1
45 TO 50	.0238	93,191	2,213	460,845	3,047,387	32.7
50 TO 55	.0369	90,978	3,353	447,011	2,586,542	28.4
55 TO 60	.0497	87,625	4,358	427,795	2,139,531	24.4
60 TO 65	.0678	83,267	5,649	402,799	1,711,736	20.6
65 TO 70	.1090	77,618	8,459	367,468	1,308,937	16.9
70 TO 75	.1543	69,159	10,671	319,413	941,469	13.6
75 TO 80	.2349	58,488	13,740	258,006	622,056	10.6
80 TO 85	.3463	44,748	15,497	183,499	364,050	8.1
85 AND UP	1.0000	29,251	29,251	180,551	180,551	6.2

TABLE 29 (CONT.) ABRIDGED LIFE TABLE FOR TOTAL POPULATION, AND BY SEX: MISSOURI 2006
FEMALE POPULATION

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL	NUMBER LIVING AT BEGINNING OF AGE INTERVAL	NUMBER DYING DURING AGE INTERVAL	IN THE AGE INTERVAL	IN THIS AND ALL SUBSEQUENT AGE INTERVALS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL
X TO X + N	$\frac{Q}{N} \times$	$\frac{I}{X}$	$\frac{D}{N} \times$	$\frac{L}{N} \times$	$\frac{T}{X}$	$\frac{E}{X}$
00 TO 01	.0067	100,000	669	99,408	7,956,066	79.6
01 TO 05	.0011	99,331	107	397,065	7,856,658	79.1
05 TO 10	.0006	99,224	56	495,966	7,459,593	75.2
10 TO 15	.0009	99,168	87	495,634	6,963,627	70.2
15 TO 20	.0025	99,081	248	494,824	6,467,993	65.3
20 TO 25	.0030	98,833	299	493,443	5,973,169	60.4
25 TO 30	.0026	98,534	259	492,051	5,479,726	55.6
30 TO 35	.0051	98,275	505	490,183	4,987,675	50.8
35 TO 40	.0063	97,770	614	487,415	4,497,492	46.0
40 TO 45	.0092	97,156	896	483,688	4,010,077	41.3
45 TO 50	.0140	96,260	1,348	478,150	3,526,389	36.6
50 TO 55	.0199	94,912	1,892	470,092	3,048,239	32.1
55 TO 60	.0307	93,020	2,856	458,393	2,578,147	27.7
60 TO 65	.0467	90,164	4,213	440,897	2,119,754	23.5
65 TO 70	.0715	85,951	6,148	415,233	1,678,857	19.5
70 TO 75	.1099	79,803	8,770	378,192	1,263,624	15.8
75 TO 80	.1706	71,033	12,115	326,022	885,432	12.5
80 TO 85	.2693	58,918	15,864	254,776	559,410	9.5
85 AND UP	1.0000	43,054	43,054	304,634	304,634	7.1

Graph F
Marriage Rates per 1,000 Population
Missouri 1950 - 2006



<i>Marriages</i> <i>Rate</i>			<i>Marriages</i> <i>Rate</i>			<i>Marriages</i> <i>Rate</i>			<i>Marriages</i> <i>Rate</i>		
1950	34,300	8.7	1965	39,882	8.9	1980	54,625	11.1	1995	45,057	8.4
1951	30,880	7.7	1966	42,597	9.4	1981	54,124	11.0	1996	44,473	8.2
1952	28,373	7.1	1967	44,055	9.7	1982	53,836	10.9	1997	43,812	8.0
1953	33,012	8.2	1968	48,155	10.5	1983	53,258	10.8	1998	43,685	7.9
1954	33,520	8.2	1969	50,411	10.9	1984	52,464	10.5	1999	44,369	8.0
1955	34,162	8.3	1970	50,224	10.7	1985	49,484	9.9	2000	43,665	7.8
1956	34,382	8.3	1971	51,048	10.8	1986	49,579	9.9	2001	42,086	7.5
1957	31,395	7.5	1972	53,372	11.2	1987	48,397	9.9	2002	41,552	7.3
1958	31,965	7.6	1973	51,990	10.9	1988	50,330	9.9	2003	41,295	7.2
1959	34,352	8.1	1974	51,434	10.7	1989	50,331	9.9	2004	40,824	7.1
1960	35,368	8.2	1975	50,147	10.5	1990	49,063	9.6	2005	40,675	7.0
1961	34,640	8.0	1976	51,070	10.6	1991	46,115	8.9	2006	40,399	6.9
1962	35,192	8.1	1977	52,100	10.8	1992	45,546	8.7			
1963	37,667	8.6	1978	52,878	10.9	1993	44,380	8.4			
1964	38,802	8.7	1979	52,592	10.8	1994	45,070	8.5			

TABLE 30

REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE; MISSOURI 2006

[illegible]

REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE; MISSOURI 2006

NOT STATED

TABLE 31 REPORTED MARRIAGES BY AGE AND PREVIOUS MARITAL STATUS OF BRIDE AND GROOM: MISSOURI 2006

AGE	BRIDE				GROOM			
	TOTAL	SINGLE	WIDOWED	DIVORCED	TOTAL	SINGLE	WIDOWED	DIVORCED
TOTAL	40,399	25,909	1,266	12,854	40,399	25,756	1,185	13,148
UNDER 15 YEARS	0	0	0	0	0	0	0	0
15 YEARS	59	59	0	0	4	4	0	0
16 YEARS	103	102	0	0	16	16	0	0
17 YEARS	268	266	0	2	62	62	0	0
18 YEARS	1,074	1,068	0	5	399	397	0	0
19 YEARS	1,510	1,491	0	13	788	784	0	3
20 YEARS	1,870	1,829	0	39	1,175	1,162	0	10
21 YEARS	2,236	2,163	1	67	1,579	1,551	0	26
22 YEARS	2,489	2,370	2	108	1,934	1,892	1	39
23 YEARS	2,686	2,505	1	168	2,334	2,256	1	74
24 YEARS	2,486	2,241	4	230	2,436	2,316	1	114
25 YEARS	2,445	2,185	3	249	2,379	2,228	1	138
26 YEARS	2,216	1,852	7	341	2,182	1,954	3	219
27 YEARS	1,852	1,450	5	385	1,990	1,731	1	250
28 YEARS	1,572	1,114	12	431	1,776	1,462	2	305
29 YEARS	1,365	957	4	394	1,595	1,264	2	324
30 YEARS	1,116	666	9	430	1,379	1,001	6	357
31 YEARS	1,067	589	10	457	1,257	835	3	408
32 YEARS	917	426	10	468	1,109	678	4	420
33 YEARS	846	384	13	432	1,090	630	5	447
34 YEARS	821	316	9	482	997	517	5	459
35-39 YEARS	3,405	986	61	2,297	3,948	1,636	44	2,222
40-44 YEARS	2,746	485	117	2,091	3,150	765	68	2,273
45-49 YEARS	2,184	248	163	1,729	2,440	377	96	1,919
50-54 YEARS	1,364	99	168	1,078	1,665	139	109	1,393
55-59 YEARS	726	36	139	543	1,125	59	143	909
60-64 YEARS	432	11	164	252	644	15	158	459
65-69 YEARS	276	6	166	103	399	12	166	217
70-74 YEARS	134	1	95	35	254	5	144	104
75 YEARS AND OVER	133	3	103	25	293	8	222	59
UNKNOWN	1	1	0	0	0	0	0	0
MEDIAN AGE AT MARRIAGE	27.4	24.5	56.2	38.8	29.7	26.1	63.1	41.7

TABLE 32

REPORTED MARRIAGES BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM: MISSOURI 2006

BRIDE	GROOM				
	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN
TOTAL	40,399	25,756	1,185	13,148	310
SINGLE	25,909	21,651	127	4,034	97
WIDOWED	1,266	161	437	665	3
DIVORCED	12,854	3,803	616	8,417	18
UNKNOWN	370	141	5	32	192

TABLE 33

REPORTED MARRIAGES BY RACE OF BRIDE BY RACE OF GROOM: MISSOURI 2006

RACE OF BRIDE	RACE OF GROOM				
	TOTAL	WHITE	BLACK	OTHER	UNKNOWN
TOTAL	40,399	33,599	4,339	655	1,806
WHITE	34,056	32,639	732	317	368
BLACK	3,808	242	3,506	24	36
OTHER	771	409	39	311	12
UNKNOWN	1,764	309	62	3	1,390

TABLE 34

REPORTED MARRIAGES BY MONTH: MISSOURI 2006

TOTAL 40,399

JANUARY	1,545	MAY	4,364	SEPTEMBER	4,625
FEBRUARY	2,185	JUNE	5,092	OCTOBER	3,947
MARCH	2,611	JULY	4,268	NOVEMBER	2,405
APRIL	3,258	AUGUST	3,454	DECEMBER	2,645

TABLE 35A REPORTED MARRIAGES BY COUNTY OF RECORDING WITH RATES PER 1,000 POPULATION: MISSOURI 2006

COUNTIES	POPULATION	MARRIAGES		COUNTIES	POPULATION	MARRIAGES	
	(ALL AGES)	NUMBER	RATE		(ALL AGES)	NUMBER	RATE
STATE TOTAL	5,842,713	40,399	6.9	GRUNDY	10,239	85	8.3
ADAIR	24,461	186	7.6	HARRISON	8,898	87	9.8
ANDREW	17,177	105	6.1	HENRY	22,719	171	7.5
ATCHISON	6,132	45	7.3	HICKORY	9,243	41	4.4
AUDRAIN	25,739	178	6.9	HOLT	4,997	31	6.2
BARRY	36,404	187	5.1	HOWARD	9,949	65	6.5
BARTON	13,015	83	6.4	HOWELL	38,734	332	8.6
BATES	17,116	101	5.9	IRON	10,279	96	9.3
BENTON	18,728	108	5.8	JACKSON	664,078	5,178	7.8
BOLLINGER	12,323	82	6.7	JASPER	112,505	798	7.1
BOONE	146,048	1,055	7.2	JEFFERSON	216,469	1,181	5.5
BUCHANAN	84,955	655	7.7	JOHNSON	50,646	382	7.5
BUTLER	41,582	396	9.5	KNOX	4,093	28	6.8
CALDWELL	9,313	57	6.1	LACLEDE	35,091	314	8.9
CALLAWAY	43,072	209	4.9	LAFAYETTE	33,186	201	6.1
CAMDEN	40,283	319	7.9	LAWRENCE	37,400	227	6.1
CAPE GIRARDEAU	71,892	563	7.8	LEWIS	10,152	60	5.9
CARROLL	10,058	61	6.1	LINCOLN	50,123	359	7.2
CARTER	5,956	42	7.1	LINN	12,865	89	6.9
CASS	95,781	605	6.3	LIVINGSTON	14,291	118	8.3
CEDAR	13,998	69	4.9	MC DONALD	22,949	125	5.4
CHARITON	8,046	50	6.2	MACON	15,651	73	4.7
CHRISTIAN	70,514	460	6.5	MADISON	12,109	45	3.7
CLARK	7,305	88	12.0	MARIES	9,099	66	7.3
CLAY	206,957	1,311	6.3	MARION	28,425	288	10.1
CLINTON	20,671	120	5.8	MERCER	3,584	33	9.2
COLE	73,296	663	9.0	MILLER	24,989	178	7.1
COOPER	17,441	121	6.9	MISSISSIPPI	13,770	102	7.4
CRAWFORD	24,009	193	8.0	MONITEAU	15,092	74	4.9
DADE	7,804	25	3.2	MONROE	9,396	64	6.8
DALLAS	16,696	106	6.3	MONTGOMERY	12,170	64	5.3
DAVIESS	8,072	59	7.3	MORGAN	20,716	147	7.1
DE KALB	12,309	104	8.4	NEW MADRID	18,314	123	6.7
DENT	15,276	124	8.1	NEWTON	56,047	340	6.1
DOUGLAS	13,658	112	8.2	NODAWAY	21,660	155	7.2
DUNKLIN	32,277	170	5.3	OREGON	10,407	62	6.0
FRANKLIN	100,067	736	7.4	OSAGE	13,498	79	5.9
GASCONADE	15,634	98	6.3	OZARK	9,393	60	6.4
GENTRY	6,389	42	6.6	PEMISCOT	19,163	134	7.0
GREENE	254,779	1,629	6.4	PERRY	18,639	128	6.9


TABLE 35A (CONT) REPORTED MARRIAGES BY COUNTY OF RECORDING WITH RATES PER 1,000 POPULATION: MISSOURI 2006

COUNTIES	POPULATION	MARRIAGES		COUNTIES	POPULATION	MARRIAGES	
	(ALL AGES)	NUMBER	RATE		(ALL AGES)	NUMBER	RATE
PETTIS	40,520	428	10.6	SALINE	22,896	186	8.1
PHELPS	42,289	370	8.7	SCHUYLER	4,271	28	6.6
PIKE	18,566	118	6.4	SCOTLAND	4,922	45	9.1
PLATTE	83,061	545	6.6	SCOTT	41,068	333	8.1
POLK	29,596	179	6.0	SHANNON	8,503	50	5.9
PULASKI	44,022	431	9.8	SHELBY	6,645	40	6.0
PUTNAM	5,153	46	8.9	STODDARD	29,754	228	7.7
RALLS	9,925	76	7.7	STONE	31,382	119	3.8
RANDOLPH	25,438	191	7.5	SULLIVAN	6,785	45	6.6
RAY	23,999	150	6.3	TANEY	43,770	668	15.3
REYNOLDS	6,547	43	6.6	TEXAS	23,566	171	7.3
RIPLEY	13,937	106	7.6	VERNON	20,455	174	8.5
ST. CHARLES	338,719	2,284	6.7	WARREN	29,685	204	6.9
ST. CLAIR	9,589	50	5.2	WASHINGTON	24,182	169	7.0
ST. FRANCOIS	62,181	553	8.9	WAYNE	12,997	103	7.9
STE. GENEVIEVE	18,248	119	6.5	WEBSTER	35,507	241	6.8
ST. LOUIS CITY	347,181	2,298	6.6	WORTH	2,186	13	5.9
ST. LOUIS COUNTY	1,000,510	5,969	6.0	WRIGHT	18,397	126	6.8

TABLE 35B REPORTED MARRIAGES WITH RATES BY REGIONAL PLANNING COMMISSION OF RECORDING: MISSOURI 2006

RPC'S	POPULATION	MARRIAGES	RATE	RPC'S	POPULATION	MARRIAGES	RATE
MAJOR METRO REGIONS				BOONSLICK	91,978	627	6.8
EAST-WEST GATEWAY	2,002,946	12,468	6.2	KAYSINGER BASIN	111,848	714	6.4
MID-AMERICA	1,073,876	7,789	7.3	PIONEER TRAILS	147,248	1,197	8.1
MINOR METRO REGIONS				SOUTH CENTRAL OZARK	122,658	913	7.4
SOUTHWEST MISSOURI	563,852	3,841	6.8	MERAMEC	143,987	1,099	7.6
MID-MISSOURI	304,898	2,187	7.2	LAKE OF THE OZARKS	165,101	1,389	8.4
MO-KAN	135,112	984	7.3	SOUTHEAST MISSOURI	205,671	1,586	7.7
HARRY S TRUMAN	204,516	1,346	6.6	BOOTHEEL	154,346	1,090	7.1
NONMETRO REGIONS				OZARK FOOTHILLS	81,019	690	8.5
NORTHWEST MISSOURI	41,364	286	6.9	MAJOR METRO TOTAL	3,076,822	20,257	6.6
GREEN HILLS	97,304	730	7.5	MINOR METRO TOTAL	1,208,378	8,358	6.9
				NONMETRO TOTAL	1,557,513	11,784	7.6
NORTHEAST MISSOURI	55,204	435	7.9	STATE TOTAL	5,842,713	40,399	6.9
MARK TWAIN	139,785	1,028	7.4				

Graph G
Dissolution Rates per 1,000 Population
Missouri 1950 - 2006



<i>Dissolutions Rate</i>			<i>Dissolutions Rate</i>			<i>Dissolutions Rate</i>			<i>Dissolutions Rate</i>		
1950	12,177	3.1	1968	16,473	3.6	1982	26,292	5.3	1996	25,438	4.7
1955	11,351	2.7	1969	17,578	3.8	1983	25,904	5.2	1997	25,632	4.7
1956	10,993	2.6	1970	17,852	3.8	1984	24,860	5.0	1998	25,305	4.6
1957	10,861	2.6	1971	19,643	4.2	1985	24,990	5.0	1999	24,583	4.4
1958	10,747	2.6	1972	20,699	4.4	1986	25,466	5.1	2000	24,980	4.5
1959	11,695	2.7	1973	21,777	4.6	1987	24,984	4.9	2001	23,458	4.2
1960	11,320	2.6	1974	22,050	4.6	1988	24,948	4.9	2002	22,593	4.0
1961	11,574	2.7	1975	24,527	5.1	1989	25,140	4.9	2003	22,166	3.9
1962	11,882	2.7	1976	25,414	5.3	1990	25,701	5.0	2004	21,700	3.8
1963	12,652	2.9	1977	25,281	5.2	1991	25,751	5.0	2005	21,013	3.6
1964	12,785	2.9	1978	26,308	5.4	1992	25,926	5.0	2006	22,358	3.8
1965	13,261	3.0	1979	27,719	5.7	1993	26,438	5.0			
1966	13,758	3.0	1980	27,595	5.6	1994	26,441	5.0			
1967	14,520	3.2	1981	27,975	5.7	1995	25,733	4.8			

TABLE 36

REPORTED DISSOLUTIONS OF MARRIAGE BY MONTH BY TYPE OF DECREE: MISSOURI 2006

TYPE OF DECREE				
	TOTAL	DISSOLUTION	ANNULMENT	LEGAL SEPARATION
TOTAL	22,463	22,287	71	105
JANUARY	1,772	1,757	7	8
FEBRUARY	1,545	1,534	5	6
MARCH	2,058	2,047	3	8
APRIL	1,819	1,807	9	3
MAY	2,090	2,075	7	8
JUNE	2,116	2,098	6	12
JULY	1,780	1,767	6	7
AUGUST	1,930	1,913	4	13
SEPTEMBER	1,760	1,745	5	10
OCTOBER	1,889	1,869	9	11
NOVEMBER	1,848	1,836	3	9
DECEMBER	1,856	1,839	7	10

TABLE 37

REPORTED DISSOLUTIONS AND ANNULMENTS BY NUMBER OF PREVIOUS MARRIAGES,
HUSBAND BY WIFE: MISSOURI 2006

HUSBAND	WIFE							
	TOTAL	NONE	ONE	TWO	THREE	FOUR	FIVE OR MORE	UNKNOWN
TOTAL	22,358	13,029	5,353	1,880	555	177	77	1,287
NONE	13,145	10,638	1,908	400	98	22	8	71
ONE	5,390	1,859	2,347	789	208	63	31	93
TWO	1,807	366	734	448	142	54	21	42
THREE	492	67	190	139	58	20	8	10
FOUR	168	23	54	45	26	10	4	6
FIVE OR MORE	74	6	22	26	10	6	1	3
UNKNOWN	1,282	70	98	33	13	2	4	1,062

TABLE 38

REPORTED DISSOLUTIONS AND ANNULMENTS BY DURATION OF MARRIAGE: MISSOURI 2006

DURATION	DISSOLUTIONS	DURATION	DISSOLUTIONS	DURATION	DISSOLUTIONS
TOTAL	22,358	8 YEARS	1,080	17 YEARS	409
UNDER 1 YEAR	671	9 YEARS	928	18 YEARS	380
1 YEAR	1,487	10 YEARS	824	19 YEARS	347
2 YEARS	1,714	11 YEARS	774	20-24 YEARS	1,426
3 YEARS	1,744	12 YEARS	666	25-29 YEARS	849
4 YEARS	1,704	13 YEARS	571	30-34 YEARS	403
5 YEARS	1,600	14 YEARS	518	35-39 YEARS	208
6 YEARS	1,378	15 YEARS	485	40 YEARS AND OVER	161
7 YEARS	1,230	16 YEARS	486	UNKNOWN	315

TABLE 39

REPORTED DISSOLUTIONS AND ANNULMENTS BY NUMBER OF CHILDREN AFFECTED: MISSOURI 2006

CHILDREN	DISSOLUTIONS	CHILDREN	DISSOLUTIONS	CHILDREN	DISSOLUTIONS
TOTAL	22,358	TWO CHILDREN	4,175	FIVE CHILDREN	50
NO CHILDREN	11,397	THREE CHILDREN	1,324	SIX CHILDREN	24
ONE CHILD	4,954	FOUR CHILDREN	321	SEVEN OR MORE	11

TABLE 40

REPORTED DISSOLUTIONS AND ANNULMENTS BY PETITIONER BY DISPOSITION OF CHILDREN
AND BY WHETHER CHILD SUPPORT AWARDED: MISSOURI 2006

CUSTODY GIVEN TO							
PETITIONER	TOTAL	HUSBAND	WIFE	JOINT	OTHER	NO CHILDREN	UNKNOWN
TOTAL	22,358	791	4,640	5,212	165	11,664	39
HUSBAND	8,386	594	972	2,029	71	4,766	13
WIFE	13,261	184	3,570	3,001	89	6,482	25
JOINT	278	6	32	86	0	157	0
OTHER	8	0	0	3	1	3	1
UNKNOWN	425	7	66	93	4	256	0

CHILD SUPPORT AWARDED TO:							
PETITIONER	TOTAL	HUSBAND	WIFE	NO SUPPORT	OTHER	NO CHILDREN	UNKNOWN
TOTAL	22,358	588	7,396	2,571	52	11,664	87
HUSBAND	8,386	416	1,932	1,216	23	4,766	33
WIFE	13,261	160	5,272	1,268	26	6,482	53
JOINT	278	5	67	47	2	157	0
OTHER	8	0	2	3	0	3	0
UNKNOWN	425	7	123	37	1	256	1

TABLE 41 REPORTED DISSOLUTIONS AND ANNULMENTS BY AGE OF WIFE BY AGE OF HUSBAND:MISSOURI 2006

AGE OF WIFE	AGE OF HUSBAND										
	TOTAL	UNDER 20	20-24	25-29	30-34	35-39	40-44	45-54	55-64	65 AND OVER	UNKNOWN
TOTAL	22,358	25	1,183	3,004	3,489	3,572	3,354	4,766	1,835	592	538
UNDER 20	141	13	92	25	3	3	1	2	0	0	2
20-24	2,036	8	863	858	184	51	17	14	5	0	36
25-29	3,579	1	169	1,645	1,155	352	120	77	17	1	42
30-34	3,533	1	24	303	1,475	1,098	376	183	24	5	44
35-39	3,487	0	5	81	408	1,375	1,019	469	72	6	52
40-44	3,182	0	3	11	122	409	1,219	1,195	153	17	53
45-54	4,114	0	4	18	55	181	490	2,452	768	99	47
55-64	1,243	0	0	7	10	19	31	267	692	202	15
65 AND OVER	315	0	0	2	0	0	1	13	54	238	7
UNKNOWN	728	2	23	54	77	84	80	94	50	24	240

TABLE 42

REPORTED DISSOLUTIONS AND ANNULMENTS BY RACE, WIFE BY HUSBAND: MISSOURI 2006

		HUSBAND				
WIFE		TOTAL	WHITE	BLACK	OTHER	UNKNOWN
	TOTAL	22,358	18,245	2,078	267	1,768
	WHITE	18,362	17,831	259	124	148
	BLACK	1,878	105	1,739	11	23
	OTHER	301	150	19	127	5
	UNKNOWN	1,817	159	61	5	1,592

TABLE 43A REPORTED DISSOLUTIONS AND ANNULMENTS BY COUNTY OF RECORDING WITH RATES PER 1,000 POPULATION: MISSOURI 2006

COUNTIES	POPULATION	DISSOLUTIONS		COUNTIES	POPULATION	DISSOLUTIONS	
	(ALL AGES)	NUMBER	RATE		(ALL AGES)	NUMBER	RATE
STATE TOTAL	5,842,713	22,358	3.8	GRUNDY	10,239	45	4.4
ADAIR	24,461	91	3.7	HARRISON	8,898	33	3.7
ANDREW	17,177	140	8.2	HENRY	22,719	130	5.7
ATCHISON	6,132	17	2.8	HICKORY	9,243	27	2.9
AUDRAIN	25,739	106	4.1	HOLT	4,997	18	3.6
BARRY	36,404	67	1.8	HOWARD	9,949	50	5.0
BARTON	13,015	65	5.0	HOWELL	38,734	298	7.7
BATES	17,116	69	4.0	IRON	10,279	14	1.4
BENTON	18,728	88	4.7	JACKSON	664,078	2,459	3.7
BOLLINGER	12,323	57	4.6	JASPER	112,505	683	6.1
BOONE	146,048	605	4.1	JEFFERSON	216,469	574	2.7
BUCHANAN	84,955	290	3.4	JOHNSON	50,646	157	3.1
BUTLER	41,582	317	7.6	KNOX	4,093	18	4.4
CALDWELL	9,313	29	3.1	LACLEDE	35,091	155	4.4
CALLAWAY	43,072	153	3.6	LAFAYETTE	33,186	144	4.3
CAMDEN	40,283	105	2.6	LAWRENCE	37,400	138	3.7
CAPE GIRARDEAU	71,892	335	4.7	LEWIS	10,152	21	2.1
CARROLL	10,058	38	3.8	LINCOLN	50,123	151	3.0
CARTER	5,956	26	4.4	LINN	12,865	60	4.7
CASS	95,781	319	3.3	LIVINGSTON	14,291	62	4.3
CEDAR	13,998	64	4.6	MC DONALD	22,949	34	1.5
CHARITON	8,046	23	2.9	MACON	15,651	70	4.5
CHRISTIAN	70,514	266	3.8	MADISON	12,109	61	5.0
CLARK	7,305	28	3.8	MARIES	9,099	12	1.3
CLAY	206,957	747	3.6	MARION	28,425	181	6.4
CLINTON	20,671	121	5.9	MERCER	3,584	16	4.5
COLE	73,296	224	3.1	MILLER	24,989	118	4.7
COOPER	17,441	52	3.0	MISSISSIPPI	13,770	76	5.5
CRAWFORD	24,009	162	6.7	MONITEAU	15,092	67	4.4
DADE	7,804	26	3.3	MONROE	9,396	29	3.1
DALLAS	16,696	92	5.5	MONTGOMERY	12,170	55	4.5
DAVIESS	8,072	27	3.3	MORGAN	20,716	79	3.8
DE KALB	12,309	43	3.5	NEW MADRID	18,314	82	4.5
DENT	15,276	71	4.6	NEWTON	56,047	229	4.1
DOUGLAS	13,658	63	4.6	NODAWAY	21,660	65	3.0
DUNKLIN	32,277	178	5.5	OREGON	10,407	48	4.6
FRANKLIN	100,067	416	4.2	OSAGE	13,498	31	2.3
GASCONADE	15,634	41	2.6	OZARK	9,393	43	4.6
GENTRY	6,389	14	2.2	PEMISCOT	19,163	100	5.2
GREENE	254,779	1,310	5.1	PERRY	18,639	63	3.4

Revised April 2, 2008

TABLE 43A (CONT) REPORTED DISSOLUTIONS AND ANNULMENTS BY COUNTY OF RECORDING WITH RATES PER 1,000 POPULATION: MISSOURI 2006

COUNTIES	POPULATION	DISSOLUTIONS		COUNTIES	POPULATION	DISSOLUTIONS	
	(ALL AGES)	NUMBER	RATE		(ALL AGES)	NUMBER	RATE
PETTIS	40,520	285	7.0	SALINE	22,896	91	4.0
PHELPS	42,289	180	4.3	SCHUYLER	4,271	20	4.7
PIKE	18,566	66	3.6	SCOTLAND	4,922	12	2.4
PLATTE	83,061	321	3.9	SCOTT	41,068	215	5.2
POLK	29,596	147	5.0	SHANNON	8,503	38	4.5
PULASKI	44,022	323	7.3	SHELBY	6,645	21	3.2
PUTNAM	5,153	13	2.5	STODDARD	29,754	197	6.6
RALLS	9,925	31	3.1	STONE	31,382	117	3.7
RANDOLPH	25,438	110	4.3	SULLIVAN	6,785	22	3.2
RAY	23,999	71	3.0	TANEY	43,770	229	5.2
REYNOLDS	6,547	23	3.5	TEXAS	23,566	105	4.5
RIPLEY	13,937	80	5.7	VERNON	20,455	89	4.4
ST. CHARLES	338,719	1,100	3.2	WARREN	29,685	95	3.2
ST. CLAIR	9,589	49	5.1	WASHINGTON	24,182	123	5.1
ST. FRANCOIS	62,181	286	4.6	WAYNE	12,997	73	5.6
STE. GENEVIEVE	18,248	77	4.2	WEBSTER	35,507	132	3.7
ST. LOUIS CITY	347,181	713	2.1	WORTH	2,186	5	2.3
ST. LOUIS COUNTY	1,000,510	3,224	3.2	WRIGHT	18,397	94	5.1

TABLE 43B REPORTED DISSOLUTIONS AND ANNULMENTS WITH RATES BY REGIONAL PLANNING COMMISSION OF RECORDING: MISSOURI 2006

RPC'S	POPULATION	DISSOLUTIONS	RATE	RPC'S	POPULATION	DISSOLUTIONS	RATE
MAJOR METRO REGIONS				BOONSLICK	91,978	301	3.3
EAST-WEST GATEWAY	2,002,946	6,027	3.0	KAYSINGER BASIN	111,848	516	4.6
MID-AMERICA	1,073,876	3,917	3.6	PIONEER TRAILS	147,248	677	4.6
MINOR METRO REGIONS				SOUTH CENTRAL OZARK	122,658	689	5.6
SOUTHWEST MISSOURI	563,852	2,524	4.5	MERAMEC	143,987	620	4.3
MID-MISSOURI	304,898	1,151	3.8	LAKE OF THE OZARKS	165,101	780	4.7
MO-KAN	135,112	594	4.4	SOUTHEAST MISSOURI	205,671	893	4.3
HARRY S TRUMAN	204,516	1,011	4.9	BOOTHEEL	154,346	848	5.5
NONMETRO REGIONS				OZARK FOOTHILLS	81,019	519	6.4
NORTHWEST MISSOURI	41,364	119	2.9	MAJOR METRO TOTAL	3,076,822	9,944	3.2
GREEN HILLS	97,304	368	3.8	MINOR METRO TOTAL	1,208,378	5,280	4.4
				NONMETRO TOTAL	1,557,513	7,134	4.6
NORTHEAST MISSOURI	55,204	190	3.4	STATE TOTAL	5,842,713	22,358	3.8
MARK TWAIN	139,785	614	4.4				

APPENDIX

RELIABILITY OF THE DATA

In analyzing any data, the fact of potential error in the data must not be overlooked. There are several types of errors possible including: underregistration, errors made by the informant, and errors in compiling and processing.

Probably, the most potentially dangerous error is that of improper interpretation. Statistics are neither more true nor false than the interpretation given to them. Particular caution must be made in analyzing trend data, for there have been changes over the years in medical diagnosis, coding definitions, and registration coverage. Most of the rates computed in this report are crude rates. In comparing geographic areas, crude rates are limited because they do not take into account the differences in age, sex, race, and other population characteristics. Care should also be taken in using rates where the number of events or the population is small. Minor variations in the number of events may result in major changes in the rates. Rates based on fewer than 20 events are very unstable.

VITAL RECORDS

Vital statistics in Missouri are compiled from six basic records, which are filed with the Department of Health and Senior Services by state law. These records are: (1) live birth records, (2) death records, and (3) fetal death records each beginning with 1911; (4) marriage and (5) divorce records, beginning with 1949; and (6) abortion records beginning in 1975.

Missouri cooperates with other states in the exchange of records for live births, fetal deaths, deaths and abortions to include resident data events occurring to Missouri residents in other states. However, Missouri has not received abortion records from Illinois since 1983 and Tennessee clinics since 1997. But for 1988-2006, an estimate of Missouri resident abortions was received from some Illinois clinics, and for 1997-2005 from Tennessee. These estimates are shown in Graph D.

The data within this report represent the 2006 calendar year of events. Records were accepted through April 13 of 2007 before cut-off, allowing 2006 events to be as complete as possible.

SOURCES

Except where noted, historical vital statistics data are taken from annual vital statistics reports of the Missouri Department of Health and Senior Services.

POPULATION

County population estimates for 2006 used in this report represent July 1, 2006 Bureau of the Census estimates. The source of the 1911-1969 state total estimates is the Bureau of the Census' P-25 series. 1971-1979 state estimates were obtained from the Bureau of the Census publication "Preliminary Intercensal Estimates of the Population of Counties." 1981 - 1989 age-sex specific population estimates were developed by the U.S. Bureau of the Census in unpublished tables. City population estimates for 2006 came from Census estimates. 1991-1999 and 2001-2006 state population estimates also came from the Bureau of the Census. The Missouri Department of Health and Senior Services (MDHSS) used these as controls in developing 1991-1999 age-sex specific population estimates for Missouri. 2001-2006 age-sex specific state population estimates were also developed by the Census Bureau.

RACE

The term "race" refers to the division of population into three groups, white, black, and other. Most tables in this report simply use two divisions, white and black because of the small numbers of persons from other races in Missouri. The race group designated as "other" consists of such races as American Indian, Japanese, Chinese, Filipino, Korean, Asian Indian and Malayan races. Unknown race is not classified as "other", but is included in the total of all races.

Persons of Latin American birth or ancestry who do not define themselves of Indian or other designated race are classified as white. Hispanic origin births are shown by race in Table 5A. Tables

10A, 13, 19 and 27A were modified in 2002 to include Hispanic vital events as well as totals for “other” races.

Beginning with the 1989 report, birth, fetal and infant death data is presented by race of mother. Before 1989, this data was presented by race of child. This change has been implemented to be consistent with the National Center for Health Statistics (NCHS), which also implemented this change in 1989. Race of child had been computed by an algorithm based on race of mother and race of father. Persons of mixed parentage were classified according to the race of the nonwhite parent. Because of this rather arbitrary formula and the increasing proportion of out-of-wedlock births in which father's race is missing, it was decided by NCHS to implement this change to race of mother.

Appendix Table A below shows how this change affects infant death rates by race. Three sets of rates and ratios are presented. The first set shows the current method by race of mother and the second set shows the old method by race of child. Both of these use the 1989 death cohort, in which infant deaths occurring in 1989 are divided by births occurring in 1989. In fact, some of these births to 1989 infant deaths occurred in 1988. The third method using the birth cohort takes the births occurring in a given year (e.g., 1989) and matches any deaths that occur to them in the first year of life, even if they occurred in the following year, 1990. This is the preferred method, but takes longer to collect.

The infant death rates for blacks are consistently higher using race of mother than using race of child. The resulting black/white ratios are also consistently higher using race of mother. While the numerator (the number of black infant deaths) stays the same in both calculations, the denominator (the number of black live births) is lower by race of mother than by race of child. Comparing death cohort to birth cohort infant death rates and ratios by race of mother, differences are shown in both directions.

In examining trends in infant death rates by race over time, it is important to use the same method throughout the time period compared. Therefore, it is not appropriate to compare black infant death rates by race of mother in 1989 to black infant death rates by race of child in 1988. The caveats relating to infant death rates by race over time also apply to other birth indicators such as low birth weight rates, out-of-wedlock teen birth rates, etc.

Appendix Table A
Resident Infant Death Rates per 1000 Live Births by
Race of Child, Race of Mother, Death Cohort vs. Birth Cohort:
Missouri 1988-2006

	<i>DEATH COHORT</i>						<i>BIRTH COHORT</i>		
	<i>(1989 Annual Method)</i>			<i>(Pre-1989 Annual Method)</i>			<i>(Matched Birth/Deaths)</i>		
	<i>Race of Mother</i>			<i>Race of Child</i>			<i>Race of Mother</i>		
		<i>Black/White</i>			<i>Black/White</i>			<i>Black/White</i>	
	<i>White</i>	<i>Black</i>	<i>Ratio</i>	<i>White</i>	<i>Black</i>	<i>Ratio</i>	<i>White</i>	<i>Black</i>	<i>Ratio</i>
1988 ...	8.9	16.8	1.89	9.0	16.1	1.79	8.8	16.3	1.85
1989 ...	8.4	17.2	2.05	8.6	16.6	1.93	8.5	17.5	2.06
1990 ...	7.7	18.2	2.36	7.9	17.5	2.22	7.6	18.0	2.37
1995 ...	6.4	13.7	2.15	6.5	12.8	1.98	6.1	13.7	2.25
2000 ...	5.9	14.8	2.51	6.1	13.3	2.20	6.1	14.4	2.36
2001 ...	5.8	16.8	2.88	6.0	15.1	2.51	6.0	17.0	2.85
2002 ...	7.1	17.1	2.42	7.3	15.4	2.12	6.9	16.1	2.34
2003 ...	6.6	14.9	2.25	6.8	13.2	1.94	7.1	15.3	2.15
2004...	6.4	14.9	2.34	6.6	13.2	2.00	6.1	13.9	2.29
2005....	6.3	14.8	2.35	6.5	13.1	2.00	6.3	13.8	2.21
2006....	6.0	14.9	2.47	6.3	13.1	2.10	6.1	13.6	2.24

TERMS "RESIDENT" AND "RECORDED"

It is important to understand the significance of the terms "Resident" and "Recorded" when analyzing vital statistics.

"Resident" data are compiled for vital events that relate to persons usually residing in an area independent of where the events occurred. An exception to this involves people dying in hospitals, nursing homes, or other institutions. In such cases, the usual place of residence before admission is reported. In the case of live births, fetal deaths, and infant deaths, the residence of the mother is considered to be the residence of the child.

"Recorded" data are based on the number of vital events that occur in an area. These data are used to analyze events that might be affected by the place in which they occur.

Resident and recorded figures can neither be added to nor subtracted from the other. Thus the number of events occurring or not occurring in the same geographic area where the people reside cannot be calculated from resident and recorded data.

GEOCODING

Beginning with 2000 data Missouri used a computerized geocoding package from Tele Atlas to improve coding of resident city, county and Census tract for the following metropolitan counties: Buchanan, Cass, Clay, Greene, Jackson, Jefferson, Platte, Ray, St. Charles, St. Louis County and St. Louis City. The package uses the street address and zip code to assign geocodes and may result in some inconsistencies with past years, particularly with city and town birth and death counts in Tables 17 & 18.

GESTATIONAL AGE CORRECTION

Beginning in 2003, a correction was made in the calculation of weeks of gestational age. A rounding error had occurred in annual vital statistics reports before 2003 that tended to increase the gestational age and substantially decrease the rate of births less than 37 weeks of gestation shown in Table 10. This also had a relatively slight effect on other indicators that use gestational age, including inadequate prenatal care, and gained LT 15lbs/GT 44 pounds during full-term pregnancy. See the table below on how this correction affected the percents for these indicators in the 1998-2002 annual reports. Corrected data for these indicators for each year from 1990 to present are available at www.dhss.mo.gov/BirthMICA.

Appendix Table B
Resident Percents for Selected Gestational Age Indicators by Original vs. Corrected Report:
Missouri 1998-2002

	Less than 37 weeks Gestation		Gained LT 15 lbs During Pregnancy		Gained GT 44 lbs During Pregnancy		Inadequate Prenatal Care	
	Original Report	Corrected Report	Original Report	Corrected Report	Original Report	Corrected Report	Original Report	Corrected Report
1998	10.2	12.3	7.8	7.8	17.3	17.3	11.0	10.9
1999	10.3	12.7	7.7	7.7	17.9	18.0	10.5	10.4
2000	10.6	12.3	7.7	7.7	18.8	18.8	10.4	10.3
2001	10.6	13.0	8.3	8.3	18.7	18.7	10.8	10.7
2002	10.9	13.3	8.8	8.7	18.3	18.3	10.8	10.7

UNKNOWNNS

Records classified as Missouri residents with unknown county of residence are included in the state totals of this publication. In annual vital statistics reports before 1979, these records were excluded from totals. The number of 2006 records with unknown county of residence by system is as follows:

Live Births.....	3
Fetal Deaths	0
Deaths	0
Abortions.	41

The following imputations of unknowns were made in this report:

Unknown sex is considered male.
Unknown marital status is considered married.
Unknown live birth order is considered 1st.

RATES

Rates are calculated by dividing the event of concern by the population at risk or a related population and multiplying by a constant. Live birth, death, natural increase, marriage, and dissolution rates are expressed in terms of 1,000 estimated midyear population. Infant, perinatal, fetal, neonatal, and post-neonatal death rates are stated per 1,000 live births.

Rates per 100 live births or percentages are used in Tables 7-10C for such rates as out-of-wedlock or low birth weight. In Table 10, unknowns are excluded in the calculation of percents when the unknowns are greater than 2 percent. These include: (1) crown heel length less than 47 cm; (2) mother greater than 15 percent underweight; (3) mother greater than 20 percent overweight; (4) mother gained less than 15 pounds during pregnancy; (5) mother gained 45+ pounds during pregnancy; (6) inadequate prenatal care; (7) mother Medicaid participant; (8) mother WIC participant; (9) mother Medicaid and WIC; and (10) mother Food Stamp recipient. For less than 18 months since last birth, the denominator excludes first births. For weight gain during pregnancy the denominator is singleton births of 37 or more weeks of gestation.

Total Fertility Rate (Graph B) refers to the average number of births a woman would have if a given set of age-specific birth rates applied throughout her reproductive years.

General Fertility Rate (Table 3) refers to the total number of live births per 1,000 women aged 15-44 for a given year.

Age-Specific Fertility Rate (Table 3) is the number of live births born to mothers of a given age per 1,000 females of that age group for a given year.

The **Abortion Ratio** is a ratio of abortions per 1,000 live births for a given year.

Crude Death Rate is defined as the total number of deaths of area residents for the year divided by the midyear population of the area multiplied by some constant. The constants used in this report are 100,000 for cause specific rates and deaths for all causes in Tables 19 and 27A and 1,000 for death rates in all other tables and graphs.

$$\text{Crude Death Rate} = \frac{\text{number of deaths during year}}{\text{midyear population}} \times 1,000 \text{ or } 100,000$$

Age-Specific Death Rate (Tables 4 and 21) is calculated in the same manner as the crude death rate except that both the number of deaths and the midyear population are restricted to a given age group.

$$\begin{aligned} \text{Age-Specific Death Rate} = \\ \text{For given age group:} \\ \frac{\text{number of deaths during year}}{\text{midyear population}} \times 1,000 \end{aligned}$$

The **Age-Adjusted Death Rate** (Age-Adj Rate) is a weighted average of age-specific death rates. Comparison of areas or time periods using crude death rates can often be misleading, since these rates are affected by the age composition of the population. For example, a county may display a high crude death rate simply because it has an older population.

To control for these differences in age compositions, age-specific rates can be weighted according to a standard population. Such a calculation produces an age-adjusted rate. The age-adjusted rates shown in this report are calculated by the direct method with the following formula:

$$\text{Age-Adjusted Death Rate} = \sum \frac{M_a \times P_a}{P}$$

where

M_a = age-specific rate for given age group

P_a = standard population in given age group

P = total standard population

This report uses ten-year age groupings with the 2000 United States population as the standard. Each figure thus represents the rate that would have existed if the age-specific rates in question prevailed in a population whose age distribution is like that of United States in 2000. This serves to control for differences in age compositions and makes comparisons between areas or time periods more legitimate. It is important; however, not to compare age-adjusted death rates with other rates adjusted to different standard populations.

From 1991 to 1998, the United States 1940 population had been used as the standard in the Missouri annual vital statistics reports. This makes comparisons of age-adjusted death rates with annuals before 2000 impossible. The standard population was changed to United States 2000 because 1940 was considered too old, and to allow comparability with national age-adjusted death rates published by the National Center for Health Statistics. The 2000 population will also be used as the standard for age-adjusted death rates in the Year 2010 Goals and Objectives for both Missouri and the nation. See Missouri Monthly Vital Statistics Report, February 2000 Vol. 33 No. 12, for a more detailed discussion of this topic.

The **Abridged Life Tables** in this report (Table 29) are generated from a computer software package originally developed by the National Center for Health Statistics, and modified by the Missouri Center for Health Statistics. It uses the technique of "reference to a standard table." These tables are technically defined as "current life tables" since they are cross-sectional in nature. In other words, these tables do not represent the life expectancy of an actual cohort of all Missourians born in a particular year and followed throughout their lifetime. Rather, the current life table considers a hypothetical cohort and assumes it is subject to the age-specific mortality rates existing for a given year. This means that the current life tables contained herein assume hypothetical cohorts subject throughout their lifetimes to the age-specific mortality rates prevailing for the year of this report.

The term "abridged" indicates that the age intervals used in the tables are five-year age groupings rather than single years of age.

CAUSE OF DEATH CLASSIFICATION

Causes of death data are displayed by the underlying cause. The underlying cause of death is defined as the disease or injury which initiated the train of morbid events leading directly to death or the circumstances of the accident or violence which produced the fatal injury.

The causes of death presented here are classified in accordance with the Tenth Revision of the International Classification of Diseases (ICD-10), 1992; World Health Organization. This revision has

been used to classify deaths occurring on or after January 1, 1999. Comparisons with data from earlier years must be done with caution, since these were classified under different coding schemes. Consequently, certain diseases may show changes in their trends as a result of changes in definitions. For a general measure of the extent of these changes between the ninth and tenth revisions, consult website www.cdc.gov/nchs/.

Tables 22 and 27 of this report include 40 selected causes of death plus four additional summary groupings. In those tables presenting leading causes of death, the rankings are based on a further consolidation of these 40 causes plus some additional ones from a list of 113 causes developed by the National Center for Health Statistics. These causes are listed below with their ICD-10 codes. Those used for ranking purposes are noted with an asterisk.

Causes of Death in Tables 22 & 27

ICD-10 Codes

All causes	
Causes of Death	
*Tuberculosis	A16-A19
*Septicemia	A40-A41
*Syphilis	A50-A53
*AIDS	B20-B24
 *Malignant neoplasms	 C00-C97
Stomach.....	C16
Colon, rectum and anus.....	C18-C21
Pancreas.....	C25
Trachea, bronchus and lung.....	C33-C34
Breast.....	C50
Cervix uteri, corpus uteri and ovary.....	C53-C56
Prostate.....	C61
Urinary tract	C64-C68
Non-Hodgkin's lymphoma.....	C82-C85
Leukemia	C91-C95
Other malignant neoplasms.....	Residual of C00-C97
 *Diabetes mellitus	 E10-E14
*Alzheimer's disease.....	G30
 Major cardiovascular diseases	 I00-I78
*Diseases of heart	I00-I09,I11,I13,I20-I51
Hypertensive heart disease	I11,I13
Ischemic heart diseases	I20-I25
Other heart disease	I00-I09,I26-I51
*Essential hypertension	I10,I12
*Cerebrovascular diseases.....	I60-I69
*Atherosclerosis	I70
Other circulatory diseases	I71-I78
 *Influenza and pneumonia	 J10-J18
*Chronic lower respiratory diseases	J40-J47
*Peptic ulcer.....	K25-K28
*Chronic liver disease and cirrhosis	K70,K73-K74
*Nephritis and nephrosis.....	N00-N07,N17-N19,N25-N27
*Pregnancy, childbirth and puerperium	O00-O99
*Conditions originating in perinatal period	P00-P96
*Congenital anomalies.....	Q00-Q99
Sudden infant death syndrome.....	R95
Symptoms and ill-defined conditions	R00-R94,R96-R99
All other diseases	Residual of A00-R99

*Unintentional injuries	
Motor vehicle crashes.....	V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
Other unintentional injuries.....	V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-X59, Y85-Y86
*Suicide.....	X60-X84,Y87.0
*Homicide.....	X85-Y09,Y87.1
All other external causes	Y10-Y36,Y40-Y84,Y87.2,Y88-Y89

ADDITIONAL CAUSES USED FOR RANKING PURPOSES NOT SHOWN IN TABLE 22 & 27

	ICD-10 Codes
Salmonella infections	A01-A02
Shigellosis and amebiasis.....	A03,A06
Whooping cough	A37
Scarlet fever and erysipelas.....	A38,A46
Meningococcal infection.....	A39
Acute poliomyelitis	A80
Arthropod-borne viral encephalitis	A83-A84,A85.2
Measles	B05
Viral hepatitis.....	B15-B19
Malaria	B50-B54
Benign/in situ neoplasms and neoplasms of uncertain or unknown behavior.....	D00-D48
Anemias	D50-D64
Nutritional deficiencies	E40-E64
Meningitis	G00,G03
Parkinson's disease	G20-G21
Aortic aneurysm and dissection	I71
Acute bronchitis and bronchiolitis	J20-J21
Pneumoconiosis and chemical effects.....	J60-J66,J68
Pneumonitis due to solids and liquids.....	J69
Diseases of appendix.....	K35-K38
Infections of kidney	N10-N12,N13.6,N15.1
Hyperplasia of prostate	N40
Inflammatory diseases of female pelvic organs.....	N70-N76
Legal intervention.....	Y35,Y89.0

TYPE OF ACCIDENT (TABLE 28)

Beginning with 2004 data, Table 28 (Recorded Deaths by Type of Accident, Age and Sex) was revised to primarily reflect ICD-10 groupings. These groupings are adapted from criteria for the "Injury Mortality Summary" provided by the Research and Statistics Department of the National Safety Council (NSC). This change is intended to better serve the needs of data users, be more comparable with data published by NSC, and more closely follow the information given on death certificates.

Many of the categories were new in 2004, and even when the category name did not change, the numbers were not precisely comparable because of the different methods. Poisonings at home, in particular, were grossly underreported under the old system. The new system gives a more complete count and identifies poisoning deaths due to drugs (both prescribed and illicit).

As before, numbers in Table 28 are not comparable to others in this book because they pertain to recorded, not resident, deaths, i.e., deaths that took place in Missouri, regardless of the residence of the decedent. Death in Missouri does not necessarily mean that the injury took place in Missouri.

Definitions

The ICD-10 codes for each category are given below.

“Work” is any unintentional injury death for which the “Injury at work?” checkbox on the death certificate is marked “Yes.” “Home” means any non-institutional residence, including garage and yard. If the injury took place anywhere else – motel, highway, school, farm, nursing home – then the location is classified as “public.”

If a death falls into more than one category, as late effects of a motor vehicle crash while the decedent was at work, the order of precedence is: late effects, work, home/public.

Categories in Table 28

ICD-10 Codes

Grand total V01-X59, Y85-Y86

Work total..... “Injury at work?” checkbox = “Yes”

Heavy Transport vehicleV60-V69

Other motor vehicle..... V02-V04, V09.0, V09.2, V12-V14, V190-V19.2,
V19.4-V19.6, V2-V59, V7-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1,
V87.0-V87.8, V88.0-V88.8, V89.0, V89.2

Other transport..... Residual of V01-V99

Falls.....W00-W19

Farm machinery W30

Other machinery W31

Struck by/against object..... W20-W29, W35-W49

Electric currentW85-W87

Other/unspecified accident W32-W34, W50-W84, W88-W99, X00-X59

Home totalW00-X59 with 4th-digit place code of 0

Public transport totalW00-X59 with 4th-digit place code not 0

Falls.....W00-W19

Machinery.....W30-W31

FirearmsW32-W34

Struck by/against object..... W20-W29, W35-W49

DrowningW65-W74

Choke/suffocate W75-W77, W78-W80, W81-W84

Excess natural heat/cold.....X30-X31

Fire/flame/smokeX00-X09

Poisoning (drug/alcohol)X40-X45

Poisoning (gas/other).....X46-X49

Other/unspecified accident Residual of W00-X59

Public transport totalV01-V99

Car or truckV40-V69

Pedestrian/motor vehicleV02-V04,V09.0,V09.2

Pedal cyclist V12-V14, V19.0-V19.2,V19.4-V19.6

MotorcyclistV20-V29

Railroad (not w/motor vehicle) V05, V15, V80.6, V81.2-V81.9

Nonroad veh, incl special ATV.....V83-V86

Water transportV90-V94

Air transport.....V95-V97

Other/unspecified Residual of V01-V99

Late effects of accidentsY85-Y86

MEDICAL CONDITIONS ON BIRTH RECORDS

Table 5B presents selected medical conditions reported on the birth certificate by means of a check-off box system. Before 1989, medical conditions on the birth certificate were reported by open-ended questions. It is believed that the check-off box generally increases reporting. A study done by the Missouri Center for Health Statistics found that medical risk factors increased by 50 percent, labor or delivery complications by 30 percent, and congenital anomaly reporting nearly doubled in the first half of 1989 compared with 1988. See *Missouri Monthly Vital Statistics*, Nov. 1989, Vol. 23, No. 9 for more details.

ADDITIONAL DEFINITIONS

Apgar Score — An international code ranging from 0 to 10 used to measure the health of an infant at one minute and five minutes after birth. Items used to derive the score are heart rate, respiratory effort, muscle tone, reflex irritability and color. A score below eight implies a moderately or severely depressed condition. The score used in Table 10 is taken at five minutes after birth. Caution should be used in interpreting patterns of low Apgar scores by area because of a possible subjective bias in assigning scores. Different medical personnel may assign different scores to the same child.

Birth Order — Number of previous pregnancies plus one.

Crown Heel — Length of the baby at birth in centimeters.

Fetal Death — Death taking place before birth at 20 weeks gestation or later or birth weight of 350 grams or more if gestational age is unknown.

Gained LT 15lbs/GT 44 lbs during pregnancy — based on mother's weight at delivery minus pre-pregnancy weight for full-term singleton live births. See Gestational Age Correction on page 127 for additional changes in 2003.

GT 15 Percent Underweight/GT 20 Percent Overweight — If the mother's prepregnancy weight is greater than 15 percent below or 20 percent above the desired weight for her height according to the 1959 Metropolitan Life Insurance tables.

Inadequate Prenatal Care — Fewer than five prenatal visits for pregnancies less than 37 weeks, fewer than eight visits for pregnancies 37 weeks or longer or care beginning after the first four months of pregnancy. Before 1994, records with unknown month prenatal care began or unknown prenatal visits were excluded. Beginning in 1994, if adequacy of prenatal care could be determined even if month care began or visits were unknown, then these records were included. See Gestational Age Correction on page 127 for additional changes in 2003.

Infant Death — Baby dying during the first year of life.

Infant Transfer — Infant transferred to another facility after delivery.

Less than 37 Weeks Gestation — Length of pregnancy less than 37 completed weeks based on date of last normal menses unless this calculation is less than 17 weeks, more than 44 weeks, unknown or if the birth weight and length of pregnancy were obviously inconsistent then clinical estimate is used. See Gestational Age Correction on page 127 for additional changes in 2003.

Live Birth Order — Number of previous babies born alive now living plus one.

Low Birth Weight — Less than 2,500 grams or five and one-half pounds.

Maternal Death — Mother dying as a result of complications of pregnancy, childbirth and puerperium (ICD-10 codes O00-O99).

Maternal Transfer — Mother transferred from another facility prior to delivery.

Natural Increase — Resident live births minus resident deaths.

Neonatal Death — Baby dying during first 27 days of life.

Out-of-Wedlock Birth — Birth involving mother whom was unmarried at time of conception, at time of birth, and throughout time between conception and birth.

Perinatal Death — Fetal or neonatal death.

Postneonatal Death — Death occurring after 27th day of life and before one year.

Teen-age Pregnancy — Live birth, fetal death or abortion occurring to a woman under 20 years of age.